

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Golden Hour Disposable Pen 0.3g Golden Hour

Matrix: Derivative Type: Distillate

Sample:DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344 3466

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 0508 3580 8507 1507

Batch Date: 05/18/23

Sample Size Received: 15.3 gram Total Amount: 1838 units

Retail Product Size: 0.3 gram

Ordered: 09/18/23 Sampled: 09/18/23

Completed: 09/21/23 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS











Microbials

Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Sep 21, 2023 | FLUENT

Total THC

85.213% Total THC/Container : 255.64 mg



Total CBD 0.234% Total CBD/Container: 0.70 mg



Total Cannabinoids 89.498%

Total Cannabinoids/Container: 268.49 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA064505POT Instrument Used : DA-LC-007

Analyzed Date: 09/19/23 12:55:51

Reagent: 091523.R02; 060723.24; 083023.R03 Consumables: 947.109; 1852142; CE123; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 09/19/23 22:50:35 Batch Date: 09/19/23 08:42:42

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344

Sampled: 09/18/23 Ordered: 09/18/23

Sample Size Received: 15.3 gram Total Amount: 1838 units

Completed: 09/21/23 Expires: 09/21/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED



4.175

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344

Sampled: 09/18/23 Ordered: 09/18/23 Sample Size Received: 15.3 gram
Total Amount: 1838 units

Completed: 09/21/23 Expires: 09/21/24 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010) ppm	Level 5	PASS	ND			0.010		Level	DACC	ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
		ppm ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD) ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm ppm	0.1	PASS	ND	PROPOXUR		0.010	nnm	0.1	PASS	ND
ACEQUINOCYL		ppm ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID) ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm ppm	0.1	PASS	ND	SPIROTETRAMAT						
BIFENAZATE		ppm ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN) ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID		ppm ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL		ppm ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm ppm	0.3	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		ppm ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE		ppm ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
DIAZINON		ppm ppm	0.1	PASS	ND	CYFLUTHRIN *						
DICHLORVOS) ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DIMETHOATE) ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracte	d by:
ETHOPROPHOS) ppm	0.1	PASS	ND	4056, 585, 1440	0.2453g		23 16:18:31	COD T 40 101	450	,
ETOFENPROX	0.010) ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101 SOP.T.40.102.FL (Davie)	.FL (Gainesville), SC	JP.1.30.10	Z.FL (Davie)	, SOP.1.40.101	L.FL (Gainesville),
ETOXAZOLE) ppm	0.1	PASS	ND	Analytical Batch : DA064523PES			Reviewed (n:09/21/23 0	9-50-49	
FENHEXAMID) ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-002 Batch Date :09/19/23 11:41:05						
FENOXYCARB) ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010) ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010) ppm	0.1	PASS	ND	Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R10; 090623.R01; 091323.R01						
FLONICAMID	0.010) ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-093: DA-094: DA-21	10					
FLUDIOXONIL	0.010) ppm	0.1	PASS	ND	Testing for agricultural agents is p		nuid Chrom	atography T	rinle-Ouadruno	lo Mass Sportror	netry in
HEXYTHIAZOX	0.010) ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20		quiu ciiioii	iatography i	ripic Quadrapo	ne mass spectror	ned y iii
IMAZALIL	0.010) ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracte	d by:
IMIDACLOPRID	0.010) ppm	0.4	PASS	ND	450, 585, 1440	0.2453g	09/19/23	3 16:18:31		450	
KRESOXIM-METHYL	0.010) ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151						
MALATHION	0.010) ppm	0.2	PASS	ND	Analytical Batch : DA064524VOI				:09/20/23 15:		
METALAXYL	0.010) ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Analyzed Date : 09/19/23 16:31:		Ва	itch Date :	09/19/23 11:43	:11	
METHIOCARB	0.010) ppm	0.1	PASS	ND	Dilution: 250	.14					
METHOMYL	0.010) ppm	0.1	PASS	ND	Reagent: 091523.R13; 040521.	11 · 090723 R17 · 09	0723 R16				
MEVINPHOS	0.010) ppm	0.1	PASS	ND	Consumables : 326250IW; 1472		.0,23.1110				
MYCLOBUTANIL	0.010) ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-21						
NALED	0.010) ppm	0.25	PASS	ND	Testing for agricultural agents is p		as Chromat	ography Trip	ole-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20	-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 ///



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344

Sampled: 09/18/23 Ordered: 09/18/23

Sample Size Received: 15.3 gram Total Amount: 1838 units

Completed: 09/21/23 Expires: 09/21/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Analyzed by:	Weight:	Extraction date:		E	tracted by:
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
Solvents	LOD	Units	Action Level	Pass/Fail	Result

Reviewed On: 09/20/23 15:31:45

Batch Date: 09/19/23 14:40:56

850, 585, 1440 0.0239g 09/20/23 12:20:08

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA064538SOL Instrument Used: DA-GCMS-003 Analyzed Date: 09/20/23 13:33:50

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167: G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Signature Testing 97164 09/21/23



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative



Type: Distillate

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344

Sampled: 09/18/23 Ordered: 09/18/23

Sample Size Received: 15.3 gram Total Amount: 1838 units Completed: 09/21/23 Expires: 09/21/24

Sample Method: SOP.T.20.010

Page 5 of 6

ppm

ppm

ppm

ppm

ppm

Reviewed On: 09/21/23 10:11:54

Batch Date: 09/19/23 11:54:12

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date:

09/19/23 16:18:31



Microbial

PASSED



Mycotoxins

Weight:

0.2453g

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA064525MYC

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Consumables: 326250IW

Analyzed Date : N/A

091323.R01

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

Dilution: 250
Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R10; 090623.R01;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Result

ND

ND

ND

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4056, 585, 1440

Analyzed by: 3621, 3390, 585, 1440 Weight: **Extraction date:** Extracted by: 1.195g 09/19/23 12:22:30 3390,3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064510MIC

Reviewed On: 09/20/23 15:46:41

Batch Date: 09/19/23

Extracted by

Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block 09:06:14

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Instrument Used: PathogenDx Scanner DA-111.Applied

Analyzed Date: 09/19/23 13:05:02

Dilution: N/A

Reagent: 083123.177; 081623.R13; 092122.09

Consumables: 7566001029

Pipette: N/A Analyzed by

	n F.S. Rule 64ER20-39	
Hg	Heavy	Metals

3621, 3336, 585,	1440	1.195g	N/A	3336,3390,3621
Analysis Method	: SOP.T.40.208	(Gainesville),	SOP.T.40.209.FL	
Analytical Batch	: DA064529TYM		Reviewed On:	09/21/23 12:44:23

Extraction date

Analytical Batch: DA064529TYM

Weight:

Instrument Used : Incubator (25-27C) DA-097 Batch Date: 09/19/23 11:55:51 **Analyzed Date :** 09/19/23 13:25:59

Dilution: 10 Reagent: 083123.177; 081523.R08

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2956g	Extraction date: Extracted by 09/19/23 11:39:54 1022			l by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 09/20/23 15:41:00

Analytical Batch : DA064514HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 09/19/23 16:44:48

Reagent: 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03

Batch Date: 09/19/23 10:09:13

Consumables: 179436; 1852142; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Dilution: 50

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30919002-003 Harvest/Lot ID: 7874 2776 8344 3466

Batch#: 7874 2776 8344

Sampled: 09/18/23 Ordered: 09/18/23

Sample Size Received: 15.3 gram Total Amount: 1838 units Completed: 09/21/23 Expires: 09/21/24

Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA064541FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 09/19/23 21:53:50 Batch Date: 09/19/23 21:29:01 Analyzed Date: 09/19/23 21:43:40

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.597	PASS	0.85
Analyzed by: 3619, 585, 1440	Weight: 0.402a	Extraction d		Ex 36	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA064533WAT

Reviewed On: 09/19/23 15:44:06 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 09/19/23 11:59:11

Analyzed Date: 09/19/23 14:48:54

Dilution: N/A Reagent: 050923.02 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164