



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA30921004-004**  
**Harvest/Lot ID: 1023 0635 4072 4326**  
**Batch#: 1023 0635 4072 4326**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 2023 8793 2113 2635**  
**Batch Date: 06/01/23**  
**Sample Size Received: 2700 gram**  
**Total Amount: 1400 units**  
**Retail Product Size: 11.25 gram**  
**Ordered: 09/20/23**  
**Sampled: 09/20/23**  
**Completed: 09/23/23**  
**Sampling Method: SOP.T.20.010**

Sep 23, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

## PRODUCT IMAGE



## SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

## MISC.



### Cannabinoid

**PASSED**

**Total THC**  
**3.949%**

Total THC/Container : 444.26 mg


**Total CBD**  
**0.009%**

Total CBD/Container : 1.01 mg


**Total Cannabinoids**  
**4.147%**

Total Cannabinoids/Container : 466.54 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	3.943	0.007	0.009	ND	0.010	0.089	ND	0.031	0.029	ND	0.029
mg/unit	443.59	0.79	1.01	ND	1.13	10.01	ND	3.49	3.26	ND	3.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
2.9786g

Extraction date:  
09/21/23 12:25:58

Extracted by:  
3335,1665

**Analysis Method :** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch :** DA064604POT  
**Instrument Used :** DA-LC-007  
**Analyzed Date :** 09/21/23 12:45:12

**Reviewed On :** 09/22/23 10:02:07  
**Batch Date :** 09/21/23 09:29:57

**Dilution :** 400  
**Reagent :** 091523.R02; 060723.24; 083023.R03  
**Consumables :** 947.109; 1852142; CE0123; R1KB14270  
**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Drops 11.25g  
Original Blueberry  
Matrix : Derivative  
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-004

Harvest/Lot ID: 1023 0635 4072 4326

Batch# : 1023 0635 4072  
4326

Sampled : 09/20/23

Ordered : 09/20/23

Sample Size Received : 2700 gram

Total Amount : 1400 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.94	0.115		FARNESENE	0.001	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	ND	ND		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	5.18	0.046		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	3.94	0.035						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.83	0.034						
Total (%)			0.115						

Analyzed by: 2076, 585, 1440 Weight: 0.9888g Extraction date: 09/21/23 18:07:27 Extracted by: 2076  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA064635TER Reviewed On : 09/23/23 21:28:32  
Instrument Used : DA-GCMS-008 Batch Date : 09/21/23 18:04:29  
Analyzed Date : 09/22/23 16:55:58  
Dilution : 10  
Reagent : 121622.26  
Consumables : 210414634; MKCN9995; CE0123; R1KB14270  
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Drops 11.25g  
Original Blueberry  
Matrix : Derivative  
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-004

Harvest/Lot ID: 1023 0635 4072 4326

Batch# : 1023 0635 4072  
4326

Sampled : 09/20/23  
Ordered : 09/20/23

Sample Size Received : 2700 gram

Total Amount : 1400 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 585, 1440	0.23g	09/21/23 13:39:54	450,585		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064615PES		Reviewed On : 09/22/23 17:39:22			
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/21/23 10:48:45			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date : 09/22/23 07:17:55					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	0.23g	09/21/23 13:39:54	450,585		
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA064616VOL		Reviewed On : 09/22/23 11:07:21			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/21/23 10:50:43			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 091523.R13; 040521.11; 090723.R17; 090723.R16					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Drops 11.25g

Original Blueberry

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-004

Harvest/Lot ID: 1023 0635 4072 4326

Batch# : 1023 0635 4072  
4326

Sampled : 09/20/23

Ordered : 09/20/23

Sample Size Received : 2700 gram

Total Amount : 1400 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0201g

Extraction date:  
09/22/23 15:54:32

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA064627SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 09/22/23 15:51:32

Reviewed On : 09/22/23 17:36:45

Batch Date : 09/21/23 11:41:45

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



Original Blueberry Drops 11.25g

Original Blueberry

Matrix : Derivative

usable products)



# PASSED

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Sample : DA30921004-004

Harvest/Lot ID: 1023 0635 4072 4326

Batch# : 1023 0635 4072  
4326

**Sampled :** 09/20/23

Ordered : 09/20/23

**Sample Size Received : 2700 gram**











**Total Amount : 1400 units**

**Completed :** 09/23/23 **Expires:** 09/23/24

**Sample Method :** SOP T 30.010

**Sample Method :** SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																																																																																																																																																																																																																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td>Weight: 1.1071g</td><td>Extraction date: 09/21/23 11:27:01</td><td>Extracted by: 3621</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Batch : DA064601MIC</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analysis Date : 09/21/23 13:29:23</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 083123.153; 081623.R13; 092122.09</td></tr><tr><td colspan="6">Consumables : 7565003039</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6"></td></tr><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td>Weight: 1.1071g</td><td>Extraction date: N/A</td><td>Extracted by: 3621</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Batch : DA064626TYM</td></tr><tr><td colspan="6">Instrument Used : Incubator (25-27C) DA-097</td></tr><tr><td colspan="6">Analysis Date : 09/21/23 12:38:29</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 083123.153; 081523.R08</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.1071g	Extraction date: 09/21/23 11:27:01	Extracted by: 3621			Analysis Batch : DA064601MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analysis Date : 09/21/23 13:29:23						Dilution : N/A						Reagent : 083123.153; 081623.R13; 092122.09						Consumables : 7565003039						Pipette : N/A												Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.1071g	Extraction date: N/A	Extracted by: 3621			Analysis Batch : DA064626TYM						Instrument Used : Incubator (25-27C) DA-097						Analysis Date : 09/21/23 12:38:29						Dilution : 10						Reagent : 083123.153; 081523.R08						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<table><tr><td></td><td>Mycotoxins</td><td>PASSED</td></tr><tr><td colspan="6"><table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 0.23g</td><td>Extraction date: 09/21/23 13:39:54</td><td>Extracted by: 450,585</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064617MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analysis Date : 09/22/23 07:17:34</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table></td><td><table><tr><td></td><td>Heavy Metals</td><td>PASSED</td></tr><tr><td colspan="6"><table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table></td></tr></table></td></tr></table>		Mycotoxins	PASSED	<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 0.23g</td><td>Extraction date: 09/21/23 13:39:54</td><td>Extracted by: 450,585</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064617MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analysis Date : 09/22/23 07:17:34</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.23g	Extraction date: 09/21/23 13:39:54	Extracted by: 450,585			Analytical Batch : DA064617MYC						Instrument Used : N/A						Analysis Date : 09/22/23 07:17:34						Dilution : 250						Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<table><tr><td></td><td>Heavy Metals</td><td>PASSED</td></tr><tr><td colspan="6"><table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table></td></tr></table>		Heavy Metals	PASSED	<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5	CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3	LEAD	0.020	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2324g	Extraction date: 09/21/23 11:26:53	Extracted by: 1022			Analytical Batch : DA064608HEA						Instrument Used : DA-ICPMS-004						Analysis Date : N/A						Dilution : 50						Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03						Consumables : 179436; 1852142; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																																																																																																				
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																																																																																																																																					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																																																																																																																																																				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.1071g	Extraction date: 09/21/23 11:27:01	Extracted by: 3621																																																																																																																																																																																																																																																																																																																																																																						
Analysis Batch : DA064601MIC																																																																																																																																																																																																																																																																																																																																																																									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																																																																																																																																																																																																									
Analysis Date : 09/21/23 13:29:23																																																																																																																																																																																																																																																																																																																																																																									
Dilution : N/A																																																																																																																																																																																																																																																																																																																																																																									
Reagent : 083123.153; 081623.R13; 092122.09																																																																																																																																																																																																																																																																																																																																																																									
Consumables : 7565003039																																																																																																																																																																																																																																																																																																																																																																									
Pipette : N/A																																																																																																																																																																																																																																																																																																																																																																									
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.1071g	Extraction date: N/A	Extracted by: 3621																																																																																																																																																																																																																																																																																																																																																																						
Analysis Batch : DA064626TYM																																																																																																																																																																																																																																																																																																																																																																									
Instrument Used : Incubator (25-27C) DA-097																																																																																																																																																																																																																																																																																																																																																																									
Analysis Date : 09/21/23 12:38:29																																																																																																																																																																																																																																																																																																																																																																									
Dilution : 10																																																																																																																																																																																																																																																																																																																																																																									
Reagent : 083123.153; 081523.R08																																																																																																																																																																																																																																																																																																																																																																									
Consumables : N/A																																																																																																																																																																																																																																																																																																																																																																									
Pipette : N/A																																																																																																																																																																																																																																																																																																																																																																									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																									
	Mycotoxins	PASSED																																																																																																																																																																																																																																																																																																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 0.23g</td><td>Extraction date: 09/21/23 13:39:54</td><td>Extracted by: 450,585</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064617MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analysis Date : 09/22/23 07:17:34</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.23g	Extraction date: 09/21/23 13:39:54	Extracted by: 450,585			Analytical Batch : DA064617MYC						Instrument Used : N/A						Analysis Date : 09/22/23 07:17:34						Dilution : 250						Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<table><tr><td></td><td>Heavy Metals</td><td>PASSED</td></tr><tr><td colspan="6"><table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table></td></tr></table>		Heavy Metals	PASSED	<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5	CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3	LEAD	0.020	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2324g	Extraction date: 09/21/23 11:26:53	Extracted by: 1022			Analytical Batch : DA064608HEA						Instrument Used : DA-ICPMS-004						Analysis Date : N/A						Dilution : 50						Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03						Consumables : 179436; 1852142; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																																																																																																				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																																																																																																				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																																																																																																				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																																																																																																				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																																																																																																				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																																																																																																				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.23g	Extraction date: 09/21/23 13:39:54	Extracted by: 450,585																																																																																																																																																																																																																																																																																																																																																																						
Analytical Batch : DA064617MYC																																																																																																																																																																																																																																																																																																																																																																									
Instrument Used : N/A																																																																																																																																																																																																																																																																																																																																																																									
Analysis Date : 09/22/23 07:17:34																																																																																																																																																																																																																																																																																																																																																																									
Dilution : 250																																																																																																																																																																																																																																																																																																																																																																									
Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01																																																																																																																																																																																																																																																																																																																																																																									
Consumables : 326250IW																																																																																																																																																																																																																																																																																																																																																																									
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																																																																																																																																																																																									
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																									
	Heavy Metals	PASSED																																																																																																																																																																																																																																																																																																																																																																							
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2324g</td><td>Extraction date: 09/21/23 11:26:53</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analytical Batch : DA064608HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analysis Date : N/A</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03</td></tr><tr><td colspan="6">Consumables : 179436; 1852142; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5	CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3	LEAD	0.020	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2324g	Extraction date: 09/21/23 11:26:53	Extracted by: 1022			Analytical Batch : DA064608HEA						Instrument Used : DA-ICPMS-004						Analysis Date : N/A						Dilution : 50						Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03						Consumables : 179436; 1852142; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																															
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5																																																																																																																																																																																																																																																																																																																																																																				
ARSENIC	0.020	ppm	ND	PASS	1.5																																																																																																																																																																																																																																																																																																																																																																				
CADMIUM	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																																																																																																																																																																																				
MERCURY	0.020	ppm	ND	PASS	3																																																																																																																																																																																																																																																																																																																																																																				
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																																																																																																																																																																																				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2324g	Extraction date: 09/21/23 11:26:53	Extracted by: 1022																																																																																																																																																																																																																																																																																																																																																																						
Analytical Batch : DA064608HEA																																																																																																																																																																																																																																																																																																																																																																									
Instrument Used : DA-ICPMS-004																																																																																																																																																																																																																																																																																																																																																																									
Analysis Date : N/A																																																																																																																																																																																																																																																																																																																																																																									
Dilution : 50																																																																																																																																																																																																																																																																																																																																																																									
Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03																																																																																																																																																																																																																																																																																																																																																																									
Consumables : 179436; 1852142; 210508058																																																																																																																																																																																																																																																																																																																																																																									
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																																																																																																																																									
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Drops 11.25g

Original Blueberry

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-004

Harvest/Lot ID: 1023 0635 4072 4326

Batch# : 1023 0635 4072  
4326

Sampled : 09/20/23

Ordered : 09/20/23

Sample Size Received : 2700 gram

Total Amount : 1400 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA064633FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/21/23 12:35:09

Reviewed On : 09/21/23 12:40:55

Batch Date : 09/21/23 12:26:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.466	TESTED	

Analyzed by: 3619, 585, 1440	Weight: 0.441g	Extraction date: 09/21/23 14:16:00	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064631WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 09/21/23 14:17:22

Reviewed On : 09/21/23 15:08:23

Batch Date : 09/21/23 11:49:30

Dilution : N/A

Reagent : 050923.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23