



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30923004-002
Harvest/Lot ID: 2000 8481 3690 3840
Batch#: 2000 8481 3690 3840
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3725 7550 4840 2323
Batch Date: 08/28/23
Sample Size Received: 15.5 gram
Total Amount: 1995 units
Retail Product Size: 0.5 gram
Ordered: 09/22/23
Sampled: 09/22/23
Completed: 09/26/23
Sampling Method: SOP.T.20.010

Sep 26, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.


Cannabinoid

PASSED


Total THC
41.892%
Total THC/Container : 209.46 mg

Total CBD
45.612%
Total CBD/Container : 228.06 mg

Total Cannabinoids
92.424%
Total Cannabinoids/Container : 462.12 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	41.892	ND	45.612	ND	ND	1.756	ND	0.481	0.312	0.263	2.108
mg/unit	209.46	ND	228.06	ND	ND	8.78	ND	2.41	1.56	1.32	10.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1046g

 Extraction date:
 09/25/23 10:11:56

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064741POT

Instrument Used : DA-LC-007

Analyzed Date : 09/25/23 10:16:00

Reviewed On : 09/26/23 08:56:49

Batch Date : 09/24/23 23:16:04

Dilution : 400

Reagent : 092223.R05; 060723.24; 092223.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 09/26/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Big Grape Kiwi Cartridge Concentrate (1:1) 0.5g

Big Grape Kiwi

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30923004-002

Harvest/Lot ID: 2000 8481 3690 3840

Batch# : 2000 8481 3690
3840

Sampled : 09/22/23

Ordered : 09/22/23

Sample Size Received : 15.5 gram

Total Amount : 1995 units

Completed : 09/26/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.12	1.823		FARNESENE	0.001	0.08	0.016	
TOTAL TERPINEOL	0.007	0.13	0.025		ALPHA-HUMULENE	0.007	0.41	0.082	
ALPHA-BISABOLOL	0.007	0.40	0.080		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.12	0.023	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	0.15	0.030	
BETA-MYRCENE	0.007	3.17	0.634		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 1879, 2076, 585, 1440				
3-CARENE	0.007	ND	ND		Weight: 0.9891g				
ALPHA-TERPINENE	0.007	ND	ND		Extraction date: 09/25/23 12:45:47				
LIMONENE	0.007	1.68	0.336		Extracted by: 2076				
EUCALYPTOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	0.34	0.067		Analytical Batch : DA064718TER				
GAMMA-TERPINENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
SABINENE HYDRATE	0.007	ND	ND		Analyzed Date : N/A				
TERPINOLENE	0.007	ND	ND		Dilution : 10				
FENCHONE	0.007	<0.20	<0.040		Reagent : 121622.26				
LINALOOL	0.007	0.45	0.090		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHYL ALCOHOL	0.007	0.13	0.026		Pipette : N/A				
ISOPULEGOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.20	<0.040						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.50	0.100						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.57	0.314						
Total (%)			1.823						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30923004-002

Harvest/Lot ID: 2000 8481 3690 3840

Batch# : 2000 8481 3690

3840

Sampled : 09/22/23

Ordered : 09/22/23

Sample Size Received : 15.5 gram

Total Amount : 1995 units

Completed : 09/26/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30923004-002

Harvest/Lot ID: 2000 8481 3690 3840

 Batch# : 2000 8481 3690
 3840

Sampled : 09/22/23

Ordered : 09/22/23

Sample Size Received : 15.5 gram

Total Amount : 1995 units

Completed : 09/26/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0271g

 Extraction date:
 09/25/23 19:29:16

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA064705SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 09/25/23 19:37:13

Reviewed On : 09/26/23 08:59:15

Batch Date : 09/23/23 14:46:25

Dilution : 1

Reagent : N/A

Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30923004-002

Harvest/Lot ID: 2000 8481 3690 3840

 Batch# : 2000 8481 3690
 3840

Sampled : 09/22/23

Ordered : 09/22/23




Sample Size Received : 15.5 gram

Total Amount : 1995 units

Completed : 09/26/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.017g Extraction date: 09/23/23 16:21:28 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064696MIC Reviewed On : 09/26/23 12:39:39 Batch Date : 09/23/23 10:15:47 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 09/25/23 13:02:04 Dilution : N/A Reagent : 083123.154; 092123.R19; 081023.04 Consumables : 7565003036 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2218g Extraction date: 09/25/23 12:57:36 Extracted by: 4056, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064729MYC Instrument Used : N/A Analyzed Date : 09/25/23 13:02:49 Reviewed On : 09/26/23 10:35:05 Batch Date : 09/24/23 16:28:20 Dilution : 250 Reagent : 091523.R13; 040521.11; 091923.R14; 092223.R21; 091223.R10; 090623.R01; 092023.R01 Consumables : 326250IOW Pipette : DA-093; DA-094; DA-218 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 1440 Weight: 1.017g Extraction date: 09/23/23 16:21:28 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA064713TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 09/25/23 13:01:28 Reviewed On : 09/26/23 09:01:39 Batch Date : 09/23/23 16:21:38 Dilution : 10 Reagent : 083123.154; 092123.R18 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2888g Extraction date: 09/24/23 12:50:43 Extracted by: 1022, 4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064699HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 09/25/23 15:58:23 Reviewed On : 09/26/23 10:25:52 Batch Date : 09/23/23 11:00:50 Dilution : 50 Reagent : 092123.R14; 083023.R58; 092223.R20; 092123.R03; 092223.R18; 092223.R19; 083123.R04; 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Big Grape Kiwi Cartridge Concentrate (1:1) 0.5g

Big Grape Kiwi

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30923004-002

Harvest/Lot ID: 2000 8481 3690 3840

Batch# : 2000 8481 3690
3840

Sampled : 09/22/23

Ordered : 09/22/23

Sample Size Received : 15.5 gram

Total Amount : 1995 units

Completed : 09/26/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA064734FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/24/23 22:26:19

Reviewed On : 09/25/23 22:32:48

Batch Date : 09/24/23 21:20:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.496	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.27g	Extraction date: 09/24/23 13:44:42	Extracted by: 4056
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064708WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 09/24/23 13:32:21

Reviewed On : 09/25/23 13:25:58

Batch Date : 09/23/23 15:09:46

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/26/23