



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31012004-001
Harvest/Lot ID: HYB-SN-100923-C0113
Batch#: 4442 9285 1598 9048
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale#: 4529 3943 3889 2535
Batch Date: 09/18/23
Sample Size Received: 31.5 gram
Total Amount: 1479 units
Retail Product Size: 3.5 gram
Ordered: 10/11/23
Sampled: 10/12/23
Completed: 10/14/23
Sampling Method: SOP.T.20.010

Oct 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
16.253%
Dry Weight



Total CBD
0.04%
Dry Weight



Total Cannabinoids
18.964%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	
%	0.271	15.706	ND	0.04	0.024	0.067	0.252	ND	ND	ND	0.027	Total THC
mg/unit	9.485	549.71	ND	1.4	0.84	2.345	8.82	ND	ND	ND	0.945	14.045%
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	491.575 mg /Container
	%	%	%	%	%	%	%	%	%	%	%	Total CBD
												0.035%
												1.225 mg /Container
												Total Cannabinoids
												16.387%
												573.545 mg /Container
												As Received

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1908g

Extraction date:
10/12/23 12:57:44

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065299POT

Instrument Used : DA-LC-002

Analyzed Date : 10/12/23 13:00:45

Reviewed On : 10/13/23 11:55:31

Batch Date : 10/12/23 08:41:34

Dilution : 400

Reagent : 100423.R31; 060723.24; 100423.R34

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Supernova WF 3.5g (1/8oz)
FTH - Supernova
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31012004-001

Harvest/Lot ID: HYB-SN-100923-C0113

Batch# : 4442 9285 1598
9048

Sampled : 10/12/23
Ordered : 10/12/23

Sample Size Received : 31.5 gram

Total Amount : 1479 units

Completed : 10/14/23 Expires: 10/14/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	44.77	1.279		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.26	0.036		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.98	0.228		FENCHYL ALCOHOL	0.007	1.72	0.049	
ALPHA-HUMULENE	0.007	2.14	0.061		BORNEOL	0.013	<1.40	<0.040	
BETA-MYRCENE	0.007	2.87	0.082		CIS-NEROLIDOL	0.007	<0.70	<0.020	
LIMONENE	0.007	8.33	0.238		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	ND	ND		ALPHA-PINENE	0.007	1.30	0.037	
LINALOOL	0.007	4.10	0.117		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	1.61	0.046						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 1440	1.0429g	10/12/23 16:27:36	2076	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA06315TER			Reviewed On : 10/14/23 12:24:35	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 10/12/23 10:22:31	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/12/23 17:10:17				
CAMPHENE	0.007	<0.70	<0.020		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.70	0.020		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	0.88	0.025						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	5.85	0.167						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	<0.70	<0.020						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
Total (%)			1.279						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Supernova WF 3.5g (1/8oz)
FTH - Supernova
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31012004-001

Harvest/Lot ID: HYB-SN-100923-C0113

Batch# : 4442 9285 1598
9048

Sampled : 10/12/23
Ordered : 10/12/23

Sample Size Received : 31.5 gram

Total Amount : 1479 units

Completed : 10/14/23 Expires: 10/14/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9494g	Extraction date: 10/12/23 16:37:37	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065327PES		Reviewed On : 10/14/23 12:44:36			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/12/23 12:02:23			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/12/23 16:43:13					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 100223.R02; 100823.R03; 100923.R29; 101123.R25; 101023.R01; 101123.R01; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9494g	Extraction date: 10/12/23 16:37:37	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065328VOL		Reviewed On : 10/13/23 11:17:59			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/12/23 12:03:14			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/12/23 17:36:53					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100923.R29; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/14/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31012004-001

Harvest/Lot ID: HYB-SN-100923-C0113

 Batch# : 4442 9285 1598
 9048

Sampled : 10/12/23

Ordered : 10/12/23

Sample Size Received : 31.5 gram

Total Amount : 1479 units

Completed : 10/14/23 Expires: 10/14/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 585, 1440		0.9494g		10/12/23 16:37:37	Extracted by:
											3379
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
3621, 3336, 585, 1440	0.8676g	10/12/23 12:33:27	3390			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/13/23			Analytical Batch : DA065340MYC					
Analytical Batch : DA065307MIC			13:50:21			Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111, fisherbrand			Batch Date : 10/12/23			Analyzed Date : 10/12/23 16:45:02					
Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block			09:55:15			Dilution : 250					
DA-049, Fisher Scientific Isotemp Heat Block DA-021						Reagent : 100223.R02; 100823.R03; 100923.R29; 101123.R25; 101023.R01; 101123.R01;					
Analyzed Date : 10/12/23 15:01:58						040521.11					
Dilution : N/A						Consumables : 326250IW					
Reagent : 083123.145; 100423.R39; 081023.06						Pipette : DA-093; DA-094; DA-219					
Consumables : 7566003009						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621, 3336, 585, 1440	0.8676g	N/A	3390, 3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA065320TYM			
Instrument Used : N/A			
Analyzed Date : 10/12/23 15:26:48			
Dilution : 10			
Reagent : 083123.145; 092123.R18			
Consumables : N/A			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2399g	Extraction date: 10/12/23 11:15:32	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065309HEA			Reviewed On : 10/13/23 11:14:31		
Instrument Used : DA-ICPMS-004			Batch Date : 10/12/23 10:05:27		
Analyzed Date : 10/12/23 15:16:41					
Dilution : 50					
Reagent : 092123.R14; 101123.R29; 100923.R05; 100923.R02; 100923.R03; 100923.R04; 101123.R28; 101123.R27					
Consumables : 179436; 1852142; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Supernova WF 3.5g (1/8oz)
FTH - Supernova
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31012004-001

Harvest/Lot ID: HYB-SN-100923-C0113

Batch# : 4442 9285 1598
9048

Sampled : 10/12/23
Ordered : 10/12/23

Sample Size Received : 31.5 gram

Total Amount : 1479 units

Completed : 10/14/23 Expires: 10/14/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.59	PASS	15
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 1440	Weight: 0.506g	Extraction date: 10/12/23 16:27:13	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065343FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/14/23 12:23:12						Analysis Method : SOP.T.40.021 Analytical Batch : DA065332MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 10/12/23 16:22:08					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.584	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 0.672g	Extraction date: 10/12/23 16:40:39	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA065333WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 10/12/23 16:22:24					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/14/23