



# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30921004-001**
**Harvest/Lot ID: HYB-DB-081623-C0099**
**Batch#: 5674 6827 7758 4848**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 3266 3412 7607 7542**
**Batch Date: 07/17/23**
**Sample Size Received: 26 gram**
**Total Amount: 989 units**
**Retail Product Size: 1 gram**
**Ordered: 09/20/23**
**Sampled: 09/20/23**
**Completed: 09/23/23**
**Sampling Method: SOP.T.20.010**

Sep 23, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 5

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
NOT TESTED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
PASSED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**34.422%**

Dry Weight


**Total CBD**
**0.092%**

Dry Weight


**Total Cannabinoids**
**40.253%**

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.592	34.274	ND	0.094	0.047	0.156	0.576	<0.010	ND	ND	0.103
mg/unit	5.92	342.74	ND	0.94	0.47	1.56	5.76	<0.10	ND	ND	1.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

**Total THC  
30.65%  
306.5 mg /Container**
**Total CBD  
0.082%  
0.82 mg /Container**
**Total Cannabinoids  
35.842%  
358.42 mg /Container**
**As Received**
**Analyzed by:**  
3335, 1665, 585, 1440

**Weight:**  
0.2069g

**Extraction date:**  
09/21/23 12:39:06

**Extracted by:**  
3335

**Analysis Method :** SOP.T.40.031, SOP.T.30.031

**Analytical Batch :** DA064614POT

**Instrument Used :** DA-LC-002

**Analyzed Date :** 09/21/23 12:46:06

**Reviewed On :** 09/22/23 10:01:58

**Batch Date :** 09/21/23 10:43:50

**Dilution :** 400

**Reagent :** 092023.R26; 060723.24; 083023.R03

**Consumables :** 947.109; 1852142; CE0123; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



**Signature**  
09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Donny Burger Full Flower 1g Pre-roll(s) (.035oz) 1 unit

FTH-Donny Burger

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-001

Harvest/Lot ID: HYB-DB-081623-C0099

Batch# : 5674 6827 7758  
4848

Sampled : 09/20/23

Ordered : 09/20/23

Sample Size Received : 26 gram

Total Amount : 989 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.21	1.321		FARNESENE	0.001	0.15	0.015	
TOTAL TERPINEOL	0.007	0.57	0.057		ALPHA-HUMULENE	0.007	1.18	0.118	
ALPHA-BISABOLOL	0.007	0.66	0.066		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.56	0.056		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.20	<0.020		TRANS-NEROLIDOL	0.007	<0.20	<0.020	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020	
BETA-PINENE	0.007	0.78	0.078		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.30	0.030		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA064625TER				
ALPHA-TERPINENE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
LIMONENE	0.007	3.35	0.335		Analyzed Date : 09/21/23 16:38:43				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
OCIMENE	0.007	ND	ND		Reagent : 121622.26				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
SABINENE HYDRATE	0.007	ND	ND		Pipette : N/A				
TERPINOLENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	<0.40	<0.040						
LINALOOL	0.007	0.24	0.024						
FENCHYL ALCOHOL	0.007	0.88	0.088						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.40	<0.040						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.10	0.310						
Total (%)			1.321						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Donny Burger Full Flower 1g Pre-roll(s) (.035oz) 1 unit  
FTH-Donny Burger  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-001

Harvest/Lot ID: HYB-DB-081623-C0099

Batch# : 5674 6827 7758  
4848

Sampled : 09/20/23  
Ordered : 09/20/23

Sample Size Received : 26 gram

Total Amount : 989 units

Completed : 09/23/23 Expires: 09/23/24  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9697g	Extraction date: 09/21/23 13:46:29	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064618PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 09/22/23 17:28:32		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/22/23 07:17:50			Batch Date : 09/21/23 11:07:44		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.9697g	Extraction date: 09/21/23 13:46:29	Extracted by: 450,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064619VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 09/22/23 11:22:13		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/22/23 10:40:26			Batch Date : 09/21/23 11:08:24		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 091523.R13; 040521.11; 090723.R17; 090723.R16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23



# Certificate of Analysis




**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30921004-001  
 Harvest/Lot ID: HYB-DB-081623-C0099

 Batch# : 5674 6827 7758  
 4848  
 Sample Size Received : 26 gram  
 Total Amount : 989 units  
 Completed : 09/23/23 Expires: 09/23/24  
 Ordered : 09/20/23  
 Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	140	PASS	100000						
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.9085g Extraction date: 09/21/23 11:26:59 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064601MIC Reviewed On : 09/23/23 14:11:56 Batch Date : 09/21/23 08:34:39 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 09/21/23 13:29:23 Dilution : N/A Reagent : 083123.153; 081623.R13; 092122.09 Consumables : 7565003039 Pipette : N/A						Analyzed by: 4056, 585, 1440 Weight: 0.9697g Extraction date: 09/21/23 13:46:29 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064620MYC Instrument Used : N/A Analyzed Date : 09/22/23 07:17:39 Dilution : 250 Reagent : 091523.R13; 040521.11; 091523.R12; 091823.R03; 091923.R14; 090623.R01; 092023.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 3336, 585, 1440 Weight: 0.9085g Extraction date: N/A Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA064626TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 09/21/23 12:38:29 Dilution : 10 Reagent : 083123.153; 081523.R08 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2586g Extraction date: 09/21/23 10:48:37 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064607HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 09/21/23 16:24:04 Dilution : 50 Reagent : 082323.R34; 083023.R58; 091523.R16; 091323.R27; 091523.R14; 091523.R15; 083123.R04; 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Donny Burger Full Flower 1g Pre-roll(s) (.035oz) 1 unit  
FTH-Donny Burger  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30921004-001

Harvest/Lot ID: HYB-DB-081623-C0099

Batch# : 5674 6827 7758  
4848

Sampled : 09/20/23

Ordered : 09/20/23

Sample Size Received : 26 gram

Total Amount : 989 units

Completed : 09/23/23 Expires: 09/23/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.96	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3619, 585, 1440	Weight: 0.429g	Extraction date: 09/21/23 13:54:33	Extracted by: 3619		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064633FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 09/21/23 12:35:09						Analysis Method : SOP.T.40.021 Analytical Batch : DA064629MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/21/23 13:55:57					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.65
Analyzed by: 3619, 585, 1440	Weight: 0.465g	Extraction date: 09/21/23 14:05:10	Extracted by: 3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064630WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/21/23 14:06:21					
Dilution : N/A Reagent : 050923.02 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/23/23