



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA30926002-001  
Harvest/Lot ID: HYB-WS-092223-C0111  
Batch#: 1073 7686 3858 2386  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale# 4910 4184 4833 2503  
Batch Date: 08/21/23  
Sample Size Received: 31.5 units  
Total Amount: 987 units  
Retail Product Size: 3.5 gram  
Ordered: 09/25/23  
Sampled: 09/25/23  
Completed: 09/28/23  
Sampling Method: SOP.T.20.010


Sep 28, 2023 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>NOT TESTED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>PASSED</b>	 Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------

	<b>Total THC</b> <b>20.866%</b> Dry Weight		<b>Total CBD</b> <b>0.071%</b> Dry Weight		<b>Total Cannabinoids</b> <b>24.759%</b> Dry Weight
--	--	---	---	---	---

	<b>Total THC</b> <b>17.77%</b> 621.95 mg /Container	<b>Total CBD</b> <b>0.061%</b> 2.135 mg /Container	<b>Total Cannabinoids</b> <b>21.085%</b> 737.975 mg /Container
	<b>As Received</b>		
	<b>D9-THC</b> % 0.454 mg/unit 15.89 LOD 0.001	<b>THCA</b> % 19.745 mg/unit 691.075 LOD 0.001	<b>CBD</b> % ND mg/unit ND LOD 0.001
	<b>CBD</b> % 0.07 mg/unit 2.45 LOD 0.001	<b>CBDA</b> % 0.035 mg/unit 1.225 LOD 0.001	<b>D8-THC</b> % 0.096 mg/unit 3.36 LOD 0.001
	<b>CBG</b> % 0.639 mg/unit 22.365 LOD 0.001	<b>CBGA</b> % <0.010 mg/unit <0.35 LOD 0.001	<b>CBN</b> % ND mg/unit ND LOD 0.001
	<b>THCV</b> % ND mg/unit ND LOD 0.001	<b>CBDV</b> % ND mg/unit ND LOD 0.001	<b>CBC</b> % 0.046 mg/unit 1.61 LOD 0.001

Analyzed by: 3605, 1665, 585, 1440  Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA064757POT Instrument Used : DA-LC-002 Analyzed Date : 09/26/23 12:47:03  Dilution : 400 Reagent : 061623.02; 092023.R25; 092623.R03 Consumables : 947.109; 1852142; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.2086g	Extraction date: 09/26/23 12:44:35  Reviewed On : 09/27/23 10:25:40 Batch Date : 09/26/23 09:06:40	Extracted by: 3605
---	--------------------	--	-----------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation # PJA-  
Testing 97164

  
Signature  
09/28/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Wise Guy WF, 3.5g(1/8oz)

FTH - Wise Guy

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30926002-001

Harvest/Lot ID: HYB-WS-092223-C0111

Batch# : 1073 7686 3858  
2386

Sampled : 09/25/23

Ordered : 09/25/23

Sample Size Received : 31.5 units

Total Amount : 987 units

Completed : 09/28/23 Expires: 09/28/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	56.91	1.626		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.33	0.038		GUAJOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.78	0.365		FENCHYL ALCOHOL	0.007	1.79	0.051	
ALPHA-HUMULENE	0.007	5.08	0.145		BORNEOL	0.013	<1.40	<0.040	
BETA-MYRCENE	0.007	0.98	0.028		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	13.16	0.376		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.29	0.094		ALPHA-PINENE	0.007	3.43	0.098	
LINALOOL	0.007	1.33	0.038		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	2.56	0.073						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 1440	1.0696g	09/26/23 18:05:13	2076	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA064792TER			Reviewed On : 09/28/23 12:55:52	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 09/26/23 18:01:40	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 09/27/23 11:35:29				
CAMPHERE	0.007	<0.70	<0.020		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 121622.26				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	<0.70	<0.020		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND						
OCIMENE	0.007	1.16	0.033						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	0.84	0.024						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.77	0.022						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%) 1.626

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/28/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Wise Guy WF, 3.5g(1/8oz)

FTH - Wise Guy

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30926002-001

Harvest/Lot ID: HYB-WS-092223-C0111

Batch# : 1073 7686 3858  
2386

Sampled : 09/25/23

Ordered : 09/25/23

Sample Size Received : 31.5 units

Total Amount : 987 units

Completed : 09/28/23 Expires: 09/28/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 1.0288g	Extraction date: 09/26/23 16:00:40	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064776PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Reviewed On : 09/28/23 14:59:21		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/26/23 15:12:33			Batch Date : 09/26/23 11:25:58		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 092223.R21; 092523.R02; 092523.R15; 090623.R01; 092023.R01; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 1.0288g	Extraction date: 09/26/23 16:00:40	Extracted by: 3379,450		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064778VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 09/28/23 14:57:57		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/26/23 16:03:56			Batch Date : 09/26/23 11:28:43		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 092523.R01; 040521.11; 092523.R21; 092523.R22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/28/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30926002-001

Harvest/Lot ID: HYB-WS-092223-C0111

 Batch# : 1073 7686 3858  
 2386

Sampled : 09/25/23

Ordered : 09/25/23




Sample Size Received : 31.5 units

Total Amount : 987 units

Completed : 09/28/23 Expires: 09/28/24

Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 1440 Weight: 0.9791g Extraction date: 09/26/23 11:53:34 Extracted by: 3336						Analyzed by: 3379, 585, 1440 Weight: 1.0288g Extraction date: 09/26/23 16:00:40 Extracted by: 3379,450					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064759MIC Reviewed On : 09/27/23 12:36:43 Batch Date : 09/26/23 09:53:31						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064777MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 09/26/23 15:12:42 Reviewed On : 09/27/23 09:56:42 Batch Date : 09/26/23 11:28:40					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 09/26/23 15:04:20						Dilution : 250 Reagent : 092223.R21; 092523.R02; 092523.R01; 092223.R15; 090623.R01; 092023.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 083123.117; 083123.160; 092123.R19; 081023.04 Consumables : 7565003051 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2486g Extraction date: 09/26/23 12:05:18 Extracted by: 1022											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064765HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 09/26/23 15:17:03 Reviewed On : 09/27/23 10:24:29 Batch Date : 09/26/23 10:08:36											
Dilution : 50 Reagent : 092123.R14; 083023.R58; 092223.R20; 092123.R03; 092223.R18; 092223.R19; 083123.R04; 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Wise Guy WF, 3.5g(1/8oz)

FTH - Wise Guy

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30926002-001

Harvest/Lot ID: HYB-WS-092223-C0111

Batch# : 1073 7686 3858  
2386

Sampled : 09/25/23

Ordered : 09/25/23

Sample Size Received : 31.5 units

Total Amount : 987 units

Completed : 09/28/23 Expires: 09/28/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.84	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3619, 585, 1440	Weight: 0.493g	Extraction date: 09/26/23 14:12:51	Extracted by: 3619		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064821FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 09/27/23 11:31:20						Analysis Method : SOP.T.40.021 Analytical Batch : DA064783MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/26/23 14:13:47					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.549	PASS	0.65
Analyzed by: 3619, 585, 1440	Weight: 0.545g	Extraction date: 09/26/23 14:25:09	Extracted by: 3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064782WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/26/23 14:25:46					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/28/23