



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30928007-001
Harvest/Lot ID: HYB-GP-092523-C0111
Batch#: 1477 2419 5730 3496
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0098 9069 3850 9855
Batch Date: 08/21/23
Sample Size Received: 31.5 gram
Total Amount: 2240 units
Retail Product Size: 3.5 gram
Ordered: 09/27/23
Sampled: 09/27/23
Completed: 10/01/23
Sampling Method: SOP.T.20.010


Oct 01, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US






PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 28.8% Dry Weight		Total CBD 0.08% Dry Weight		Total Cannabinoids 33.848% Dry Weight
--	--	---	--	---	---

	Total THC 25.474% 891.59 mg /Container	Total CBD 0.071% 2.485 mg /Container	Total Cannabinoids 29.939% 1047.865 mg /Container
	As Received		
	D9-THC 0.536 18.76 0.001 %	THCA 28.436 995.26 0.001 %	CBD ND ND 0.001 %
	CBDA 0.081 2.835 0.001 %	D8-THC 0.028 0.98 0.001 %	CBG 0.111 3.885 0.001 %
	CBGA 0.66 23.1 0.001 %	CBN <0.010 <0.35 0.001 %	THCV ND ND 0.001 %
	CBDV ND ND 0.001 %	CBC 0.087 3.045 0.001 %	

Analized by: 3605, 1665, 3963	Weight: 0.2076g	Extraction date: 09/28/23 12:54:06	Extracted by: 3605
Analysis Method : SOP.T.40.031, SOP.T.30.031			
Analytical Batch : DA064849POT		Reviewed On : 10/01/23 09:26:27	
Instrument Used : DA-LC-002		Batch Date : 09/28/23 10:28:04	
Analized Date : 09/28/23 12:54:59			

Dilution : 400
Reagent : 092023.R25; 060723.24; 092223.R03
Consumables : 947.109; LCJ0311R; 1852142; 266969; 250653; CE0123; R1KB14270
Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
10/01/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Gary Payton WF 3.5g (1/8oz)

FTH - Gary Payton

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30928007-001

Harvest/Lot ID: HYB-GP-092523-C0111

Batch# : 1477 2419 5730
3496

Sample Size Received : 31.5 gram

Total Amount : 2240 units

Completed : 10/01/23 Expires: 10/01/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	70.77	2.022		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.30	0.037		GUAJOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	18.73	0.535		FENCHYL ALCOHOL	0.007	1.54	0.044	
ALPHA-HUMULENE	0.007	5.04	0.144		BORNEOL	0.013	ND	ND	
BETA-MYRCENE	0.007	4.83	0.138		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	11.94	0.341		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	5.64	0.161		ALPHA-PINENE	0.007	1.23	0.035	
LINALOOL	0.007	7.70	0.220		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	1.75	0.050						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 3963	0.8029g	09/28/23 16:53:57	3702	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA064859TER			Reviewed On : 09/30/23 19:14:57	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 09/28/23 11:20:23	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 09/30/23 08:41:25				
CAMPHERE	0.007	<0.70	<0.020		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 121622.26				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.98	0.028		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	1.96	0.056						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	<2.10	<0.060						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020						
HEXAHYDROTHYMOL	0.007	ND	ND						
Total (%)			2.022						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/01/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Gary Payton WF 3.5g (1/8oz)

FTH - Gary Payton

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30928007-001

Harvest/Lot ID: HYB-GP-092523-C0111

Batch# : 1477 2419 5730

3496

Sampled : 09/27/23

Ordered : 09/27/23

Sample Size Received : 31.5 gram

Total Amount : 2240 units

Completed : 10/01/23 Expires: 10/01/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.9011g	Extraction date: 09/30/23 20:12:20	Extracted by: 585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064860PES		Reviewed On : 09/30/23 20:19:05			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 09/28/23 11:20:51			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/29/23 17:35:29					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.9011g	Extraction date: 09/30/23 20:12:20	Extracted by: 585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064862VOL		Reviewed On : 09/29/23 15:27:57			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 09/28/23 11:22:35			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/01/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30928007-001

Harvest/Lot ID: HYB-GP-092523-C0111

 Batch# : 1477 2419 5730
 3496

Sampled : 09/27/23

Ordered : 09/27/23

Sample Size Received : 31.5 gram

Total Amount : 2240 units

Completed : 10/01/23 Expires: 10/01/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	200	PASS	100000	Analyzed by: 3379, 585, 3963	Weight: 0.9011g	Extraction date: 09/30/23 20:12:20		Extracted by: 585	
Analyzed by: 3390, 585, 3963	Weight: 1g	Extraction date: 09/28/23 11:47:17	Extracted by: 3336,3390			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch : DA064861MYC						
Analytical Batch : DA064847MIC					Reviewed On : 09/30/23 19:12:23						
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems					Instrument Used : N/A						
MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block					Analyzed Date : 09/29/23 17:35:41						
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific					Dilution : 250						
Isotemp Heat Block DA-021					Reagent : 092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11						
Analyzed Date : 09/28/23 14:31:07					Consumables : 326250IW						
					Pipette : DA-093; DA-094; DA-219						

 Dilution : N/A
 Reagent : 083123.118; 092123.R19; 081023.04
 Consumables : 7565004008
 Pipette : N/A

 Analyzed by: 3390, 3336, 585, 3963
 Weight: 1g
 Extraction date: N/A
 Extracted by: 3390,3336

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA064872TYM
 Instrument Used : Incubator (25-27C) DA-096
 Analyzed Date : 09/28/23 14:30:15
 Reviewed On : 09/30/23 19:14:59
 Batch Date : 09/28/23 11:34:22

 Dilution : 10
 Reagent : 083123.118; 092123.R18
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 3963
 Weight: 0.2449g
 Extraction date: 09/28/23 12:50:59
 Extracted by: 4306,1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA064844HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 09/28/23 16:09:30
 Reviewed On : 09/29/23 10:17:31
 Batch Date : 09/28/23 09:55:30

 Dilution : 50
 Reagent : 092123.R14; 083023.R58; 092223.R20; 092123.R03; 092223.R18; 092223.R19;
 083123.R04; 083123.R03
 Consumables : 179436; 1852142; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Gary Payton WF 3.5g (1/8oz)
FTH - Gary Payton
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30928007-001

Harvest/Lot ID: HYB-GP-092523-C0111

Batch# : 1477 2419 5730
3496

Sampled : 09/27/23

Ordered : 09/27/23

Sample Size Received : 31.5 gram

Total Amount : 2240 units

Completed : 10/01/23 Expires: 10/01/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.55	PASS	15
Analyzed by: 3379, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3379, 585, 3963	Weight: 0.433g	Extraction date: 09/28/23 19:09:22	Extracted by: 3379		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064853FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 09/28/23 11:00:16						Analysis Method : SOP.T.40.021 Analytical Batch : DA064851MOI Instrument Used : DA-046 Moisture Analyzer Analyzed Date : 09/28/23 18:41:29					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.533	PASS	0.65
Analyzed by: 3379, 585, 3963	Weight: 0.544g	Extraction date: 09/28/23 14:55:00	Extracted by: 3379		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064854WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/28/23 14:55:25					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/01/23