

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** . . . . . . . . . . . . . . . .



Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix: Derivative Type: Distillate

> Sample:DA30929005-001 Harvest/Lot ID: 9445 9030 7675 7789 Batch#: 9445 9030 7675 7789 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7030 0012 7799 5024 Batch Date: 05/30/23 Sample Size Received: 15.3 gram Total Amount: 1856 units Retail Product Size: .3 gram Ordered: 09/28/23 Sampled: 09/28/23 Completed: 10/02/23 Sampling Method: SOP.T.20.010

### Oct 02, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

## PASSED

Pages 1 of 6 PRODUCT IMAGE SAFETY RESULTS MISC. Ha Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED PASSED PASSED PASSED TESTED PASSED PASSED Cannabinoid Total CBD

Batch Date : 09/29/23 09:28:39

	3 83	I THC <b>1.239</b> THC/Container		E	30	tal CBD 1499 al CBD/Containe	-		-)86	Cannabinoid 4839 nnabinoids/Con	6
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	83.154	0.098	0.149	ND	0.128	0.861	0.047	1.067	0.500	ND	0.479
mg/unit	249.46	0.29	0.45	ND	0.38	2.58	0.14	3.20	1.50	ND	1.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 3335, 585	5, 4044			Weight: 0.1087g		Extraction date: 09/29/23 13:52:	57			Extracted by: 3335	
Analytical Batch	d:SOP.T.40.031,SO 1:DA064886POT	DP.T.30.031					0/02/23 11:12:58				

Instrument Used : DA-LC-007 Analyzed Date : 09/29/23 13:55:21

Dilution : 400

Reagent : 092223.R05; 060723.24; 092623.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/02/23



Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30929005-001 Harvest/Lot ID: 9445 9030 7675 7789 Batch# : 9445 9030 7675 7789 Sampled : 09/28/23 Complet

Ordered : 09/28/23

Sample Size Received : 15.3 gram Total Amount : 1856 units Completed : 10/02/23 Expires: 10/02/24 Sample Method : SOP.T.20.010

Page 2 of 6

A	
$\bigcirc$	

### Terpenes

lerpenes .	LOD (%)	mg/uni	t %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	3.79	1.264			SABINENE	0.007	ND	ND	
OTAL TERPINEOL	0.007	ND	ND			GUAIOL	0.007	0.11	0.035	
ETA-CARYOPHYLLENE	0.007	0.26	0.085			FENCHYL ALCOHOL	0.007	ND	ND	
LPHA-HUMULENE	0.007	0.07	0.022			BORNEOL	0.013	ND	ND	
ETA-MYRCENE	0.007	0.42	0.140			CIS-NEROLIDOL	0.007	ND	ND	
MONENE	0.007	0.26	0.087			3-CARENE	0.007	0.07	0.024	
PHA-BISABOLOL	0.007	0.10	0.033			ALPHA-PINENE	0.007	ND	ND	
NALOOL	0.007	ND	ND			CEDROL	0.007	ND	ND	
TA-PINENE	0.007	0.10	0.033		i i	Analyzed by:	Weight:	Extraction d	ate:	Extracted by:
LENCENE	0.007	ND	ND			2076, 585, 4044	0.8324g	09/30/23 11		2076
ILEGONE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL			
OPULEGOL	0.007	ND	ND			Analytical Batch : DA064926TER Instrument Used : DA-GCMS-008				0/02/23 11:13:00 29/23 18:41:09
RANYL ACETATE	0.007	ND	ND			Analyzed Date : 09/30/23 12:08:22		Batcr	Date: 09/	29/23 18:41:09
PHA-CEDRENE	0.007	ND	ND			Dilution : 10				
ICALYPTOL	0.007	ND	ND			Reagent : 121622.26				
MPHENE	0.007	ND	ND			Consumables : 210414634; MKCN9995;	CE0123; R1KB14270			
PHA-PHELLANDRENE	0.007	0.11	0.035		1	Pipette : N/A				
AMMA-TERPINENE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	hromatography Mass Spect	trometry. For all	Flower samp	les, the Total Terpenes % is dry-weight corrected.
ANS-NEROLIDOL	0.007	ND	ND							
DBORNEOL	0.007	ND	ND							
IMENE	0.007	0.30	0.101							
RPINOLENE	0.007	1.90	0.632							
BINENE HYDRATE	0.007	ND	ND							
NCHONE	0.007	ND	ND							
RNESENE	0.001	ND	ND							
PHA-TERPINENE	0.007	< 0.06	< 0.020							
ROL	0.007	ND	ND							
MPHOR	0.007	ND	ND		İ					
ERANIOL	0.007	0.11	0.037		i i					
ARYOPHYLLENE OXIDE	0.007	ND	ND							
ARTOPHTLLENE OXIDE										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/23



..... Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30929005-001 Harvest/Lot ID: 9445 9030 7675 7789 Batch#: 9445 9030 7675

7789 Sampled : 09/28/23 Ordered : 09/28/23

Sample Size Received : 15.3 gram Total Amount : 1856 units Completed : 10/02/23 Expires: 10/02/24 Sample Method : SOP.T.20.010

Page 3 of 6

	ष्द्
l	0

### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	1.1.	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN						ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	lbu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.2259g		23 09:44:08		3379	i by.
ETHOPROPHOS	0.010	1.1.	0.1	PASS	ND	Analysis Method : SOP.T.30.101.				50P.T.40.101.		).
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA064909PES				n:10/02/231		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch Date :	09/29/23 11:4	47:33	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :09/29/23 17:34:4	14					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 092923.R02; 092223.F	21. 092523 BU	1. 002023 BU	1. 090623 BO	1. 092723 BO	2.040521 11	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 3262501W	21, 052525.110.	1, 052525.110	1,050025.110	1, 052725.1102	2, 040521.11	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-21	9					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe		J Liquid Chron	natography Trij	ole-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-	39.					
IMAZALIL	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044	0.2259g		3 09:44:08		3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.			1A.FL (Davie), eviewed On :			
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA064911VOL Instrument Used : DA-GCMS-010			atch Date : 09			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date : N/A		De		23,23 11.43.		
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent : 092923.R02; 092223.F	21; 092523.R0	1; 092923.R0	1; 090623.R0	L; 092723.R02	2; 040521.11	
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-21						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is pe accordance with F.S. Rule 64ER20-		g Gas Chromai	tography Triple	-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Page 4 of 6

Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA30929005-001

 Harvest/Lot ID: 9445 9030 7675 7789

 Batch# : 9445 9030 7675
 Sample

 7789
 Total Ar

 Samplea: 09/28/23
 Complea

 Ordered: 09/28/23
 Sample

30 7675 7789 Sample Size Received : 15.3 gram Total Amount : 1856 units Completed : 10/02/23 Expires: 10/02/24 Sample Method : SOP.T.20.010



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
CETONE	75.000	ppm	750	PASS	ND
ICHLOROMETHANE	12.500	ppm	125	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.0232g	Extraction date: 10/02/23 10:20:25	j		tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA064924SOL Instrument Used : DA-GCMS-003 Analyzed Date : 09/29/23 17:25:28			<b>i On :</b> 10/02/23 13:53:49 <b>te :</b> 09/29/23 15:19:50		
Analyzed Date : 09/29/23 17:25:28					

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/02/23

PASSED

PASSED



Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30929005-001 Harvest/Lot ID: 9445 9030 7675 7789 Batch# : 9445 9030 7675 Sample 7789 Total Ar

Sampled : 09/28/23 Ordered : 09/28/23 Sample Size Received : 15.3 gram Total Amount : 1856 units Completed : 10/02/23 Expires: 10/02/24 Sample Method : SOP.T.20.010

Page 5 of 6

🥵 Mic	robial			PAS	SED	လ္နီ	My	/cotox	ins			PAS	SED
Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFI	C GENE		Not Present	PASS		AFLATOXIN E	2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN E	1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS	5		Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02
SPERGILLUS FUMIGA	TUS		Not Present	PASS		AFLATOXIN (	1		0.002	ppm	ND	PASS	0.02
SPERGILLUS TERREU	IS		Not Present	PASS		AFLATOXIN (	i2		0.002	ppm	ND	PASS	0.02
SPERGILLUS NIGER			Not Present	PASS		Analyzed by:		Weight:	Extraction da	ato:		Extracted	Lbve
OTAL YEAST AND MO	<b>)LD</b> 10	CFU/g	<10	PASS	100000	3379, 585, 404	1	0.2259g	10/02/23 09:			3379	i by.
nalyzed by: 390, 3336, 585, 4044 nalysis Method : SOP.T.4 nalytical Batch : DA064{		Extraction 0 09/29/23 12 058.FL, SOP.T.	2:35:39 .40.209.FL	Extracte 3390	-		L (Davie) h:DA064 d:N/A	, SOP.T.40.102. 910MYC	Revie	wed On : 1	. (Gainesv .0/02/23 1 /29/23 11:	0:53:10	
A-049,Fisher Scientific I nalyzed Date : 09/29/23 ilution : N/A eagent : 083123.127; 0 onsumables : 75650040 ipette : N/A	15:07:03 92123.R19; 081023					040521.11 Consumables : Pipette : DA-09 Mycotoxins test accordance with	3; DA-09	4; DA-219 g Liquid Chromato	ography with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 390, 3963, 585, 4044	Weight: 1.0552g	Extraction 0 09/29/23 12	2:35:39	Extracte 3390	ed by:	Hg	He	avy Mo	etals			PAS	SED
nalysis Method : SOP.T.4 nalytical Batch : DA0649 nstrument Used : Incuba nalyzed Date : 09/29/23	920TYM tor (25-27C) DA-09	Rev	9.FL iewed On : 10/02 ch Date : 09/29/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
	13.04.00					TOTAL CONT	AMINAN	T LOAD METAI	LS 0.080	ppm	ND	PASS	1.1
lution:10 agent:083123.127;08	83123 116. 002123	2 R18				ARSENIC			0.020	ppm	ND	PASS	0.2
nsumables : N/A	05125.110, 05212.	5.1(10				CADMIUM			0.020	ppm	ND	PASS	0.2
pette : N/A						MERCURY			0.020	ppm	ND	PASS	0.2
tal yeast and mold testing	is performed utilizing	MPN and tradit	ional culture based	technique:	s in	LEAD			0.020	ppm	ND	PASS	0.5
ccordance with F.S. Rule 64	1ER20-39.					Analyzed by: 1022, 585, 404	1	Weight: 0.2485g	Extraction da 09/29/23 12:			Extracted	l by:
						Analysis Metho Analytical Batc Instrument Use Analyzed Date	<b>h:</b> DA064 <b>d:</b> DA-IC	PMS-004	Review		/02/23 11: 9/23 10:23		
						Dilution : 50 Reagent : 0921 083123.R04; 0	B3123.R0	3	02223.R20; 0929	923.R03; 0	92223.R1	8; 09222	3.R19;

Consumables : 179436; 1852142; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/02/23



..... . . . . . Miami Vibes Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30929005-001 Harvest/Lot ID: 9445 9030 7675 7789 Batch#: 9445 9030 7675 7789 Sampled : 09/28/23

Ordered : 09/28/23

Sample Size Received : 15.3 gram Total Amount : 1856 units Completed : 10/02/23 Expires: 10/02/24 Sample Method : SOP.T.20.010

	Filth/For Materia		PASSED				
nalyte ilth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	
nalyzed by: 879, 4044	Weight: NA	E) N/	<b>traction</b>	late:	<b>Extra</b> N/A	cted by:	

Analysis Method : SOP.T.40.090 Analytical Batch : DA064927FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 10/01/23 00:04:01 Batch Date : 09/29/23 22:30:25 Analyzed Date : 09/30/23 23:50:14 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity

Analyte Water Activity	-	. <b>OD U</b> I ).010 av	nits V	<b>Result</b> 0.479	P/F PASS	Action Level 0.85	
Analyzed by: 3619, 585, 4044	<b>Weight:</b> 0.266g		<b>tion dat</b> /23 15:4		Extracted by: 3619		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 09/29,	64917WAT 028 Rotronic Hyg	gropalm		Reviewed Or Batch Date :		3 10:07:25 12:28:08	
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/02/23

PASSED

Page 6 of 6