

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

**Certificate of Analysis** 

Miami Vibes Cartridge Concentrate 1g (90%)



Miami Vibes Matrix: Derivative Type: Distillate

**Kaycha Labs** 

Sample:DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982 Batch#: 6875 4026 6002 9982 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 1328 7460 5928 6701 Batch Date: 07/20/23 Sample Size Received: 16 gram Total Amount: 1906 units Retail Product Size: 1 gram Ordered: 09/29/23 Sampled: 09/29/23 Completed: 10/03/23 Sampling Method: SOP.T.20.010

Oct 03, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS

Pesticides

PASSED

٦a

Heavy Metals

PASSED

Microbials

PASSED



PASSED

**Mycotoxins** 

PASSED

Total CBD

0.224%







**Total Cannabinoids** 

91.652%

Pages 1 of 6





PASSED

MISC.

PASSED

Terpenes TESTED

## Cannabinoid

### **Total THC** 87.450%

E	J Total	THC/Container	: 874.50 mg	E	J Tot	Total CBD/Container : 2.24 mg			Total Cannabinoids/Container : 92 mg		
	<sup>D9-тнс</sup> 87,450	тнса	CBD 0,224	CBDA	D8-THC 0.123	свс 1.204	CBGA	CBN 1.215	тнсу 0.621	CBDV	свс 0,815
% mg/unit	874.50	ND	2.24	ND	1.23	12.04	ND	12.15	6.21	ND	8.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
halyzed by: Weight: 335, 1665, 585, 1440 0.1039g					Extraction date: Extracted by:   10/02/23 09:19:13 3335						
nalytical Batc strument Use	d: SOP.T.40.031, SOP.T.400, SO					Reviewed On : 1 Batch Date : 10/	0/03/23 10:52:38 01/23 22:20:01				
vilution: 400											

Reagent : 091923.R04; 060723.24; 092623.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/03/23



..... Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982 Batch#: 6875 4026 6002

9982 Sampled : 09/29/23 Ordered : 09/29/23

Sample Size Received : 16 gram Total Amount : 1906 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 2 of 6

# 6

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
DTAL TERPENES	0.007	13.42	1.342			SABINENE		0.007	ND	ND	
OTAL TERPINEOL	0.007	ND	ND			GUAIOL		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.81	0.081			FENCHYL ALCOHOL		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.22	0.022		1	BORNEOL		0.013	ND	ND	
ETA-MYRCENE	0.007	1.41	0.141			CIS-NEROLIDOL		0.007	ND	ND	
MONENE	0.007	0.90	0.090			3-CARENE		0.007	0.23	0.023	
LPHA-BISABOLOL	0.007	0.74	0.074			ALPHA-PINENE		0.007	0.24	0.024	
INALOOL	0.007	ND	ND			CEDROL		0.007	ND	ND	
ETA-PINENE	0.007	0.31	0.031		Í	Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
ALENCENE	0.007	0.33	0.033		Ú.	2076, 585, 1440	0.9752g		09/30/23 16		1879
ULEGONE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP	.T.40.061A.FL				
OPULEGOL	0.007	ND	ND			Analytical Batch : DA064952TER					/03/23 10:52:40
ERANYL ACETATE	0.007	ND	ND			Instrument Used : DA-GCMS-008 Analyzed Date : 10/03/23 09:44:49			Batch	Date : 09/3	0/23 16:09:30
LPHA-CEDRENE	0.007	ND	ND			Dilution : 10					
UCALYPTOL	0.007	ND	ND			Reagent : 121622.26					
AMPHENE	0.007	ND	ND		i	Consumables : 210414634; MKCN9995; C	E0123; R1KB1	4270			
LPHA-PHELLANDRENE	0.007	0.35	0.035		i i	Pipette : N/A					
AMMA-TERPINENE	0.007	<0.20	< 0.020			Terpenoid testing is performed utilizing Gas Ch	romatography I	lass Spectr	ometry. For all I	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
RANS-NEROLIDOL	0.007	ND	ND		i						
OBORNEOL	0.007	ND	ND								
CIMENE	0.007	1.08	0.108								
ERPINOLENE	0.007	6.15	0.615								
ABINENE HYDRATE	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ARNESENE	0.001	ND	ND		i i						
LPHA-TERPINENE	0.007	<0.20	< 0.020		i i						
EROL	0.007	ND	ND		i i						
AMPHOR	0.007	0.65	0.065								
ERANIOL	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	ND	ND		i i						
EXAHYDROTHYMOL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164


Signature 10/03/23

## PASSED

TESTED



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982

Batch#: 6875 4026 6002 9982 Sampled : 09/29/23 Ordered : 09/29/23

Sample Size Received : 16 gram Total Amount : 1906 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	1° I°	0.1		ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	THIACLOPRID	0.010	maa	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	ТНІАМЕТНОХАМ	0.010		0.5	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND		0.010		0.15	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1		ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted b	v:
DIMETHOATE		ppm	0.1	PASS	ND	3379, 585, 1440 0.264g	10/02/23	3 15:13:42		450,3379	·
ETHOPROPHOS		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),	SOP.T.30.10	2.FL (Davie), S	SOP.T.40.101.I	FL (Gainesville)	l,
ETOFENPROX		ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA064978PES			n:10/03/23 1		
FENHEXAMID		ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :10/02/23 18:27:57		Batch Date :	10/02/23 09:5	55:50	
FENOXYCARB		ppm	0.1	PASS	ND ND	Dilution : 250					
FENPYROXIMATE		ppm	0.1	PASS		Reagent: 092923.R02; 100223.R01; 092923.R19	; 092923.R0	1; 090623.R0	1; 092723.R02	2;040521.11	
FIPRONIL		ppm	0.1	PASS PASS	ND	Consumables : 326250IW					
FLONICAMID		ppm	0.1		ND ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trij	ple-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX		ppm	0.1	PASS PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL		ppm	0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1440 0.264g	Extractio 10/02/23			Extracted by 450.3379	y:
IMIDACLOPRID		ppm ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville),			SOP T 40 151		
KRESOXIM-METHYL			0.1	PASS	ND	Analytical Batch : DA064980VOL		eviewed On :			
MALATHION		ppm ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date : 10			
METALAXYL METHIOCARB		ppm	0.1	PASS	ND	Analyzed Date :10/02/23 15:28:16					
		ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL		ppm	0.1	PASS	ND	Reagent: 092923.R19; 040521.11; 092523.R21;	092523.R22				
MEVINPHOS		ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL NALED			0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	Quadrupolo M	lass Sportromol	tov in
NALED	0.010	ppm	0.20	FM33	ND	accordance with F.S. Rule 64ER20-39.	Gas chironna		quaurupole M	ass spectronne	uym

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director


State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/03/23



. . . . . . . . . . . . . . . . . . . Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982 Batch#: 6875 4026 6002 9982

Sampled : 09/29/23 Ordered : 09/29/23 Sample Size Received : 16 gram Total Amount : 1906 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result					
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND					
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND					
ACETONE	75.000	ppm	750	PASS	ND					
DICHLOROMETHANE	12.500	ppm	125	PASS	ND					
BENZENE	0.100	ppm	1	PASS	ND					
2-PROPANOL	50.000	ppm	500	PASS	ND					
CHLOROFORM	0.200	ppm	2	PASS	ND					
ETHANOL	500.000	ppm	5000	PASS	ND					
ETHYL ACETATE	40.000	ppm	400	PASS	ND					
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND					
ACETONITRILE	6.000	ppm	60	PASS	ND					
ETHYL ETHER	50.000	ppm	500	PASS	ND					
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND					
HEPTANE	500.000	ppm	5000	PASS	ND					
METHANOL	25.000	ppm	250	PASS	ND					
I-HEXANE	25.000	ppm	250	PASS	ND					
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND					
TOLUENE	15.000	ppm	150	PASS	ND					
TOTAL XYLENES	15.000	ppm	150	PASS	ND					
PROPANE	500.000	ppm	5000	PASS	ND					
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND					
analyzed by: 350, 585, 1440	Weight: 0.0207g	Extraction date: 10/01/23 15:09:31		<b>E</b> x 85	tracted by: 0					
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA064963SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/01/23 15:13:38		Reviewed On : 10/03/23 15:42:15 Batch Date : 10/01/23 13:13:02								
Dilution : 1 Reagent : N/A Consumables : N/A										

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors


#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982

Batch#: 6875 4026 6002 9982 Sampled : 09/29/23 Ordered : 09/29/23

Sample Size Received : 16 gram Total Amount : 1906 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ę,	Microl	bial			PAS	SED	သို့	Му	<b>/cotox</b> i	ins			PAS	SED
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	12		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA T AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.264g	Extraction dat 10/02/23 15:1			xtracted I 50.3379	oy:
Analyzed by: 3336, 3621, 58	5 1440	Weight: 0.902g	Extraction c 09/30/23 13		Extracte 3621		Analysis Metho	d:SOP.T	.30.101.FL (Gair	nesville), SOP.T.				
Analysis Metho Analytical Bato	od : SOP.T.40.056 h : DA064937MIC	C, SOP.T.40.(	058.FL, SOP.T	40.209.FL <b>Review</b> 11:58:	red On : 10		SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)   Analytical Batch : DA064979MYC Reviewed On : 10/03/23 10:24:23   Instrument Used : N/A Batch Date : 10/02/23 09:58:16   Analyzed Date : 10/02/23 18:30:27 Batch Date : 10/02/23 09:58:16							
Biosystems Th DA-020,fishert sotemp Heat I	ed : PathogenDx S ermocycler DA-01 orand Isotemp Hea Block DA-021 : 09/30/23 18:51:	13,fisherbran at Block DA-(	d Isotemp He	at Block 10:26:4	<b>Date :</b> 09/3 41	0/23	Dilution : 250 Reagent : 092 040521.11 Consumables : Pipette : DA-0	326250IV		2923.R19; 0929	923.R01; 0	)90623.R0	1; 092723	3.R02;
Dilution : N/A Reagent : 083 Consumables : Pipette : N/A	123.116; 092123. 7565004005	R19; 081023	.04				Mycotoxins test accordance wit	F.S. Rule			e-Quadrupo			
Analyzed by: 3336, 3963, 58	5, 1440	Weight: 0.902g	Extraction da 09/30/23 13		<b>Extracted</b> 3621,333		Hg	He	avy Me	etals			PAS	SED
Analytical Bate	<b>bd</b> : SOP.T.40.208 <b>:h</b> : DA064945TYM	1	Rev	iewed On : 10/03			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25 : 09/30/23 16:23:		o Bate	<b>:h Date :</b> 09/30/2	23 13:49:1:	5	TOTAL CONT	AMINAN <sup>.</sup>	T LOAD METAL	. <b>s</b> 0.080	ppm	ND	PASS	1.1
Dilution : 10	. 00,00,20 20,20	20					ARSENIC			0.020	ppm	ND	PASS	0.2
	123.116; 092123.	R18					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :							MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-3		MPN and tradit	ional culture based	techniques	s in	Analyzed by: 1022, 1879, 14	40, 585	Weight 0.2486		on date: 3 15:38:32	2	Extracte 4306	ed by:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA064 ed:DA-IC	PMS-004	Review		/02/23 14: 0/23 12:55		
							Dilution: 50							

Reagent : N/A Consumables : N/A Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors


#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-002 Harvest/Lot ID: 6875 4026 6002 9982 Batch#: 6875 4026 6002 9982

Sampled : 09/29/23 Ordered : 09/29/23

Sample Size Received : 16 gram Total Amount : 1906 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

	Filth/For Materia	PASSED								
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level				
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A			Extracted by: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA064955FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A Reviewed On : 10/03/23 10:54:20 Batch Date : 09/30/23 23:50:02										

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	Result 0.525	P/F PASS	Action Level 0.85
Analyzed by: 1879, 1440	Weight: 0.2977g		action dat 1/23 10:0		<b>Ext</b> 187	<b>racted by:</b> '9
Analysis Method : SC Analytical Batch : DA Instrument Used : DA Analyzed Date : 10/0	A064949WAT A-028 Rotronic H	Hygropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23

### PASSED

Page 6 of 6