

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Kaycha Labs

Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix: Derivative Type: Distillate



Sample:DA30930001-003 Harvest/Lot ID: 0128 6114 1825 3438 Batch#: 0128 6114 1825 3438 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4861 3230 3183 5345 Batch Date: 08/04/23 Sample Size Received: 15.5 gram Total Amount: 1865 units Retail Product Size: 0.5 gram Ordered: 09/29/23 Sampled: 09/29/23 Completed: 10/03/23 Sampling Method: SOP.T.20.010

Oct 03, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

٦a

Heavy Metals

PASSED

Microbials

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

Pages 1 of 6

PASSED

PASSED







Terpenes

TESTED

PASSED

MISC.

PASSED

Cannabinoid

Total THC 86.276% Total THC/Container : 431.38 mg

Total CBD 0.572% Total CBD/Container : 2.86 mg

Residuals Solvents

PASSED

Mycotoxins

PASSED

Total Cannabinoids 91 .457% Total Cannabinoids/Container : 457.29 mg

Ana Ana Instrument Used : DA-LC-007 Analyzed Date : 10/02/23 09:21:54

An 33

Dilution : 400

Reagent : 091923.R04; 060723.24; 092623.R04 Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/03/23



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-003 Harvest/Lot ID: 0128 6114 1825 3438 Batch# : 0128 6114 1825 Sample

3438 Sampled : 09/29/23 Ordered : 09/29/23 Sample Size Received : 15.5 gram Total Amount : 1865 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 2 of 6

(

Те	rn	en	es
	I P	CII	63

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)		
TOTAL TERPENES	0.007	10.69	2.138		SABINENE		0.007	ND	ND			
TOTAL TERPINEOL	0.007	ND	ND		GUAIOL		0.007	ND	ND			
BETA-CARYOPHYLLENE	0.007	1.34	0.267		FENCHYL ALCOHOL		0.007	0.29	0.057			
ALPHA-HUMULENE	0.007	0.31	0.062		BORNEOL		0.013	ND	ND			
BETA-MYRCENE	0.007	2.99	0.598		CIS-NEROLIDOL		0.007	ND	ND			
IMONENE	0.007	3.41	0.682		3-CARENE		0.007	ND	ND			
LPHA-BISABOLOL	0.007	0.15	0.029		ALPHA-PINENE		0.007	0.31	0.062			
INALOOL	0.007	0.67	0.133		CEDROL		0.007	ND	ND			
BETA-PINENE	0.007	0.42	0.083		Analyzed by:	Weight:		Extraction da	ite:		Extracted by:	
ALENCENE	0.007	ND	ND		2076, 585, 1440	0.8043g		09/30/23 16			1879	
ULEGONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL	, SOP.T.40.061A.FL						
SOPULEGOL	0.007	ND	ND		Analytical Batch : DA064952TER					0/03/23 10:52:47 30/23 16:09:30		
ERANYL ACETATE	0.007	ND	ND		Instrument Used : DA-GCMS-008 Analyzed Date : 10/03/23 09:44:49			Batch	Date: 09/	30/23 10:09:30		
LPHA-CEDRENE	0.007	ND	ND		Dilution : 10							
UCALYPTOL	0.007	ND	ND		Reagent : 121622.26							
AMPHENE	0.007	ND	ND		Consumables : 210414634; MKCN99	95; CE0123; R1KB1	4270					
LPHA-PHELLANDRENE	0.007	ND	ND		Pipette : N/A							
SAMMA-TERPINENE	0.007	ND	ND		Terpenoid testing is performed utilizing G	ias Chromatography M	ass Spectr	ometry. For all F	lower samp	les, the Total Terpenes % I	s dry-weight corrected.	
RANS-NEROLIDOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
DCIMENE	0.007	0.15	0.030		- i							
ERPINOLENE	0.007	ND	ND									
SABINENE HYDRATE	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
ARNESENE	0.001	0.30	0.059		i i							
LPHA-TERPINENE	0.007	ND	ND									
IEROL	0.007	ND	ND									
AMPHOR	0.007	0.38	0.076		i i							
GERANIOL	0.007	ND	ND									
CARYOPHYLLENE OXIDE	0.007	ND	ND									
IEXAHYDROTHYMOL	0.007	ND	ND									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23

PASSED

TESTED



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30930001-003 Harvest/Lot ID: 0128 6114 1825 3438 Batch# : 0128 6114 1825 Sample

3438 Sampled : 09/29/23 Ordered : 09/29/23 Sample Size Received : 15.5 gram Total Amount : 1865 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND						
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND			ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID			0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		ppm			
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.2749g		ion date: 3 15:13:42		Extracted b 450.3379	iy:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville			COD T 40 101		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	e), SOF.1.50.10	Z.FL (Davie),	SUF.1.40.101.	.FL (Gamesville)	6
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064978PES		Reviewed O	n:10/03/23 1	0:49:02	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:10/02/23 09:	55:30	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/02/23 18:27:57					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 092923.R02; 100223.R01; 092923.R	19; 092923.RC	01; 090623.R0	1; 092723.R0	2;040521.11	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizi	na Liquid Chron	natography Tri	nle-Quadrunole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ig ziquid cirioi	nacography m	pie gaaarapon	e nabb opeca on	icery in
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	on date:		Extracted b	v:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2749g	10/02/23	15:13:42		450,3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville	e), SOP.T.30.15	1A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA064980VOL			10/03/23 10:4		
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010	Bi	atcn Date:10)/02/23 09:58:	18	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/02/23 15:28:16 Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 092923.R19; 040521.11; 092523.R2	1.092523 022				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401	1, UJZJZJ.NZZ				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizi	ng Gas Chroma	tography Triple	e-Quadrupole N	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/03/23



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30930001-003

 Harvest/Lot ID: 0128 6114 1825 3438

 Batch #: 0128 6114 1825

 3438

 Sampled : 09/29/23

 Complex

Sampled : 09/29/23 Ordered : 09/29/23 IZ5 3438 Sample Size Received : 15.5 gram Total Amount : 1865 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
ETHANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
ETHYL ETHER	50.000	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND		
HEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
Analyzed by: 850, 585, 1440	Weight: 0.0268g	Extraction date: 10/01/23 15:09:32	2		tracted by: 50		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA064963SOL Instrument Used : DA-GCMS-002 Analyzed Date : 10/01/23 15:13:38	Reviewed On : 10/03/23 15:42:17 Batch Date : 10/01/23 13:13:02						
Dilution:1 Reagent:N/A Consumables:N/A							

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23

PASSED



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664


Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30930001-003 Harvest/Lot ID: 0128 6114 1825 3438 Batch# : 0128 6114 1825 Sample

3438 Sampled : 09/29/23 Ordered : 09/29/23 Sample Size Received : 15.5 gram Total Amount : 1865 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010

	Page	e 5	of	6
--	------	-----	----	---



Dilution : 50 Reagent : N/A Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/03/23



. Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30930001-003 Harvest/Lot ID: 0128 6114 1825 3438 Batch#:0128 6114 1825 3438

Batch Date : 09/30/23 23:50:02

Sampled : 09/29/23 Ordered : 09/29/23

Sample Size Received : 15.5 gram Total Amount : 1865 units Completed : 10/03/23 Expires: 10/03/24 Sample Method : SOP.T.20.010



Analytical Batch : DA064955FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A

Dilution : N/A Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.524	PASS	0.85
Analyzed by: 1879, 1440	Weight: 0.2198g		action dat 1/23 10:0		Ext 18	t racted by: 79
Analysis Method : S Analytical Batch : D Instrument Used : D Analyzed Date : 10/0	A064949WAT A-028 Rotronic	Hygropal	m	Reviewed O Batch Date		
Dilution : N/A Reagent : N/A						

s:N/A Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 10/03/23



Page 6 of 6