



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30930001-005
Harvest/Lot ID: 6249 5111 8801 5173
Batch#: 6249 5111 8801 5173
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5609 1475 8525 0300
Batch Date: 07/06/23
Sample Size Received: 67.5 gram
Total Amount: 1384 units
Retail Product Size: 11.25 gram
Ordered: 09/29/23
Sampled: 09/29/23
Completed: 10/03/23
Sampling Method: SOP.T.20.010

Oct 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

4.023%

Total THC/Container : 452.59 mg



Total CBD

0.222%

Total CBD/Container : 24.98 mg



Total Cannabinoids

4.468%

Total Cannabinoids/Container : 502.65 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.023	ND	0.222	ND	0.011	0.090	ND	0.048	0.024	ND	0.050
mg/unit	452.59	ND	24.98	ND	1.24	10.13	ND	5.40	2.70	ND	5.63
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.0347g

Extraction date:
10/02/23 09:19:14

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064971POT

Instrument Used : DA-LC-007

Analyzed Date : 10/02/23 09:21:54

Reviewed On : 10/03/23 10:53:00

Batch Date : 10/01/23 22:20:01

Dilution : 400

Reagent : 091923.R04; 060723.24; 092623.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Drops 11.25g
Kingdom Dreams
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30930001-005

Harvest/Lot ID: 6249 5111 8801 5173

Batch# : 6249 5111 8801
5173

Sampled : 09/29/23

Ordered : 09/29/23

Sample Size Received : 67.5 gram

Total Amount : 1384 units

Completed : 10/03/23 Expires: 10/03/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	103.50	0.920		SABINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	3.04	0.027		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	40.39	0.359		FENCHYL ALCOHOL	0.007	4.05	0.036	
ALPHA-HUMULENE	0.007	ND	ND		BORNEOL	0.013	<4.50	<0.040	
BETA-MYRCENE	0.007	4.73	0.042		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	22.16	0.197		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	13.95	0.124		ALPHA-PINENE	0.007	2.36	0.021	
LINALOOL	0.007	8.78	0.078		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	4.05	0.036						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 1440	0.9258g	09/30/23 17:24:48	1879	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA064952TER			Reviewed On : 10/03/23 10:52:58	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 09/30/23 16:09:30	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/03/23 09:44:49				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 121622.26				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	ND	ND		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%)

0.920

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Drops 11.25g
Kingdom Dreams
Matrix : Derivative
Type: Products for oral administration (pills, capsules, tinctures, and similar
usable products)



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30930001-005

Harvest/Lot ID: 6249 5111 8801 5173

Batch# : 6249 5111 8801
5173

Sampled : 09/29/23
Ordered : 09/29/23

Sample Size Received : 67.5 gram

Total Amount : 1384 units

Completed : 10/03/23 Expires: 10/03/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2103g	Extraction date: 10/02/23 15:13:43	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064978PES		Reviewed On : 10/03/23 10:49:07			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/02/23 09:55:30			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/02/23 18:27:57					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2103g	Extraction date: 10/02/23 15:13:43	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA064980VOL		Reviewed On : 10/03/23 10:45:45			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/02/23 09:58:18			
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 10/02/23 15:28:16					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 092923.R19; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Drops 11.25g
Kingdom Dreams
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30930001-005

Harvest/Lot ID: 6249 5111 8801 5173

Batch# : 6249 5111 8801
5173

Sampled : 09/29/23

Ordered : 09/29/23

Sample Size Received : 67.5 gram

Total Amount : 1384 units

Completed : 10/03/23 Expires: 10/03/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0286g

Extraction date:
10/01/23 15:09:33

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA064963SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/01/23 15:13:38

Reviewed On : 10/03/23 15:42:20
Batch Date : 10/01/23 13:13:02

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/03/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30930001-005

Harvest/Lot ID: 6249 5111 8801 5173

 Batch# : 6249 5111 8801
 5173

 Sampled : 09/29/23
 Ordered : 09/29/23






Sample Size Received : 67.5 gram

Total Amount : 1384 units

Completed : 10/03/23 Expires: 10/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED																																																																																																																																																																														
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3336, 3621, 585, 1440</td><td>Weight: 0.8861g</td><td>Extraction date: 09/30/23 13:49:06</td><td colspan="3">Extracted by: 3621</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td colspan="3">Reviewed On : 10/03/23 11:58:35</td></tr><tr><td colspan="3">Analytical Batch : DA064937MIC</td><td colspan="3">Batch Date : 09/30/23 10:26:41</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 09/30/23 18:51:05</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3336, 3621, 585, 1440	Weight: 0.8861g	Extraction date: 09/30/23 13:49:06	Extracted by: 3621			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/03/23 11:58:35			Analytical Batch : DA064937MIC			Batch Date : 09/30/23 10:26:41			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 09/30/23 18:51:05						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.2103g</td><td>Extraction date: 10/02/23 15:13:43</td><td colspan="3">Extracted by: 450,3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="2">Analytical Batch : DA064979MYC</td><td colspan="4">Reviewed On : 10/03/23 10:24:26</td></tr><tr><td colspan="2">Instrument Used : N/A</td><td colspan="4">Batch Date : 10/02/23 09:58:16</td></tr><tr><td colspan="6">Analyzed Date : 10/02/23 18:30:27</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 0.2103g	Extraction date: 10/02/23 15:13:43	Extracted by: 450,3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA064979MYC		Reviewed On : 10/03/23 10:24:26				Instrument Used : N/A		Batch Date : 10/02/23 09:58:16				Analyzed Date : 10/02/23 18:30:27						Dilution : 250						Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																															
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																															
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																															
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																														
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.8861g	Extraction date: 09/30/23 13:49:06	Extracted by: 3621																																																																																																																																																																																
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/03/23 11:58:35																																																																																																																																																																																
Analytical Batch : DA064937MIC			Batch Date : 09/30/23 10:26:41																																																																																																																																																																																
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																			
Analyzed Date : 09/30/23 18:51:05																																																																																																																																																																																			
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
Analyzed by: 3379, 585, 1440	Weight: 0.2103g	Extraction date: 10/02/23 15:13:43	Extracted by: 450,3379																																																																																																																																																																																
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																			
Analytical Batch : DA064979MYC		Reviewed On : 10/03/23 10:24:26																																																																																																																																																																																	
Instrument Used : N/A		Batch Date : 10/02/23 09:58:16																																																																																																																																																																																	
Analyzed Date : 10/02/23 18:30:27																																																																																																																																																																																			
Dilution : 250																																																																																																																																																																																			
Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11																																																																																																																																																																																			
Consumables : 326250IW																																																																																																																																																																																			
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																			
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																			
<table><tr><td></td><td>Heavy Metals</td><td>PASSED</td></tr><tr><td colspan="3"><table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1879, 1022, 585, 1440</td><td>Weight: 0.2379g</td><td>Extraction date: 10/01/23 09:28:34</td><td colspan="3">Extracted by: 4306,1879</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="2">Analytical Batch : DA064941HEA</td><td colspan="4">Reviewed On : 10/03/23 10:53:38</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 09/30/23 12:56:15</td></tr><tr><td colspan="6">Analyzed Date : 10/01/23 16:50:24</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : N/A</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table></td></tr></table>							Heavy Metals	PASSED	<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1879, 1022, 585, 1440</td><td>Weight: 0.2379g</td><td>Extraction date: 10/01/23 09:28:34</td><td colspan="3">Extracted by: 4306,1879</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="2">Analytical Batch : DA064941HEA</td><td colspan="4">Reviewed On : 10/03/23 10:53:38</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 09/30/23 12:56:15</td></tr><tr><td colspan="6">Analyzed Date : 10/01/23 16:50:24</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : N/A</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5	CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1879, 1022, 585, 1440	Weight: 0.2379g	Extraction date: 10/01/23 09:28:34	Extracted by: 4306,1879			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA064941HEA		Reviewed On : 10/03/23 10:53:38				Instrument Used : DA-ICPMS-004		Batch Date : 09/30/23 12:56:15				Analyzed Date : 10/01/23 16:50:24						Dilution : N/A						Reagent : N/A						Consumables : N/A						Pipette : N/A						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																													
	Heavy Metals	PASSED																																																																																																																																																																																	
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1879, 1022, 585, 1440</td><td>Weight: 0.2379g</td><td>Extraction date: 10/01/23 09:28:34</td><td colspan="3">Extracted by: 4306,1879</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="2">Analytical Batch : DA064941HEA</td><td colspan="4">Reviewed On : 10/03/23 10:53:38</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 09/30/23 12:56:15</td></tr><tr><td colspan="6">Analyzed Date : 10/01/23 16:50:24</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : N/A</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	ARSENIC	0.020	ppm	ND	PASS	1.5	CADMIUM	0.020	ppm	ND	PASS	0.5	MERCURY	0.020	ppm	ND	PASS	3	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1879, 1022, 585, 1440	Weight: 0.2379g	Extraction date: 10/01/23 09:28:34	Extracted by: 4306,1879			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA064941HEA		Reviewed On : 10/03/23 10:53:38				Instrument Used : DA-ICPMS-004		Batch Date : 09/30/23 12:56:15				Analyzed Date : 10/01/23 16:50:24						Dilution : N/A						Reagent : N/A						Consumables : N/A						Pipette : N/A						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																						
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5																																																																																																																																																																														
ARSENIC	0.020	ppm	ND	PASS	1.5																																																																																																																																																																														
CADMIUM	0.020	ppm	ND	PASS	0.5																																																																																																																																																																														
MERCURY	0.020	ppm	ND	PASS	3																																																																																																																																																																														
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																														
Analyzed by: 1879, 1022, 585, 1440	Weight: 0.2379g	Extraction date: 10/01/23 09:28:34	Extracted by: 4306,1879																																																																																																																																																																																
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																			
Analytical Batch : DA064941HEA		Reviewed On : 10/03/23 10:53:38																																																																																																																																																																																	
Instrument Used : DA-ICPMS-004		Batch Date : 09/30/23 12:56:15																																																																																																																																																																																	
Analyzed Date : 10/01/23 16:50:24																																																																																																																																																																																			
Dilution : N/A																																																																																																																																																																																			
Reagent : N/A																																																																																																																																																																																			
Consumables : N/A																																																																																																																																																																																			
Pipette : N/A																																																																																																																																																																																			
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																			



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Drops 11.25g
Kingdom Dreams
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30930001-005

Harvest/Lot ID: 6249 5111 8801 5173

Batch# : 6249 5111 8801
5173

Sampled : 09/29/23

Ordered : 09/29/23

Sample Size Received : 67.5 gram

Total Amount : 1384 units

Completed : 10/03/23 Expires: 10/03/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA064955FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 10/03/23 10:54:31

Batch Date : 09/30/23 23:50:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.491	TESTED	

Analyzed by: 1879, 1440	Weight: 0.2188g	Extraction date: 10/01/23 10:08:04	Extracted by: 1879
----------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064949WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 10/01/23 10:39:04

Reviewed On : 10/01/23 11:59:19

Batch Date : 09/30/23 14:47:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/03/23