



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30930014-003  
Harvest/Lot ID: 7832 4669 6374 8750  
Batch#: 7832 4669 6374 8750  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 9690 8300 5563 6221  
Batch Date: 06/23/23  
Sample Size Received: 51 gram  
Total Amount: 1864 units  
Retail Product Size: 0.3 gram  
Ordered: 09/30/23  
Sampled: 09/30/23  
Completed: 10/04/23  
Sampling Method: SOP.T.20.010

Oct 04, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**86.917%**

Total THC/Container : 260.75 mg



Total CBD

**0.161%**

Total CBD/Container : 0.48 mg



Total Cannabinoids

**91.227%**

Total Cannabinoids/Container : 273.68 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.917	ND	0.161	ND	0.162	1.985	ND	0.742	0.569	ND	0.691
mg/unit	260.75	ND	0.48	ND	0.49	5.96	ND	2.23	1.71	ND	2.07
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 4044

Weight:  
0.1029g

Extraction date:  
10/02/23 09:19:15

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA064971POT  
Instrument Used : DA-LC-007  
Analyzed Date : 10/02/23 09:21:54

Reviewed On : 10/03/23 11:26:08  
Batch Date : 10/01/23 22:20:01

Dilution : 400  
Reagent : 091923.R04; 060723.24; 092623.R04  
Consumables : 947.109; 1852142; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

  
Signature  
10/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 0.3g

Everglade Haze

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30930014-003

Harvest/Lot ID: 7832 4669 6374 8750

Batch# : 7832 4669 6374  
8750

Sampled : 09/30/23

Ordered : 09/30/23

Sample Size Received : 51 gram

Total Amount : 1864 units

Completed : 10/04/23 Expires: 10/04/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.29	3.097		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.17	0.055		GUAIOL	0.007	<0.06	<0.020	
BETA-CARYOPHYLLENE	0.007	1.34	0.447		FENCHYL ALCOHOL	0.007	0.10	0.034	
ALPHA-HUMULENE	0.007	ND	ND		BORNEOL	0.013	<0.12	<0.040	
BETA-MYRCENE	0.007	0.75	0.249		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	0.88	0.293		3-CARENE	0.007	0.09	0.030	
ALPHA-BISABOLOL	0.007	0.43	0.142		ALPHA-PINENE	0.007	0.27	0.091	
LINALOOL	0.007	0.20	0.066		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.42	0.141						
VALENCENE	0.007	0.36	0.119		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 4044	0.8837g	10/01/23 11:40:32	1879	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	0.15	0.051		Analytical Batch : DA064956TER			Reviewed On : 10/03/23 11:54:38	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/01/23 09:17:08	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/03/23 11:17:08				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	0.15	0.050		Reagent : N/A				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : N/A				
TRANS-NEROLIDOL	0.007	<0.06	<0.020		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	0.54	0.181						
TERPINOLENE	0.007	2.66	0.885						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	0.32	0.107						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	0.25	0.083						
CAMPHOR	0.007	<0.18	<0.060						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.10	0.032						
HEXAHYDROTHYMOL	0.007	0.12	0.041						
Total (%)			3.097						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/04/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 0.3g  
Everglade Haze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30930014-003

Harvest/Lot ID: 7832 4669 6374 8750

Batch# : 7832 4669 6374  
8750

Sampled : 09/30/23

Ordered : 09/30/23

Sample Size Received : 51 gram

Total Amount : 1864 units

Completed : 10/04/23 Expires: 10/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.29g	Extraction date: 10/02/23 15:18:12	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064981PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 10/03/23 11:02:09		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/02/23 18:28:28			Batch Date : 10/02/23 09:58:50		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.29g	Extraction date: 10/02/23 15:18:12	Extracted by: 450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064983VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 10/03/23 11:00:03		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/02/23 15:26:09			Batch Date : 10/02/23 10:01:02		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 092923.R19; 040521.11; 092523.R21; 092523.R22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/04/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30930014-003

Harvest/Lot ID: 7832 4669 6374 8750

 Batch# : 7832 4669 6374  
 8750

Sampled : 09/30/23

Ordered : 09/30/23

Sample Size Received : 51 gram

Total Amount : 1864 units

Completed : 10/04/23 Expires: 10/04/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0208g

 Extraction date:  
 10/03/23 15:47:54

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA065007SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 10/03/23 15:48:03

Reviewed On : 10/04/23 09:20:52

Batch Date : 10/03/23 11:01:02

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30930014-003

Harvest/Lot ID: 7832 4669 6374 8750

 Batch# : 7832 4669 6374  
 8750

 Sampled : 09/30/23  
 Ordered : 09/30/23



Sample Size Received : 51 gram

Total Amount : 1864 units

Completed : 10/04/23 Expires: 10/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>								
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS								
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044		Weight: 0.29g	Extraction date: 10/02/23 15:18:12		Extracted by: 450,3379	
Analyzed by: 3390, 3621, 585, 4044		Weight: 1.079g	Extraction date: 10/01/23 12:02:23		Extracted by: 3963,3390		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL		Analytical Batch : DA064982MYC		Reviewed On : 10/03/23 10:58:25		Batch Date : 10/02/23 10:01:00							
Analytical Batch : DA064957MIC		Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021		Batch Date : 10/01/23 10:58:49		Analyzed Date : 10/02/23 18:30:29							
Analyzed Date : 10/02/23 12:22:11		Dilution : 250											
Dilution : N/A		Reagent : 092923.R02; 100223.R01; 092923.R19; 092923.R01; 090623.R01; 092723.R02; 040521.11											
Reagent : 083123.116; 092123.R19; 081023.04		Consumables : 326250IW											
Consumables : 7565003039		Pipette : DA-093; DA-094; DA-219											
Pipette : N/A		Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyzed by: 3390, 3336, 585, 4044		Weight: 1.079g	Extraction date: N/A		Extracted by: 3963,3390		<div><div><div>Hg</div></div></div> <b>Heavy Metals</b> <b>PASSED</b>						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		Analytical Batch : DA064960TYM		Reviewed On : 10/03/23 12:47:50									
Instrument Used : Incubator (25-27C) DA-097		Batch Date : 10/01/23 11:03:25											
Analyzed Date : 10/02/23 11:56:17													
Dilution : 10													
Reagent : 083123.116; 092123.R18													
Consumables : N/A													
Pipette : N/A													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.													
Analyzed by: 1022, 1879, 585, 4044		Weight: 0.2717g	Extraction date: 10/01/23 09:49:19		Extracted by: 4306,1879								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		Analytical Batch : DA064941HEA		Reviewed On : 10/03/23 10:53:50									
Instrument Used : DA-ICPMS-004		Batch Date : 09/30/23 12:56:15											
Analyzed Date : 10/01/23 16:50:24													
Dilution : N/A													
Reagent : N/A													
Consumables : N/A													
Pipette : N/A													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.													

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 0.3g  
Everglade Haze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30930014-003

Harvest/Lot ID: 7832 4669 6374 8750

Batch# : 7832 4669 6374  
8750

Sampled : 09/30/23

Ordered : 09/30/23

Sample Size Received : 51 gram

Total Amount : 1864 units

Completed : 10/04/23 Expires: 10/04/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065013FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 10/03/23 11:46:12

Batch Date : 10/03/23 11:40:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.499	PASS	0.85

Analyzed by: 1879, 4044	Weight: 0.266g	Extraction date: 10/01/23 12:45:40	Extracted by: 1879
----------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064949WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/01/23 10:39:04

Reviewed On : 10/01/23 12:18:29

Batch Date : 09/30/23 14:47:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/04/23