



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31005003-002
 Harvest/Lot ID: 1645 6772 7535 0732
 Batch#: 1645 6772 7535 0732
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 9192 0788 6944 1163
 Batch Date: 08/04/23
 Sample Size Received: 16 gram
 Total Amount: 932 units
 Retail Product Size: 1 gram
 Ordered: 10/04/23
 Sampled: 10/05/23
 Completed: 10/07/23
 Sampling Method: SOP.T.20.010

Oct 07, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
76.703%

Total THC/Container : 767.03 mg


Total CBD
0.287%

Total CBD/Container : 2.87 mg


Total Cannabinoids
81.550%

Total Cannabinoids/Container : 815.50 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.703	ND	0.287	ND	0.122	2.148	0.090	0.956	0.412	ND	0.832
mg/unit	767.03	ND	2.87	ND	1.22	21.48	0.90	9.56	4.12	ND	8.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 0.1047g

 Extraction date:
 10/05/23 12:18:27

 Extracted by:
 3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065058POT

Instrument Used : DA-LC-007

Analyzed Date : 10/05/23 12:24:16

Reviewed On : 10/06/23 10:26:05

Batch Date : 10/05/23 08:42:15

Dilution : 400

Reagent : 100423.R32; 061623.02; 100423.R35

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder RSO Syringes 1 g
Nutter Budder
Matrix : Derivative
Type: Budder



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-002

Harvest/Lot ID: 1645 6772 7535 0732

Batch# : 1645 6772 7535
0732

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 16 gram

Total Amount : 932 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.07	2.607		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.45	0.045		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.10	0.810		FENCHYL ALCOHOL	0.007	0.63	0.063	
ALPHA-HUMULENE	0.007	2.76	0.276		BORNEOL	0.013	ND	ND	
BETA-MYRCENE	0.007	1.16	0.116		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	3.88	0.388		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.22	0.122		ALPHA-PINENE	0.007	0.37	0.037	
LINALOOL	0.007	1.42	0.142		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.47	0.047						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 1440	1.1011g	10/05/23 14:57:27	2076.3702	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	0.21	0.021		Analytical Batch : DA065069TER			Reviewed On : 10/07/23 10:24:17	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 10/05/23 10:27:15	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/07/23 09:01:16				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.72	0.072		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	0.32	0.032						
ALPHA-TERPINOLENE	0.007	0.54	0.054						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.40	<0.040						
FARNESENE	0.001	3.82	0.382						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	<0.60	<0.060						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%)

2.607

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder RSO Syringes 1 g
Nutter Budder
Matrix : Derivative
Type: Budder



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-002

Harvest/Lot ID: 1645 6772 7535 0732

Batch# : 1645 6772 7535
0732

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 16 gram

Total Amount : 932 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2644g	Extraction date: 10/05/23 15:31:41	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065075PES		Reviewed On : 10/06/23 15:05:37			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/05/23 11:05:02			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/05/23 14:35:04					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 092923.R02; 100223.R01; 100423.R01; 092923.R01; 090623.R01; 100423.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2644g	Extraction date: 10/05/23 15:31:41	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065076VOL		Reviewed On : 10/06/23 14:06:47			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/05/23 11:06:55			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/05/23 15:36:29					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100423.R01; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder RSO Syringes 1 g
Nutter Budder
Matrix : Derivative
Type: Budder



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-002

Harvest/Lot ID: 1645 6772 7535 0732

Batch# : 1645 6772 7535
0732

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 16 gram

Total Amount : 932 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0217g

Extraction date:
10/06/23 13:12:46

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA06508850L
Instrument Used : DA-GCMS-003
Analyzed Date : 10/05/23 17:14:06

Reviewed On : 10/06/23 15:02:18
Batch Date : 10/05/23 15:43:46

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder RSO Syringes 1 g
Nutter Budder
Matrix : Derivative
Type: Budder



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-002

Harvest/Lot ID: 1645 6772 7535 0732

Batch# : 1645 6772 7535
0732

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 16 gram

Total Amount : 932 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0403g	Extraction date: 10/05/23 11:25:31	Extracted by: 3621	Reviewed On : 10/06/23 11:28:49	Batch Date : 10/05/23
Analytical Batch : DA065065MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analysis Date : 10/05/23 13:28:59					
Dilution : N/A					
Reagent : 083123.126; 092123.R20; 081023.05					
Consumables : 7565004016					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.0403g	Extraction date: N/A	Extracted by: 3621	Reviewed On : 10/07/23 12:56:49	Batch Date : 10/05/23 11:13:13
Analytical Batch : DA065080TYM					
Instrument Used : Incubator (25-27C) DA-096					
Analysis Date : 10/05/23 12:56:48					
Dilution : 10					
Reagent : 083123.126; 092123.R18					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis by: 3379, 585, 1440	Weight: 0.2644g	Extraction date: 10/05/23 15:31:41	Extracted by: 3379,450	Reviewed On : 10/06/23 15:03:50	Batch Date : 10/05/23 11:50:33
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA065084MYC					
Instrument Used : N/A					
Analysis Date : 10/05/23 14:35:10					
Dilution : 250					
Reagent : 092923.R02; 100223.R01; 100423.R01; 092923.R01; 090623.R01; 100423.R02; 040521.11					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analysis by: 1879, 585, 1440	Weight: 0.2798g	Extraction date: 10/05/23 11:28:20	Extracted by: 1879,4306,1022	Reviewed On : 10/06/23 10:42:20	Batch Date : 10/05/23 09:14:04
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065062HEA					
Instrument Used : DA-ICPMS-004					
Analysis Date : 10/05/23 19:48:27					
Dilution : 50					
Reagent : 092123.R14; 011523.R02; 011523.R04; 011523.R03; 092923.R10; 052623.R02; 092923.R03; 092923.R08					
Consumables : 179436; 1852142; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder RSO Syringes 1 g
Nutter Budder
Matrix : Derivative
Type: Budder



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-002

Harvest/Lot ID: 1645 6772 7535 0732

Batch# : 1645 6772 7535 0732

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 16 gram

Total Amount : 932 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065085FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/05/23 11:59:55

Reviewed On : 10/05/23 12:05:37

Batch Date : 10/05/23 11:51:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.521	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.276g	Extraction date: 10/05/23 15:07:08	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065074WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 10/05/23 14:53:38

Reviewed On : 10/05/23 16:38:53

Batch Date : 10/05/23 10:57:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23