



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31005003-001
Harvest/Lot ID: 7534 2449 8765 1514
Batch#: 7534 2449 8765 1514
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3523 8004 7553 9210
Batch Date: 07/06/23
Sample Size Received: 960 gram
Total Amount: 5331 units
Retail Product Size: 61.9280 gram
Ordered: 10/04/23
Sampled: 10/05/23
Completed: 10/07/23
Sampling Method: SOP.T.20.010

Oct 07, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0.154%

Total THC/Container : 95.37 mg


Total CBD
ND

Total CBD/Container : 0.00 mg


Total Cannabinoids
0.161%

Total Cannabinoids/Container : 99.70 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.154	ND	ND	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	95.37	ND	ND	ND	ND	3.10	ND	1.24	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
3.1309g

Extraction date:
10/05/23 12:20:54

Extracted by:
3335, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065060POT

Instrument Used : DA-LC-007

Analyzed Date : 10/05/23 12:26:36

Reviewed On : 10/06/23 10:44:24

Batch Date : 10/05/23 09:04:03

Dilution : 40

Reagent : 100423.R32; 060723.24; 100423.R35

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count

Original Peach

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-001

Harvest/Lot ID: 7534 2449 8765 1514

Batch# : 7534 2449 8765

1514

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 960 gram

Total Amount : 5331 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	1.0997g	Extraction date:	10/05/23 15:35:28
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	3379,450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA065079PES			Reviewed On :	10/07/23 10:45:43
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	10/05/23 11:11:29
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	10/05/23 14:34:58				
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent :	092923.R02; 100223.R01; 100423.R01; 092923.R01; 090623.R01; 100423.R02; 040521.11				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	1.0997g	Extraction date:	10/05/23 15:35:28
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	3379,450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA065083VOL			Reviewed On :	10/06/23 10:37:43
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	10/05/23 11:28:35
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analyzed Date :	10/05/23 15:36:43				
MALATHION	0.010	ppm	2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	3	PASS	ND	Reagent :	100423.R01; 040521.11; 092523.R21; 092523.R22				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	14725401; 326250IW				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-001

Harvest/Lot ID: 7534 2449 8765 1514

Batch# : 7534 2449 8765
1514

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 960 gram

Total Amount : 5331 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0265g

Extraction date:
10/06/23 14:33:20

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065089SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/05/23 17:18:01

Reviewed On : 10/06/23 15:25:50
Batch Date : 10/05/23 15:52:06

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-001

Harvest/Lot ID: 7534 2449 8765 1514

Batch# : 7534 2449 8765
1514

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 960 gram

Total Amount : 5331 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 4 of 5

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3336, 3621, 585, 1440		1.056g		10/05/23 15:35:28	Extracted by:
											3379,450
Analyzed by: 3336, 3621, 585, 1440						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA065087MYC					
Analytical Batch : DA065065MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 10/05/23 14:35:05					
Analyzed Date : 10/05/23 13:28:59						Dilution : 250					
Dilution : N/A						Reagent : 092923.R02; 100223.R01; 100423.R01; 092923.R01; 090623.R01; 100423.R02; 040521.11					
Reagent : 083123.126; 092123.R20; 081023.05						Consumables : 326250IW					
Consumables : 7565004016						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 585, 1440						Heavy Metals PASSED					
Weight: 1.056g											
Extraction date: N/A											
Extracted by: 3621											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA065080TYM											
Instrument Used : Incubator (25-27C) DA-096											
Analyzed Date : 10/05/23 12:56:48											
Dilution : 10											
Reagent : 083123.126; 092123.R18											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31005003-001

Harvest/Lot ID: 7534 2449 8765 1514

Batch# : 7534 2449 8765
1514

Sampled : 10/05/23

Ordered : 10/05/23

Sample Size Received : 960 gram

Total Amount : 5331 units

Completed : 10/07/23 Expires: 10/07/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 30

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065085FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/05/23 11:59:55

Reviewed On : 10/05/23 12:05:36

Batch Date : 10/05/23 11:51:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.583	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 12.328g	Extraction date: 10/05/23 15:07:07	Extracted by: 4056
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065074WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 10/05/23 14:53:38

Reviewed On : 10/05/23 16:38:52

Batch Date : 10/05/23 10:57:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	8.818	25

3605, 585, 1440	Average Weight 5.74g	Extraction date : 10/05/23 10:53:56	Extracted By : 3605
-----------------	-------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA065057HOM

Instrument Used : DA-LC-005

Analyzed Date : 10/05/23 10:54:40

Reviewed On : 10/06/23 10:41:00

Batch Date : 10/05/23 07:30:22

Batch Date : 10/05/23 07:30:22

Batch Date : 10/05/23 07:30:22

Batch Date : 10/05/23 07:30:22

Dilution : 40

Reagent : 100423.01; 092723.R01; 060723.50; 092623.R03

Consumables : 947.109; LCJ0311R; 1852142; 266969; 250653; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/07/23