

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes

Matrix: Derivative Type: Distillate



Certificate of Analysis

Sample:DA31007004-006 Harvest/Lot ID: 0427 7965 3371 4796

Batch#: 0427 7965 3371 4796

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 6346 4498 1164 3139

Batch Date: 07/10/23

Sample Size Received: 16 gram Total Amount: 1913 units Retail Product Size: 1 gram

Ordered: 10/06/23 Sampled: 10/07/23

Completed: 10/10/23

Sampling Method: SOP.T.20.010

PASSED

Oct 10, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

87,029% Total THC/Container: 870.29 mg



Total CBD

0.230% Total CBD/Container: 2.30 mg



Total Cannabinoids

Total Cannabinoids/Container: 922.24 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA065188POT Instrument Used : DA-LC-007

Analyzed Date: 10/09/23 13:19:52

Reagent: 100423.R32; 060723.24; 100423.R35 Consumables: 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 10/10/23 14:33:54 Batch Date: 10/08/23 18:27:12

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007004-006

Batch#: 0427 7965 3371

Sampled: 10/07/23 Ordered: 10/07/23

Harvest/Lot ID: 0427 7965 3371 4796 Sample Size Received: 16 gram

Total Amount: 1913 units Completed: 10/10/23 Expires: 10/10/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	14.16	1.416			SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND			GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.73	0.073			FENCHYL ALCOHOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.21	0.021			BORNEOL	0.013	< 0.40	< 0.040	
BETA-MYRCENE	0.007	1.89	0.189			CIS-NEROLIDOL	0.007	< 0.20	< 0.020	
LIMONENE	0.007	0.91	0.091			3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.65	0.065			ALPHA-PINENE	0.007	ND	ND	
LINALOOL	0.007	< 0.20	< 0.020			CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	< 0.20	< 0.020			Analyzed by:	Weight:	Extra	ction date:	Extracted by:
VALENCENE	0.007	< 0.20	< 0.020			1879, 2076, 585, 3963	1.0434g	10/08	/23 14:15:25	
PULEGONE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL			
ISOPULEGOL	0.007	ND	ND			Analytical Batch : DA065169TER Instrument Used : DA-GCMS-009				/10/23 14:33:56 8/23 10:08:03
GERANYL ACETATE	0.007	0.44	0.044			Analyzed Date: 10/09/23 13:08:51		Batci	h Date: 10/0	8/23 10:08:03
ALPHA-CEDRENE	0.007	ND	ND			Dilution: 10				
EUCALYPTOL	0.007	ND	ND			Reagent: 083123.51				
CAMPHENE	0.007	ND	ND		ĺ	Consumables: 210414634; MKCN9995; CE01	23; R1KB14270			
ALPHA-PHELLANDRENE	0.007	0.39	0.039			Pipette : N/A				
GAMMA-TERPINENE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chrom	atography Mass Spectron	netry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
TRANS-NEROLIDOL	0.007	< 0.20	< 0.020		ĺ					
ISOBORNEOL	0.007	ND	ND		ĺ					
OCIMENE	0.007	1.51	0.151							
ALPHA-TERPINOLENE	0.007	7.17	0.717							
SABINENE HYDRATE	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
FARNESENE	0.001	ND	ND							
ALPHA-TERPINENE	0.007	ND	ND							
NEROL	0.007	ND	ND							
CAMPHOR	0.007	< 0.60	< 0.060							
GERANIOL	0.007	ND	ND							
CARYOPHYLLENE OXIDE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	0.26	0.026							
Total (%)			1.416							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate

Certificate of Analysis

LOD Units

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007004-006 Harvest/Lot ID: 0427 7965 3371 4796

Pass/Fail Result

Batch#: 0427 7965 3371

Sampled: 10/07/23 Ordered: 10/07/23

Sample Size Received: 16 gram Total Amount: 1913 units

Completed: 10/10/23 Expires: 10/10/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND					0.1		
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0.010			PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	nnm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND					0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010				
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.2777q		on date: 3 15:56:47		Extracted I 3379,450	by:
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.F				SOP T 40 101		1)
ETOFENPROX	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gamesvine),	301.1.30.10	Z.I L (DUVIC	,, 501.11.40.103	E.I E (Guillesville	-//
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA065196PES			Reviewed	On:10/10/23	12:02:50	
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (Batch Dat	e:10/08/23 20	:08:58	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Analyzed Date: 10/09/23 14:07:5	1					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Dilution: 250	02 100522 814	100022.00	4 0000000	01 100400 0	22 040521 11	
FIPRONIL	0.010 ppm	0.1	PASS	ND	Reagent: 100623.R05; 100823.RI Consumables: 326250IW	03; 100523.R14	; 100623.R0	4; 090623.1	KU1; 100423.KC	02; 040521.11	
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: DA-093: DA-094: DA-219	9					
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is per		Liquid Chrom	natography 1	Friple-Ouadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3						,
IMAZALIL	0.010 ppm	0.1	PASS	ND		Weight:	Extractio			Extracted b	y:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND		0.2777g	10/09/23			3379,450	
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.F	L (Gainesville),					
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA065198VOL Instrument Used : DA-GCMS-010				:10/10/23 12: 10/08/23 20:13		
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date : 10/09/23 16:15:0	1	Ва	iten bate :	10/00/23 20:13	1.41	
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution : 250	-					
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 100523.R14; 040521.13	1; 092523.R21:	092523.R22				
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW; 14725	401					
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010 ppm	0.25	PASS	ND	Testing for agricultural agents is per		Gas Chromat	tography Tri	ple-Quadrupole	Mass Spectrome	etry in
					accordance with F.S. Rule 64ER20-3	19.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007004-006 Harvest/Lot ID: 0427 7965 3371 4796

Batch#: 0427 7965 3371

Sampled: 10/07/23 Ordered: 10/07/23

5 3371 Sample Size Received : 16 gram Total Amount : 1913 units

Completed: 10/10/23 Expires: 10/10/24 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

Э Л			
- 14		3	ы
-	_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Е	xtracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 3963
 0.0222g
 10/09/23 16:18:26
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA065151SOL Instrument Used: DA-GCMS-003 Analyzed Date: 10/09/23 15:55:25

Dilution: 1
Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

 $\begin{array}{l} \textbf{Reviewed On:} \ 10/10/23 \ 10:30:24 \\ \textbf{Batch Date:} \ 10/07/23 \ 16:23:36 \\ \end{array}$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31007004-006 Harvest/Lot ID: 0427 7965 3371 4796

Batch#: 0427 7965 3371

Sampled: 10/07/23 Ordered: 10/07/23

Sample Size Received: 16 gram Total Amount: 1913 units

Completed: 10/10/23 Expires: 10/10/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level	
SALMONELLA SPECIFIC GENE			Not Present	PASS		,
ECOLI SHIGELLA			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 3963, 3390, 585 10/07/23 17:59:38 0.921g

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA065141MIC

Reviewed On: 10/10/23 Batch Date: 10/07/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 10/09/23 14:46:12

Reagent: 083123.162; 092123.R20; 081023.05 Consumables: 7565004011

Pipette: N/A

Analyzed by: 3390, 3963, 585	Weight: 0.921g	Extraction date: 10/07/23 17:59:38	Extracted by: 3621,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA065156TYM Reviewed On: 10/10/23 12:32:59 Instrument Used : N/ABatch Date: 10/07/23 19:51:20 Analyzed Date: 10/09/23 18:53:02

Dilution: 10 Reagent: 083123.162; 092123.R18

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycocoxiiis				ras	JLD	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN I	32	0.002	ppm	ND	PASS	0.02	
AFLATOXIN I	31	0.002	ppm	ND	PASS	0.02	
OCHRATOXII	JΔ	0.002	nnm	ND	PASS	0.02	

,					Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963	Weight: 0.2777g	Extraction dat 10/09/23 15:5			xtracted 379,450	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA065197MYC Reviewed On: 10/10/23 12:19:47 Instrument Used : N/A Batch Date: 10/08/23 20:13:17

Analyzed Date: 10/09/23 14:08:25

Dilution: 250
Reagent: 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02;

040521.11 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINAN	IT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	e:	E	tracted b	ov:	

1022, 585, 3963 0.2892g 10/08/23 14:09:34 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 10/10/23 11:38:19 Analytical Batch : DA065161HEA Instrument Used : DA-ICPMS-004 Batch Date: 10/08/23 09:42:52 Analyzed Date: 10/09/23 15:13:30

Dilution: 50

Reagent: 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04

Consumables: 179436: 1852142: 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31007004-006 Harvest/Lot ID: 0427 7965 3371 4796

Batch#: 0427 7965 3371

Sampled: 10/07/23 Ordered: 10/07/23

Sample Size Received: 16 gram Total Amount: 1913 units Completed: 10/10/23 Expires: 10/10/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Weight: 1879, 3963 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA065180FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 10/08/23 23:49:12 Batch Date: 10/08/23 13:00:37 Analyzed Date: 10/08/23 23:32:36

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 10/09/23 13:15:48

Analyte Water Activity		LOD 0.010 a	Jnits aw	Result 0.486	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 3963	Weight: 0.343g		action d 18/23 17		Ex : 40	tracted by: 56

Analysis Method: SOP.T.40.019 Analytical Batch: DA065168WAT Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 10/08/23 09:46:28

Analyzed Date: 10/08/23 16:30:51

Dilution: N/A Reagent: 113021.10 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164