



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31007014-001
Harvest/Lot ID: 7601 4235 4423 7700
Batch#: 7601 4235 4423 7700
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 7380 8447 9486 6903
Batch Date: 06/23/23
Sample Size Received: 8 gram
Total Amount: 617 units
Retail Product Size: 0.5 gram
Ordered: 10/07/23
Sampled: 10/07/23
Completed: 10/10/23
Sampling Method: SOP.T.20.010











Oct 10, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3335, 1665, 585, 4044 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA065188POT Instrument Used : DA-LC-007 Analyzed Date : 10/09/23 13:19:52 Dilution : 400 Reagent : 100423.R32; 060723.24; 100423.R35 Consumables : 947.109; 1852142; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.1076g	Extraction date: 10/09/23 13:16:13 Reviewed On : 10/10/23 16:49:04 Batch Date : 10/08/23 18:27:12	Extracted by: 3335
---	--------------------	--	-----------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder Syringe Distillate 0.5 g
Nutter Budder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007014-001

Harvest/Lot ID: 7601 4235 4423 7700

Batch# : 7601 4235 4423

7700

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 8 gram

Total Amount : 617 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.16	2.432		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.20	0.040		GUAIOL	0.007	1.59	0.317	
BETA-CARYOPHYLLENE	0.007	2.25	0.450		FENCHYL ALCOHOL	0.007	0.25	0.049	
ALPHA-HUMULENE	0.007	1.55	0.309		BORNEOL	0.013	<0.20	<0.040	
BETA-MYRCENE	0.007	0.81	0.162		CIS-NEROLIDOL	0.007	<0.10	<0.020	
LIMONENE	0.007	2.69	0.537		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.56	0.111		ALPHA-PINENE	0.007	0.13	0.026	
LINALOOL	0.007	0.71	0.142		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.19	0.038						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		1879, 2076, 585, 4044	0.926g	10/08/23 15:18:25	1879	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	0.25	0.050		Analytical Batch : DA06S174TER		Reviewed On : 10/10/23 16:49:08		
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-009		Batch Date : 10/08/23 10:13:15		
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/08/23 10:13:52				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.30	0.059		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	0.16	0.031						
ALPHA-TERPINOLENE	0.007	0.14	0.028						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.20	<0.040						
FARNESENE	0.001	0.42	0.083						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%)

2.432

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder Syringe Distillate 0.5 g
Nutter Budder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007014-001

Harvest/Lot ID: 7601 4235 4423 7700

Batch# : 7601 4235 4423
7700

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 8 gram

Total Amount : 617 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.2855g	Extraction date: 10/09/23 16:04:12	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065205PES		Reviewed On : 10/10/23 13:45:53			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/08/23 20:22:28			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/09/23 14:07:42					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.2855g	Extraction date: 10/09/23 16:04:12	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065207VOL		Reviewed On : 10/10/23 10:55:59			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/08/23 20:26:01			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/09/23 16:10:38					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100523.R14; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder Syringe Distillate 0.5 g
Nutter Budder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007014-001

Harvest/Lot ID: 7601 4235 4423 7700

Batch# : 7601 4235 4423
7700

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 8 gram

Total Amount : 617 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4044

Weight:
0.0243g

Extraction date:
10/09/23 17:02:43

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065212SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/09/23 17:28:43

Reviewed On : 10/10/23 16:15:49
Batch Date : 10/09/23 11:44:16

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31007014-001

Harvest/Lot ID: 7601 4235 4423 7700

Batch# : 7601 4235 4423 7700

Sampled : 10/07/23

Ordered : 10/07/23


Sample Size Received : 8 gram


Total Amount : 617 units


Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.2855g	Extraction date: 10/09/23 16:04:12	Extracted by: 3379,450		
Analyzed by: 3963, 3390, 585, 4044	Weight: 0.959g	Extraction date: 10/08/23 12:38:42	Extracted by: 3963,3390			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA065206MYC					
Analytical Batch : DA065177MIC						Reviewed On : 10/10/23 16:46:43					
Instrument Used : Applied Biosystems MiniAmp Thermocycler						Batch Date : 10/08/23 11:04:50					
DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analyzed Date : 10/10/23 14:47:39											
Dilution : N/A											
Reagent : 083123.162; 092123.R20; 081023.05											
Consumables : 7565004026											
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: 3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA065178TYM						Reviewed On : 10/10/23 15:00:12					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 10/08/23 11:09:16					
Analyzed Date : 10/09/23 11:40:37											
Dilution : 10											
Reagent : 083123.162; 092123.R18											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Mycotoxins					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 3379, 585, 4044	Weight: 0.2855g	Extraction date: 10/09/23 16:04:12	Extracted by: 3379,450			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA065206MYC						Reviewed On : 10/10/23 10:22:33					
Instrument Used : N/A						Batch Date : 10/08/23 20:25:56					
Analyzed Date : 10/09/23 14:08:18											
Dilution : 250											
Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02; 040521.11											
Consumables : 326250IW											
Pipette : DA-093; DA-094; DA-219											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2
ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.5	LEAD	0.020	ppm	ND	PASS	0.5
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044	Weight: 0.2805g	Extraction date: 10/08/23 18:23:21	Extracted by: 4306,1022			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065166HEA						Reviewed On : 10/10/23 13:43:53					
Instrument Used : DA-ICPMS-004						Batch Date : 10/08/23 09:44:49					
Analyzed Date : 10/09/23 17:01:35											
Dilution : 50											
Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04											
Consumables : 179436; 1852142; 210508058											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Nutter Budder Syringe Distillate 0.5 g
Nutter Budder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007014-001

Harvest/Lot ID: 7601 4235 4423 7700

Batch# : 7601 4235 4423
7700

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 8 gram

Total Amount : 617 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065180FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/08/23 23:32:36

Reviewed On : 10/08/23 23:45:53

Batch Date : 10/08/23 13:00:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.454	PASS	0.85

Analyzed by: 4056, 585, 4044	Weight: 0.431g	Extraction date: 10/08/23 17:03:14	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065168WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/08/23 16:30:51

Reviewed On : 10/09/23 13:34:26

Batch Date : 10/08/23 09:46:28

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23