

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel




Matrix: Derivative Type: Distillate

Sample:DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343 Batch#: 6850 4272 7067 5343 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 8190 6164 8842 3710 Batch Date: 05/01/23 Sample Size Received: 16 gram Total Amount: 1930 units Retail Product Size: 1 gram Ordered: 10/07/23 Sampled: 10/07/23 Completed: 10/10/23 Sampling Method: SOP.T.20.010

Oct 10, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

## PASSED



рэ-тнс % 88.449 mg/unit 884.49	THCA ND ND	свр 0.240 2.40	CBDA ND ND	<sup>D8-THC</sup> 0.225 2.25	свд 2.036 20,36	CBGA ND ND	сви 0.650 6.50	тнсv 0.500 5.00	CBDV ND ND	свс 0.657 6.57
mg/unit 884.49 LOD 0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585, 4044			Weight: 0.1094g		Extraction date: 10/09/23 13:16:1	.3			Extracted by: 3335	
Analysis Method : SOP.T.40.031 Analytical Batch : DA065188PO Instrument Used : DA-LC-007 Analyzed Date : 10/09/23 13:19	Ť				Reviewed On : 10 Batch Date : 10/0					

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/10/23



Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343 Batch#: 6850 4272 7067

5343 Sampled : 10/07/23 Ordered : 10/07/23

Sample Size Received : 16 gram Total Amount : 1930 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Page 2 of 6

ത്ര
<i>C</i>

## Terpenes

erpenes	LOD (%)	mg/uni	t %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
TAL TERPENES	0.007	26.42	2.642			SABINENE	0.007	ND	ND	
TAL TERPINEOL	0.007	< 0.20	< 0.020			GUAIOL	0.007	ND	ND	
TA-CARYOPHYLLENE	0.007	2.90	0.290			FENCHYL ALCOHOL	0.007	0.43	0.043	
PHA-HUMULENE	0.007	0.79	0.079			BORNEOL	0.013	< 0.40	< 0.040	
TA-MYRCENE	0.007	9.17	0.917			CIS-NEROLIDOL	0.007	ND	ND	
IONENE	0.007	9.66	0.966			3-CARENE	0.007	ND	ND	
PHA-BISABOLOL	0.007	0.29	0.029			ALPHA-PINENE	0.007	0.67	0.067	
ALOOL	0.007	1.38	0.138			CEDROL	0.007	ND	ND	
TA-PINENE	0.007	0.90	0.090		17	Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LENCENE	0.007	ND	ND			1879, 2076, 585, 4044	1.0479g		23 15:16:54	
ILEGONE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	061A.FL			
DPULEGOL	0.007	ND	ND			Analytical Batch : DA065174TER Instrument Used : DA-GCMS-009				/10/23 16:49:13 8/23 10:13:15
RANYL ACETATE	0.007	ND	ND			Analyzed Date: 10/08/23 10:13:52		Batch	Date : 10/0	0/23 10:13:15
PHA-CEDRENE	0.007	ND	ND		i -	Dilution : 10				
CALYPTOL	0.007	ND	ND		1	Reagent : 083123.51				
MPHENE	0.007	ND	ND			Consumables : 210414634; MKCN9995; CE0123	; R1KB14270			
PHA-PHELLANDRENE	0.007	ND	ND			Pipette : N/A				
MMA-TERPINENE	0.007	ND	ND		1	Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectro	metry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
ANS-NEROLIDOL	0.007	ND	ND							
DBORNEOL	0.007	ND	ND							
IMENE	0.007	0.23	0.023							
PHA-TERPINOLENE	0.007	ND	ND		l l					
BINENE HYDRATE	0.007	ND	ND		l l					
NCHONE	0.007	< 0.40	< 0.040		i i					
RNESENE	0.001	ND	ND		i i					
PHA-TERPINENE	0.007	ND	ND							
ROL	0.007	ND	ND							
MPHOR	0.007	<0.60	< 0.060							
RANIOL	0.007	ND	ND							
RYOPHYLLENE OXIDE	0.007	ND	ND							
	0.007	ND	ND							
EXAHYDROTHYMOL	0.007									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/10/23

## PASSED

TESTED



Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343

Batch#: 6850 4272 7067 5343 Sampled : 10/07/23 Ordered : 10/07/23

Sample Size Received : 16 gram Total Amount : 1930 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Page 3 of 6



## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN			ppm	0.2	PASS	ND
ACETAMIPRID	0.010	P.P.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM			ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(5015) +	0.010	1° P	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *				PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	v:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044	0.2708g	10/09/23	3 16:04:13		3379,450	, ,
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101	.FL (Gainesville), SC	P.T.30.10	2.FL (Davie), S	50P.T.40.101.F	L (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA065205PES Instrument Used : DA-LCMS-003				n:10/10/23 13 10/08/23 20:2		
FENHEXAMID	0.010	1.1.1	0.1	PASS	ND	Analyzed Date :10/09/23 14:07:			Batch Date :	10/06/25 20.2	.2.20	
FENOXYCARB	0.010		0.1		ND ND	Dilution : 250	12					
FENPYROXIMATE	0.010		0.1	PASS		Reagent : 100623.R05; 100823.	R03; 100523.R14; 1	.00623.R0	4; 090623.R0	1; 100423.R02	; 040521.11	
FIPRONIL	0.010		0.1	PASS PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		0.1 0.1	PASS	ND ND	Pipette : DA-093; DA-094; DA-21						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is p		quid Chron	natography Trip	ole-Quadrupole	Mass Spectrom	ietry in
HEXYTHIAZOX	0.010 0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 4044		Extraction 10/09/23			Extracted by 3379.450	/:
	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151				SOP T 40 151		
KRESOXIM-METHYL	0.010		0.2	PASS	ND	Analytical Batch : DA065207VOL			eviewed On :1			
MALATHION	0.010	1.1.1	0.2	PASS	ND	Instrument Used : DA-GCMS-001			atch Date : 10			
METALAXYL METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :10/09/23 16:10:	38					
METHOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 100523.R14; 040521.		2523.R22				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Consumables : 326250IW; 1472 Pipette : DA-080; DA-146; DA-21						
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is p		s Chroma	tography Triple	-Ouadrupole M	ass Spectromet	rv in
NALED	5.010	bbiii	0.25			accordance with F.S. Rule 64ER20-	-39.	.5 c omu	cographly mpic	. quan apore m	ass spectromet	.,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/10/23



..... Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343 Batch#: 6850 4272 7067 5343

Sampled : 10/07/23 Ordered : 10/07/23 Sample Size Received : 16 gram Total Amount : 1930 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
ETHYL ETHER	50.000	ppm	500	PASS	ND			
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
METHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
FOLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
Analyzed by: 350, 585, 4044	Weight: 0.0223g	Extraction date: 10/09/23 17:02:43		<b>E</b> x 85	tracted by: 0			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065212SOL nstrument Used : DA-GCMS-002 Analyzed Date : 10/09/23 17:28:43	<b>Reviewed On :</b> 10/10/23 16:15:51 <b>Batch Date :</b> 10/09/23 11:44:16							

Reagent : 030420.09 Consumables : R2017.167: G201 167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/10/23

## PASSED



Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343

Batch#: 6850 4272 7067 5343 Sampled : 10/07/23 Ordered : 10/07/23

Sample Size Received : 16 gram Total Amount : 1930 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

	Page	e 5	of	6
--	------	-----	----	---

🕵 Microbia	ıl		PAS	SED	∿ې ا	lycotox	ins			PAS	SED
Analyte SALMONELLA SPECIFIC GENE ECOLI SHIGELLA ASPERGILLUS FLAVUS ASPERGILLUS FUMIGATUS ASPERGILLUS TERREUS ASPERGILLUS NIGER	LOD Unit	Not Present Not Present Not Present Not Present Not Present Not Present	Pass / Fail PASS PASS PASS PASS PASS PASS	Action Level	Analyte AFLATOXIN B2 AFLATOXIN B1 OCHRATOXIN B1 OCHRATOXIN G1 AFLATOXIN G2 Analyzed by:	Weight:	LOD 0.002 0.002 0.002 0.002 0.002 Extraction dat	Units ppm ppm ppm ppm ppm	Result ND ND ND ND ND	Pass / Fail PASS PASS PASS PASS PASS	Action Level 0.02 0.02 0.02 0.02 0.02 0.02
TOTAL YEAST AND MOLD Analyzed by: Weight:	10 CFU/		PASS	100000	3379, 585, 4044 Analysis Method : SO	0.2708g	10/09/23 16:0			379,450	
3390, 585, 4044         0.963g         10/08/23 12:41:13         3963,3390           Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL         Reviewed On : 10/10/23 16:49:30           Instrument Used : Applied Biosystems MiniAmp Thermocycler         Batch Date : 10/08/23 16:49:30           DA-109,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-020,fisherbrand I1:03:55         Batch Date : 10/08/23 11:03:55				-, -	Dilution : 250         Reviewed On : 10/10/23 10:22:34           Batch Date : 10/09/23 14:08:18         Batch Date : 10/08/23 20:25:56           Dilution : 250         Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R0           Consumables : 326250IW         Pipette : DA-093; DA-094; DA-219					3.R02;	
Analyzed Date : 10/10/23 14:47:42 Dilution : N/A Reagent : 083123.162; 092123.R20; 0 Consumables : 7565004026 Pipette : N/A	081023.05				Mycotoxins testing utili accordance with F.S. Ri	zing Liquid Chromato Ile 64ER20-39.		-Quadrupol			
	<b>/eight: Extr</b> .963g N/A	raction date:	Extracted 3390	by:	Hg H	eavy Mo	etals			PAS	SED
Analysis Method : SOP.T.40.208 (Gain Analytical Batch : DA065179TYM Instrument Used : Incubator (25-27C) Analyzed Date : 10/09/23 11:40:37		0.209.FL Reviewed On : 10/10 Batch Date : 10/08/2			Metal	ANT LOAD METAI	LOD	<b>Units</b>	<b>Result</b>	Pass / Fail PASS	Action Level
Dilution : 10 Reagent : 092123.R18 Consumables : N/A Pipette : N/A					ARSENIC CADMIUM MERCURY LEAD		0.020 0.020 0.020 0.020	ppm ppm ppm ppm	ND ND ND ND	PASS PASS PASS PASS	0.2 0.2 0.2 0.5
Total yeast and mold testing is performed accordance with F.S. Rule 64ER20-39.	utilizing MPN and tr	raditional culture based	techniques	in	Analyzed by: 1022, 585, 4044	Weight: 0.2578g	Extraction dat 10/08/23 18:2			ctracted b 306.1022	у:
					Analysis Method : SO Analytical Batch : DA Instrument Used : DA Analyzed Date : 10/05	P.T.30.082.FL, SOP 065166HEA -ICPMS-004	T.40.082.FL Reviewe	ed On : 10/	/10/23 13: 8/23 09:44	43:56	

Dilution: 50

Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/10/23



Page 6 of 6

Sour Diesel Cartridge Concentrate 1g(90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007014-002 Harvest/Lot ID: 6850 4272 7067 5343 Batch#: 6850 4272 7067 5343

Sampled : 10/07/23 Ordered : 10/07/23

PASSED

DACCI

Sample Size Received : 16 gram Total Amount : 1930 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

	Materia					
Analyte Filth and Fore	eign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 4044	Weight: NA	E) N/	<b>traction</b>	date:	Extra N/A	cted by:
Analytical Batch Instrument Use	d: SOP.T.40.090 h: DA065180FIL d: Filth/Foreign Mater : 10/08/23 23:32:36	rial Micro	oscope			8/23 23:49:48 23 13:00:37
Dilution : N/A Reagent : N/A Consumables : Pipette : N/A	N/A					
	material inspection is per ccordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope

$(\bigcirc)$	Water A	ctiv	vity		PA	33ED
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.460	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 4044	<b>Weight:</b> 0.298g		traction d /08/23 17			tracted by: 056
		lygropal	m	Reviewed O Batch Date :		
Dilution : N/A Reagent : 113021						

Consumables : PS-14 Pipette : N/A

 $\bigcirc$ 

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

10/10/23