



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31007004-007
Harvest/Lot ID: 1737 5668 8838 5640
Batch#: 1737 5668 8838 5640
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4300 6808 5327 7250
Batch Date: 08/17/23
Sample Size Received: 15.5 gram
Total Amount: 446 units
Retail Product Size: 0.5 gram
Ordered: 10/06/23
Sampled: 10/07/23
Completed: 10/10/23
Sampling Method: SOP.T.20.010

Oct 10, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
81.406%

Total THC/Container : 407.03 mg


Total CBD
0.183%

Total CBD/Container : 0.92 mg


Total Cannabinoids
85.692%

Total Cannabinoids/Container : 428.46 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.406	ND	0.183	ND	ND	2.170	0.353	0.155	0.505	ND	0.920
mg/unit	407.03	ND	0.92	ND	ND	10.85	1.77	0.78	2.53	ND	4.60
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 3335, 585, 3963

 Weight:
 0.1037g

 Extraction date:
 10/09/23 13:16:12

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065188POT

Instrument Used : DA-LC-007

Analyzed Date : 10/09/23 13:19:52

Reviewed On : 10/10/23 14:34:00

Batch Date : 10/08/23 18:27:12

Dilution : 400

Reagent : 100423.R32; 060723.24; 100423.R35

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemon Tree Cartridge Live Rosin 0.5g
Lemon Tree
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007004-007

Harvest/Lot ID: 1737 5668 8838 5640

Batch# : 1737 5668 8838
5640

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 15.5 gram

Total Amount : 446 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	31.70	6.339		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.48	0.096		GUAIOL	0.007	<0.10	<0.020	
BETA-CARYOPHYLLENE	0.007	6.82	1.364		FENCHYL ALCOHOL	0.007	0.68	0.136	
ALPHA-HUMULENE	0.007	2.33	0.466		BORNEOL	0.013	0.26	0.052	
BETA-MYRCENE	0.007	2.97	0.594		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	9.57	1.913		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.16	0.032		ALPHA-PINENE	0.007	1.69	0.337	
LINALOOL	0.007	0.86	0.171		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.16	0.031						
VALENCENE	0.007	0.19	0.038		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		1879, 2076, 585, 3963	1.009g	10/08/23 15:15:05	1879	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA06S174TER			Reviewed On : 10/10/23 16:51:06	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/08/23 10:13:15	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/08/23 10:13:52				
CAMPHENE	0.007	0.15	0.029		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	0.14	0.028		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.25	0.050		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	0.78	0.156						
ALPHA-TERPINOLENE	0.007	2.32	0.464						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.20	<0.040						
FARNESENE	0.001	1.91	0.382						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	<0.30	<0.060						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%) 6.339

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemon Tree Cartridge Live Rosin 0.5g

Lemon Tree

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007004-007

Harvest/Lot ID: 1737 5668 8838 5640

Batch# : 1737 5668 8838

5640

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 15.5 gram

Total Amount : 446 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 3963	Weight: 0.2738g	Extraction date: 10/09/23 15:56:47	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065196PES		Reviewed On : 10/10/23 12:02:51			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 10/08/23 20:08:58			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/09/23 14:07:51					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 3963	Weight: 0.2738g	Extraction date: 10/09/23 15:56:47	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065198VOL		Reviewed On : 10/10/23 12:00:40			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/08/23 20:13:21			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/09/23 16:15:01					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100523.R14; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemon Tree Cartridge Live Rosin 0.5g
Lemon Tree
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007004-007

Harvest/Lot ID: 1737 5668 8838 5640

Batch# : 1737 5668 8838
5640

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 15.5 gram

Total Amount : 446 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0272g

Extraction date:
10/09/23 16:18:26

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065151SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 10/09/23 15:55:25

Reviewed On : 10/10/23 10:30:24
Batch Date : 10/07/23 16:23:36

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31007004-007

Harvest/Lot ID: 1737 5668 8838 5640

 Batch# : 1737 5668 8838
 5640

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 15.5 gram

Total Amount : 446 units


Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 585, 3963	0.2738g	10/09/23 15:56:47		Extracted by:	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
3963, 3390, 585	0.903g	10/07/23 17:59:38	3621			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/10/23			Analytical Batch : DA065197MYC					
Analytical Batch : DA065141MIC			15:25:40			Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111, fisherbrand			Batch Date : 10/07/23			Analyzed Date : 10/09/23 14:08:25					
Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block			10:00:15			Dilution : 250					
DA-049, Fisher Scientific Isotemp Heat Block DA-021						Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02;					
Analyzed Date : 10/09/23 14:46:12						040521.11					
Dilution : N/A						Consumables : 326250IW					
Reagent : 083123.162; 092123.R20; 081023.05						Pipette : DA-093; DA-094; DA-219					
Consumables : 7565004011						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											

Analyzed by:	Weight:	Extraction date:	Extracted by:				Heavy Metals	PASSED
3390, 3963, 585	0.903g	10/07/23 17:59:38	3621, 3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 10/10/23 12:34:32			Metal		
Analytical Batch : DA065156TYM			Batch Date : 10/07/23 19:51:20			LOD	Units	Result
Instrument Used : N/A								Pass / Fail
Analyzed Date : 10/09/23 18:53:02								Action Level
Dilution : 10						TOTAL CONTAMINANT LOAD METALS	0.080	ppm
Reagent : 083123.162; 092123.R18						ARSENIC	0.020	ppm
Consumables : N/A						CADMIUM	0.020	ppm
Pipette : N/A						MERCURY	0.020	ppm
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						LEAD	0.020	ppm
							<0.100	PASS
						Analyzed by:	Weight:	Extraction date:
						1022, 585, 3963	0.2645g	10/08/23 14:11:14
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		
						Analytical Batch : DA065161HEA		
						Instrument Used : DA-ICPMS-004		
						Analyzed Date : 10/09/23 15:13:30		
						Dilution : 50		
						Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04		
						Consumables : 179436; 1852142; 210508058		
						Pipette : DA-061; DA-191; DA-216		
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.		



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemon Tree Cartridge Live Rosin 0.5g
Lemon Tree
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007004-007

Harvest/Lot ID: 1737 5668 8838 5640

Batch# : 1737 5668 8838
5640

Sampled : 10/07/23

Ordered : 10/07/23

Sample Size Received : 15.5 gram

Total Amount : 446 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:
1879, 3963

Weight:
NA

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA065180FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/08/23 23:32:36

Reviewed On : 10/08/23 23:44:40

Batch Date : 10/08/23 13:00:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.85

Analyzed by:
4056, 585, 3963

Weight:
0.353g

Extraction date:
10/08/23 17:03:03

Extracted by:
4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA065168WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/08/23 16:30:51

Reviewed On : 10/09/23 13:15:49

Batch Date : 10/08/23 09:46:28

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
10/10/23