

Original Blueberry Drops 30g



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Matrix: Derivative Type: Products for oral administration (pills, capsules, tinctures, and similar usable

Sample:DA31007004-009 Harvest/Lot ID: 9351 8315 1101 3661 Batch#: 9351 8315 1101 3661 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 8817 8370 7773 2983 Batch Date: 08/04/23 Sample Size Received: 150 gram Total Amount: 929 units Retail Product Size: 30 gram Ordered: 10/06/23 Sampled: 10/07/23 Completed: 10/10/23 Sampling Method: SOP.T.20.010

products)

Oct 10, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Чa

Heavy Metals

PASSED

Microbials

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

Residuals Solvents

PASSED



Water Activity Moisture

Pages 1 of 6

Terpenes

PASSED



TESTED

MISC.

Cannabinoid

PASSED

		Fotal THC 2.056% Fotal THC/Container			30	tal CBD			32.2	Cannabinoid 207% nnabinoids/Cor	ls ntainer : 662.10
% mg/unit LOD	^{D9-THC} 2.018 605.4 0.001 %	0.044 0 13.20	свр 0.006 1.80 0.001 %	CBDA ND ND 0.001 %	D8-тнс ND ND 0.001 %	свд 0.063 18.90 0.001 %	CBGA 0.007 2.10 0.001 %	CBN 0.019 5.70 0.001 %	тнсу 0.024 7.20 0.001 %	своу ND ND 0.001 %	свс 0.026 7.80 0.001 %
Analyzed by: 1665, 3335, 585	6, 3963			Weight: 3.0619g		Extraction date: 10/09/23 13:16:	12			Extracted by: 3335	
Analysis Method Analytical Batch Instrument Used Analyzed Date :	d:DA065188 d:DA-LC-00	7				Reviewed On : 1 Batch Date : 10/	0/10/23 14:34:07 08/23 18:27:12				
Dilution : 400 Reagent : 1004	23.R32; 060	723.24; 100423.R35 52142; CE0123; R1KB1427)								

Mycotoxins

PASSED

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Signature 10/10/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Original Blueberry Drops 30g Original Blueberry Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

TESTED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

 Sample : DA31007004-009

 Harvest/Lot ID: 9351 8315 1101 3661

 Batch# : 9351 8315 1101 3661

 3661

Sampled : 10/07/23 Ordered : 10/07/23 Sample Size Received : 150 gram Total Amount : 929 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ć

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)
DTAL TERPENES	0.007	9.60	0.032		SABINENE	0.007	ND	ND	
TAL TERPINEOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	9.60	0.032		FENCHYL ALCOHOL	0.007	ND	ND	
PHA-HUMULENE	0.007	ND	ND		BORNEOL	0.013	ND	ND	
TA-MYRCENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
ONENE	0.007	ND	ND		3-CARENE	0.007	ND	ND	
PHA-BISABOLOL	0.007	<6.00	< 0.020		ALPHA-PINENE	0.007	ND	ND	
NALOOL	0.007	< 6.00	< 0.020		CEDROL	0.007	ND	ND	
ETA-PINENE	0.007	ND	ND		Analyzed by:	Weight:	Extra	ction date:	Extracted by:
LENCENE	0.007	ND	ND		1879, 2076, 585, 3963	0.8900g		3/23 15:21:24	
ILEGONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T	.40.061A.FL			
DPULEGOL	0.007	ND	ND		Analytical Batch : DA065174TER				/10/23 16:51:08
RANYL ACETATE	0.007	ND	ND		Instrument Used : DA-GCMS-009 Analyzed Date : 10/08/23 10:13:52		Bato	h Date : 10/0	8/23 10:13:15
PHA-CEDRENE	0.007	ND	ND		Dilution : 10				
ICALYPTOL	0.007	ND	ND		Reagent : 083123.51				
MPHENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE	0123; R1KB14270			
PHA-PHELLANDRENE	0.007	ND	ND		Pipette : N/A				
AMMA-TERPINENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chro	matography Mass Spectro	metry. For al	I Flower sample	es, the Total Terpenes % is dry-weight corrected.
ANS-NEROLIDOL	0.007	ND	ND						
DBORNEOL	0.007	ND	ND						
CIMENE	0.007	<6.00	< 0.020						
PHA-TERPINOLENE	0.007	ND	ND						
BINENE HYDRATE	0.007	ND	ND						
NCHONE	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
PHA-TERPINENE	0.007	ND	ND						
EROL	0.007	ND	ND						
MPHOR	0.007	<18.00	< 0.060						
RANIOL	0.007	ND	ND						
ARYOPHYLLENE OXIDE	0.007	ND	ND						
	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Signature 10/10/23



Original Blueberry Drops 30g Original Blueberry Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

3661

Sample : DA31007004-009 Harvest/Lot ID: 9351 8315 1101 3661

Batch#:9351 8315 1101

Sampled : 10/07/23

Ordered : 10/07/23

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Sample Size Received : 150 gram

Sample Method : SOP.T.20.010

Completed : 10/10/23 Expires: 10/10/24

Total Amount : 929 units

PASSED

PASSED

Page 3 of 6

R 0

82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

FLUENT

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE			ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND				ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE			ppm	1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR			ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN			ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
AZOXYSTROBIN		ppm	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE		ppm	3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
BIFENTHRIN		ppm	0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	3	PASS	ND	THIAMETHOXAM			ppm	1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN			ppm	3	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND			0.010		0.2	PASS	ND
CHLORANTRANILIPROLE		ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.1	PASS	
CHLORMEQUAT CHLORIDE		ppm	3	PASS	ND	PARATHION-METHYL *		0.010				ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
CLOFENTEZINE		ppm	0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	1	PASS	ND
DIAZINON		ppm	3	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	v:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 3963	0.2376g		3 15:56:48		3379,450	,
ETHOPROPHOS		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.F	L (Gainesville), SC	DP.T.30.10	2.FL (Davie), S	SOP.T.40.101.	FL (Gainesville)	,
ETOFENPROX		ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE		ppm	1.5	PASS	ND	Analytical Batch : DA065196PES Instrument Used : DA-LCMS-004 (DEC)			n:10/10/23 12 10/08/23 20:0		
FENHEXAMID		ppm	3	PASS	ND	Analyzed Date :10/09/23 14:07:5			Datch Date :	10/06/25 20.0	10.30	
FENOXYCARB		ppm	0.1 2	PASS	ND ND	Dilution : 250	-					
FENPYROXIMATE		ppm	2	PASS	ND	Reagent : 100623.R05; 100823.R	03; 100523.R14; 1	.00623.R0	4; 090623.R0	1; 100423.R02	2;040521.11	
FIPRONIL		ppm	2	PASS	ND	Consumables : 326250IW						
FLONICAMID		ppm ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL		ppm	2	PASS	ND	Testing for agricultural agents is per		quid Chron	natography Trij	ple-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3		Future at in			Future attack lar	
IMAZALIL		ppm	1	PASS	ND			Extractio 10/09/23			Extracted by 3379,450	y:
		ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.F				SOP T 40 151		
KRESOXIM-METHYL MALATHION		ppm	2	PASS	ND	Analytical Batch : DA065198VOL	E (Guinesvine), se			10/10/23 12:0		
		ppm	3	PASS	ND	Instrument Used : DA-GCMS-010		Ba	atch Date :10	/08/23 20:13:2	21	
METALAXYL METHIOCARB		ppm	0.1	PASS	ND	Analyzed Date :10/09/23 16:15:0	1					
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL MEVINPHOS		ppm	0.1	PASS	ND	Reagent: 100523.R14; 040521.13		2523.R22				
MEVINPHOS MYCLOBUTANIL	0.010		3	PASS	ND	Consumables : 326250IW; 14725 Pipette : DA-080; DA-146; DA-218						
NALED		ppm	0.5	PASS	ND	Testing for agricultural agents is per		as Chroma	tography Triple	-Ouadrupole N	lass Snectromet	try in
INALED	0.010	hhiii	0.0		nυ	accordance with F.S. Rule 64ER20-3		as chi oilla	cographity inple		iass speed offici	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino





usable products)

Original Blueberry Drops 30g **Original Blueberry** Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007004-009 Harvest/Lot ID: 9351 8315 1101 3661 Batch#: 9351 8315 1101 3661 Sampled : 10/07/23 Ordered : 10/07/23

Sample Size Received : 150 gram Total Amount : 929 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Type: Products for oral administration (pills, capsules, tinctures, and similar

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 3963	Weight: 0.0209g	Extraction date: 10/09/23 16:18:27		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065151SOL Instrument Used : DA-GCMS-003 Analyzed Date : 10/09/23 15:55:25			On : 10/10/23 10:30:29 te : 10/07/23 16:23:36		

Reagent : 030420.09 Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 10/10/23



Original Blueberry Drops 30g **Original Blueberry** Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar **DAVIE, FL, 33314, US** (954) 368-7664

PASSED

usable products)

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31007004-009 Harvest/Lot ID: 9351 8315 1101 3661 Batch#: 9351 8315 1101

3661 Sampled : 10/07/23 Ordered : 10/07/23

Certificate of Analysis

Sample Size Received : 150 gram Total Amount : 929 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Page 5 of 6

€ M	icrobia	I			PAS	SED	٠¢	M	ycotox	ins				PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPE	CIEIC GENE			Not Present	PASS	Level	AFLATOXIN	22			0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA	CITIC GENE			Not Present	PASS		AFLATOXIN				0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLA	lus			Not Present	PASS		OCHRATOXI				0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUM				Not Present	PASS		AFLATOXIN				0.002	ppm	ND	PASS	0.02
ASPERGILLUS TER				Not Present	PASS		AFLATOXIN				0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIG	ER			Not Present	PASS		Analyzed by:		Weight:	Extra	tion da			xtracted	
TOTAL YEAST AND	MOLD	10	CFU/g	<10	PASS	100000		3	0.2376g		23 15:5			379,450	by:
Analyzed by: 1963, 3390, 585	Weight: 1.035g		oction date: 7/23 17:59:3	39	Extracted 3621	by:	SOP.T.30.102.	FL (Davie	T.30.101.FL (Gai e), SOP.T.40.102		e)				
Analysis Method : SO Analytical Batch : DA		P.T.40.058	3.FL, SOP.T.4		d On : 10/1	0/23	Analytical Bate Instrument Us Analyzed Date	ed:N/A					.0/10/23 1 /08/23 20:		
DA-049,Fisher Scient Analyzed Date : 10/05 Dilution : N/A Reagent : 083123.16 Consumables : 75650 Pipette : N/A	0/23 14:46:12 2; 092123.R20; 0						040521.11 Consumables : Pipette : DA-0 Mycotoxins tes accordance wit	93; DA-0	94; DA-219	ography wi	ith Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3390, 3963, 585	Weight: 1.035g		tion date: /23 17:59:39		Extracted b 3621,3390	y:	Hg	Не	avy M	etal	S			PAS	SED
Analysis Method : SO Analytical Batch : DA Instrument Used : N/A Analyzed Date : 10/09	065156TYM		Reviewed Or	9.FL 1:10/10/2312 10/07/2319:5			Metal				LOD	Units	Result	Pass / Fail	Action Level
	//25 10.35.02						TOTAL CONT		NT LOAD META	LS	0.080	ppm	ND	PASS	5
ilution : 10 eagent : 083123.16	2·092123 R18						ARSENIC				0.020	ppm	ND	PASS	1.5
onsumables : N/A	2, 002120.1110						CADMIUM				0.020	ppm	ND	PASS	0.5
ipette : N/A							MERCURY				0.020	ppm	ND	PASS	3
otal yeast and mold te	sting is performed (utilizing MR	N and tradition	onal culture base	d techniques	in	LEAD				0.020	ppm	ND	PASS	0.5
ccordance with F.S. Ru	le 64ER20-39.						Analyzed by: 1022, 585, 396	3	Weight: 0.2343g		tion dat 23 14:1			xtracted k 306,1022	y:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA06 ed:DA-10	T.30.082.FL, SOI 55161HEA CPMS-004	P.T.40.08	2.FL Reviewe	ed On : 10	/10/23 11: 8/23 09:42	38:22	
							Dilution : 50 Reagent : 092	23 R14.	100923.R05: 10	00923.R0	2: 1009	923.R03: 1	.00923.R0	4	

Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/10/23



Filth/Foreign Material

Kaycha Labs

usable products)

Page 6 of 6

Original Blueberry Drops 30g **Original Blueberry** Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31007004-009 Harvest/Lot ID: 9351 8315 1101 3661 Batch#: 9351 8315 1101 3661 Sampled : 10/07/23 Ordered : 10/07/23

PASSED

Sample Size Received : 150 gram Total Amount : 929 units Completed : 10/10/23 Expires: 10/10/24 Sample Method : SOP.T.20.010

Analyte Filth and Foreign M	aterial	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 3963	Weight: NA		xtraction (/A	date:	Extrac N/A	cted by:
Analysis Method : SOP Analytical Batch : DA00 Instrument Used : Filth Analyzed Date : 10/08/	65180FIL /Foreign Mater	ial Micro	oscope		On : 10/08 e : 10/08/2	/23 23:49:13 3 13:00:37
Dilution : N/A Reagent : N/A Consumables : N/A						
Filth and foreign material				spection utilizi	ng naked eye	e and microscope
Filth and foreign material technologies in accordance		64ER20-3	39.	spection utilizi		e and microscope
Pipette : N/A Filth and foreign material technologies in accordance Control of the secondance Control of the secondance Manalyte Water Activity	ce with F.S. Rule	64ER20-3	ity Units	Result 0.472		

Analytical Batch : DA065168WAT Reviewed On : 10/09/23 13:15:51 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 10/08/23 09:46:28 Analyzed Date : 10/08/23 16:30:51 Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 10/10/23