



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31007005-001
 Harvest/Lot ID: HYB-BH-100223-C0112
 Batch#: 8685 9493 1515 0910
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Zolfo Springs Processing
 Source Facility: Zolfo Springs Cultivation
 Seed to Sale#: 2143 3719 3713 8418
 Batch Date: 09/08/23
 Sample Size Received: 38.5 gram
 Total Amount: 2714 units
 Retail Product Size: 3.5 gram
 Ordered: 10/06/23
 Sampled: 10/07/23
 Completed: 10/10/23
 Sampling Method: SOP.T.20.010

Oct 10, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
33.753%
 Dry Weight



Total CBD
0.107%
 Dry Weight



Total Cannabinoids
39.479%
 Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.402	32.133	ND	0.108	0.03	0.143	0.716	<0.010	ND	ND	0.068
mg/unit	49.07	1124.655	ND	3.78	1.05	5.005	25.06	<0.35	ND	ND	2.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
29.582%
 1035.37 mg /Container

Total CBD
0.094%
 3.29 mg /Container

Total Cannabinoids
34.6%
 1211 mg /Container

As Received

Analyzed by:
 3335, 1665, 585, 4044

Weight:
 0.203g

Extraction date:
 10/09/23 12:46:16

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065182POT

Instrument Used : DA-LC-002

Analyzed Date : 10/09/23 12:48:50

Reviewed On : 10/10/23 12:33:03

Batch Date : 10/08/23 18:18:24

Dilution : 400

Reagent : 100423.R31; 060723.24; 100423.R34

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Buddha's Hand WF 3.5g (1/8oz)
FTH - Buddha's Hand
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007005-001

Harvest/Lot ID: HYB-BH-100223-C0112

Batch# : 8685 9493 1515
0910

Sample Size Received : 38.5 gram
Total Amount : 2714 units
Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	69.16	1.976		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.75	0.107		FENCHYL ALCOHOL	0.007	<0.70	<0.020	
ALPHA-HUMULENE	0.007	1.40	0.040		BORNEOL	0.013	ND	ND	
BETA-MYRCENE	0.007	28.07	0.802		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	3.15	0.090		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<0.70	<0.020		ALPHA-PINENE	0.007	9.45	0.270	
LINALOOL	0.007	2.77	0.079		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	2.35	0.067		Analysis by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	ND	ND		2076, 585, 4044	1.0663g	10/08/23 15:07:39	1879,2076	
PULEGONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ISOPULEGOL	0.007	ND	ND		Analytical Batch : DA06S170TER			Reviewed On : 10/10/23 17:21:18	
GERANYL ACETATE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 10/08/23 10:08:42	
ALPHA-CEDRENE	0.007	ND	ND		Analyzed Date : 10/09/23 13:09:11				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 083123.51				
ALPHA-PHELLANDRENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GAMMA-TERPINENE	0.007	ND	ND		Pipette : N/A				
TRANS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOBORNEOL	0.007	ND	ND						
OCIMENE	0.007	5.74	0.164						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	3.96	0.113						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020						
HEXAHYDROTHYMOL	0.007	ND	ND						
Total (%)				1.976					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Buddha's Hand WF 3.5g (1/8oz)

FTH - Buddha's Hand

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007005-001

Harvest/Lot ID: HYB-BH-100223-C0112

Batch# : 8685 9493 1515
0910

Sampled : 10/07/23
Ordered : 10/07/23

Sample Size Received : 38.5 gram

Total Amount : 2714 units

Completed : 10/10/23 Expires: 10/10/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.9305g	Extraction date: 10/09/23 16:01:45	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065202PES		Reviewed On : 10/10/23 19:12:50			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/08/23 20:20:08			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/09/23 14:07:44					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.9305g	Extraction date: 10/09/23 16:01:45	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065204VOL		Reviewed On : 10/10/23 19:09:23			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/08/23 20:21:46			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/09/23 16:10:46					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100523.R14; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31007005-001
 Harvest/Lot ID: HYB-BH-100223-C0112

 Batch# : 8685 9493 1515 Sample Size Received : 38.5 gram
 0910 Total Amount : 2714 units
 Sampled : 10/07/23 Completed : 10/10/23 Expires: 10/10/24
 Ordered : 10/07/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	80	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.9305g	Extraction date: 10/09/23 16:01:45	Extracted by: 3379,450		
Analyzed by: 3963, 3390, 585, 4044	Weight: 0.8838g	Extraction date: 10/07/23 17:59:40	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/10/23 15:25:44			Analytical Batch : DA065203MYC			Reviewed On : 10/10/23 12:57:42		
Analytical Batch : DA065141MIC			Batch Date : 10/07/23 10:00:15			Instrument Used : N/A			Batch Date : 10/08/23 20:21:43		
Analyzed Date : 10/09/23 14:46:12						Analyzed Date : 10/09/23 14:08:21					
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : 10/09/23 14:46:12						Reagent : 100623.R05; 100823.R03; 100523.R14; 100623.R04; 090623.R01; 100423.R02; 040521.11					
Dilution : N/A						Consumables : 326250IW					
Reagent : 083123.162; 092123.R20; 081023.05						Pipette : DA-093; DA-094; DA-219					
Consumables : 7565004011						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 3963, 585, 4044						Analyzed by: 1022, 585, 4044					
Weight: 0.8838g						Weight: 0.2253g					
Extraction date: 10/07/23 17:59:40						Extraction date: 10/08/23 12:06:34					
Extracted by: 3621,3390						Extracted by: 4306,1022					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065156TYM						Analytical Batch : DA065159HEA					
Instrument Used : N/A						Instrument Used : DA-ICPMS-004					
Analyzed Date : 10/09/23 18:53:02						Analyzed Date : 10/09/23 15:01:10					
Dilution : 10						Dilution : 50					
Reagent : 083123.162; 092123.R18						Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04					
Consumables : N/A						Consumables : 179436; 1852142; 210508058					
Pipette : N/A						Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Buddha's Hand WF 3.5g (1/8oz)
FTH - Buddha's Hand
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31007005-001
Harvest/Lot ID: HYB-BH-100223-C0112
Batch# : 8685 9493 1515
Sample Size Received : 38.5 gram
Total Amount : 2714 units
Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010
Sampled : 10/07/23
Ordered : 10/07/23

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.36	PASS	15
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 4044	Weight: 0.526g	Extraction date: 10/08/23 17:18:57	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065180FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/08/23 23:32:36						Analysis Method : SOP.T.40.021 Analytical Batch : DA065163MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 10/08/23 16:31:22					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.559	PASS	0.65
Analyzed by: 4056, 585, 4044	Weight: 0.613g	Extraction date: 10/08/23 16:34:30	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA065165WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 10/08/23 16:30:44					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/10/23