



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch#: 4091 0930 4905 7088

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 2001 4706 2732 2798

Batch Date: 08/17/23

Sample Size Received: 15.5 gram

Total Amount: 384 units

Retail Product Size: 0.5 gram

Ordered: 10/10/23

Sampled: 10/11/23

Completed: 10/13/23

Sampling Method: SOP.T.20.010

Oct 13, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

## PRODUCT IMAGE



## SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**

## MISC.



### Cannabinoid

**PASSED**


Total THC

**81.341%**

Total THC/Container : 406.71 mg



Total CBD

**0.257%**

Total CBD/Container : 1.29 mg



Total Cannabinoids

**87.569%**

Total Cannabinoids/Container : 437.85 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	56.593	28.219	0.078	0.205	0.109	0.613	0.820	0.067	0.307	ND	0.558
mg/unit	282.97	141.10	0.39	1.03	0.55	3.07	4.10	0.34	1.54	ND	2.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 1440

 Weight:  
 0.1025g

 Extraction date:  
 10/11/23 14:05:56

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065275POT

Instrument Used : DA-LC-003

Analyzed Date : 10/11/23 14:08:36

Reviewed On : 10/12/23 17:46:12

Batch Date : 10/11/23 11:04:25

Dilution : 400

Reagent : 060723.24

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 10/13/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Gelato 41 Cartridge Live Rosin 0.5g  
Gelato 41  
Matrix : Derivative  
Type: Live Rosin



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch# : 4091 0930 4905  
7088

Sampled : 10/11/23

Ordered : 10/11/23

Sample Size Received : 15.5 gram

Total Amount : 384 units

Completed : 10/13/23 Expires: 10/13/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.95	4.989		SABINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.57	0.114		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.44	0.888		FENCHYL ALCOHOL	0.007	0.78	0.155	
ALPHA-HUMULENE	0.007	1.35	0.270		BORNEOL	0.013	0.32	0.063	
BETA-MYRCENE	0.007	4.86	0.971		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	4.37	0.873		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<0.10	<0.020		ALPHA-PINENE	0.007	1.05	0.209	
LINALOOL	0.007	3.40	0.680		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.60	0.120						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		3963, 2076, 585, 1440	0.868g	10/11/23 18:07:20	2076.3963	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA06S266TER			Reviewed On : 10/13/23 10:37:25	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/11/23 10:22:28	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/11/23 18:13:06				
CAMPHERE	0.007	0.12	0.024		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.60	0.120		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	<0.10	<0.020						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.20	<0.040						
FARNESENE	0.001	1.79	0.358						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	0.59	0.118						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	0.13	0.026						

Total (%)

4.989

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/13/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Gelato 41 Cartridge Live Rosin 0.5g

Gelato 41

Matrix : Derivative

Type: Live Rosin



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch# : 4091 0930 4905  
7088

Sampled : 10/11/23

Ordered : 10/11/23

Sample Size Received : 15.5 gram

Total Amount : 384 units

Completed : 10/13/23 Expires: 10/13/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.2444g	Extraction date:	10/11/23 15:38:26
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	450,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA065280PES			Reviewed On :	10/13/23 21:13:56
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	10/11/23 11:10:46
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	10/11/23 16:08:12				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	100623.R05; 100823.R03; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2444g	Extraction date:	10/11/23 15:38:26
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	450,3379
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA065281VOL			Reviewed On :	10/12/23 11:51:51
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	10/11/23 11:12:35
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	10/12/23 10:11:18				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	100923.R29; 040521.11; 092523.R21; 092523.R22				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	14725401; 326250IW				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/13/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Gelato 41 Cartridge Live Rosin 0.5g

Gelato 41

Matrix : Derivative

Type: Live Rosin



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch# : 4091 0930 4905  
7088

Sampled : 10/11/23

Ordered : 10/11/23

Sample Size Received : 15.5 gram

Total Amount : 384 units

Completed : 10/13/23 Expires: 10/13/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0255g

Extraction date:  
10/13/23 15:31:42

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA065341SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 10/13/23 13:00:32

Reviewed On : 10/13/23 16:12:32  
Batch Date : 10/12/23 15:00:26

Dilution : 1  
Reagent : 030420.09  
Consumables : R2017.167; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/13/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch# : 4091 0930 4905 7088

 Sampled : 10/11/23  
 Ordered : 10/11/23

Sample Size Received : 15.5 gram

Total Amount : 384 units

Completed : 10/13/23 Expires: 10/13/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	PASS	
<b>ECOLI SHIGELLA</b>			Not Present	PASS	
<b>ASPERGILLUS FLAVUS</b>			Not Present	PASS	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	PASS	
<b>ASPERGILLUS TERREUS</b>			Not Present	PASS	
<b>ASPERGILLUS NIGER</b>			Not Present	PASS	
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440      Weight: 0.977g      Extraction date: 10/11/23 13:10:37      Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065254MIC Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/11/23 13:13:39 Dilution : N/A Reagent : 100423.R39; 081023.06; 083123.137 Consumables : 7566003008 Pipette : N/A					

Analyzed by: 3390, 3336, 585, 1440	Weight: 0.977g	Extraction date: N/A	Extracted by: 3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065283TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 10/11/23 17:38:52 Dilution : 10 Reagent : 083123.137; 092123.R18 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>AFLATOXIN B2</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN B1</b>	0.002	ppm	ND	PASS	0.02
<b>OCHRATOXIN A</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G1</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G2</b>	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440      Weight: 0.2444g      Extraction date: 10/11/23 15:38:26      Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065295MYC      Reviewed On : 10/13/23 21:12:47 Instrument Used : N/A      Batch Date : 10/11/23 15:12:15 Analyzed Date : 10/11/23 16:09:28 Dilution : 250 Reagent : 100623.R05; 100823.R03; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	1.1
<b>ARSENIC</b>	0.020	ppm	ND	PASS	0.2
<b>CADMIUM</b>	0.020	ppm	ND	PASS	0.2
<b>MERCURY</b>	0.020	ppm	ND	PASS	0.2
<b>LEAD</b>	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440      Weight: 0.2681g      Extraction date: 10/11/23 14:17:18      Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065265HEA      Reviewed On : 10/12/23 12:29:40 Instrument Used : DA-ICPMS-004      Batch Date : 10/11/23 10:21:51 Analyzed Date : 10/11/23 16:31:21 Dilution : 50 Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Gelato 41 Cartridge Live Rosin 0.5g

Gelato 41

Matrix : Derivative

Type: Live Rosin



# Certificate of Analysis

**PASSED**

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31011002-004

Harvest/Lot ID: 4091 0930 4905 7088

Batch# : 4091 0930 4905  
7088

Sampled : 10/11/23

Ordered : 10/11/23

Sample Size Received : 15.5 gram

Total Amount : 384 units

Completed : 10/13/23 Expires: 10/13/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065289FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 10/11/23 12:53:17

Batch Date : 10/11/23 12:29:01

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.724	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.246g	Extraction date: 10/11/23 19:49:57	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065291WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 10/12/23 12:40:12

Batch Date : 10/11/23 14:24:49

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/13/23