



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31014002-005
Harvest/Lot ID: 6720 9948 8077 4129
Batch#: 6720 9948 8077 4129
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Processing
Seed to Sale# 4855 9791 9780 0107
Batch Date: 07/17/23
Sample Size Received: 150 gram
Total Amount: 1065 units
Retail Product Size: 30 gram
Ordered: 10/13/23
Sampled: 10/14/23
Completed: 10/17/23
Sampling Method: SOP.T.20.010

Oct 17, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
1.922%

Total THC/Container : 576.60 mg


Total CBD
0.004%

Total CBD/Container : 1.20 mg


Total Cannabinoids
2.021%

Total Cannabinoids/Container : 606.30 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.860	0.071	0.004	ND	0.002	0.030	ND	0.019	0.012	ND	0.023
mg/unit	558.00	21.30	1.20	ND	0.60	9.00	ND	5.70	3.60	ND	6.90
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 3605, 585, 1440

 Weight:
 2.8857g

 Extraction date:
 10/16/23 09:46:46

 Extracted by:
 1665

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA065417POT
 Instrument Used : DA-LC-007
 Analyzed Date : 10/16/23 09:47:22

 Reviewed On : 10/17/23 09:58:16
 Batch Date : 10/15/23 17:00:00

 Dilution : 400
 Reagent : 100623.R02; 061623.02; 100623.R03
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/17/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Communion Drops 30g
Communion
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31014002-005

Harvest/Lot ID: 6720 9948 8077 4129

Batch# : 6720 9948 8077
4129

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 10/17/23 Expires: 10/17/24

Ordered : 10/14/23

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.40	0.128		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.40	0.028		FENCHYL ALCOHOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	ND	ND		BORNEOL	0.013	<12.00	<0.040	
BETA-MYRCENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	<6.00	<0.020	
LIMONENE	0.007	ND	ND		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<6.00	<0.020		ALPHA-PINENE	0.007	ND	ND	
LINALOOL	0.007	<6.00	<0.020		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
ALPHA-PHELLANDRENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
TRANS-NEROLIDOL	0.007	<6.00	<0.020						
ISOBORNEOL	0.007	ND	ND						
OCIMENE	0.007	<6.00	<0.020						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	<2.70	<0.009						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	30.00	0.100						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%)

0.128

Analyzed by:
1879, 2076, 585, 1440

Weight:
0.9985g

Extraction date:
10/14/23 14:03:21

Extracted by:
1879

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA065403TER

Instrument Used : DA-GCMS-009

Analyzed Date : 10/15/23 18:52:48

Reviewed On : 10/17/23 09:58:18

Batch Date : 10/14/23 12:32:13

Dilution : 10

Reagent : 083123.51

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31014002-005

Harvest/Lot ID: 6720 9948 8077 4129

 Batch# : 6720 9948 8077
 4129

Sampled : 10/14/23

Ordered : 10/14/23

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.2359g	Extraction date: 10/16/23 14:37:54		Extracted by: 3379,450	
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA065427PES			Reviewed On : 10/17/23 10:59:57		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date : 10/16/23 08:28:31		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analized Date :10/16/23 13:39:35					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 101223.R01; 101623.R01; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2359g	Extraction date: 10/16/23 14:37:54		Extracted by: 3379,450	
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch :DA065429VOL			Reviewed On : 10/17/23 10:57:48		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010			Batch Date : 10/16/23 08:30:18		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analized Date :10/16/23 14:42:54					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 100923.R29; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31014002-005

Harvest/Lot ID: 6720 9948 8077 4129

 Batch# : 6720 9948 8077
 4129

Sampled : 10/14/23

Ordered : 10/14/23

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0234g

 Extraction date:
 10/16/23 13:53:45

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06540450L
 Instrument Used : DA-GCMS-003
 Analyzed Date : 10/16/23 14:00:12

 Reviewed On : 10/16/23 14:41:59
 Batch Date : 10/14/23 13:06:21

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31014002-005
 Harvest/Lot ID: 6720 9948 8077 4129
 Batch# : 6720 9948 8077 4129
 Sample Size Received : 150 gram
 Total Amount : 1065 units
 Completed : 10/17/23 Expires: 10/17/24
 Sample Method : SOP.T.20.010
 Sampled : 10/14/23
 Ordered : 10/14/23

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 585, 1440 Weight: 0.2359g Extraction date: 10/16/23 14:37:54 Extracted by: 3379,450					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065428MYC Reviewed On : 10/17/23 10:07:29 Instrument Used : N/A Batch Date : 10/16/23 08:30:15 Analyzed Date : 10/16/23 13:40:04					
Analyzed by: 3963, 3621, 585, 1440 Weight: 0.9747g Extraction date: 10/14/23 12:26:39 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065386MIC Reviewed On : 10/17/23 12:29:45 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/16/23 11:07:18 Dilution : N/A Reagent : 083123.136; 100423.R39; 081023.06 Consumables : 7565004035 Pipette : N/A						Dilution : 250 Reagent : 101223.R01; 101623.R01; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3963, 585, 1440 Weight: 0.9747g Extraction date: 10/14/23 12:26:39 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065401TYM Reviewed On : 10/16/23 18:04:20 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 10/14/23 12:27:21 Analyzed Date : 10/14/23 15:56:57 Dilution : 10 Reagent : 083123.136; 092123.R18 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal						LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	5	
ARSENIC						0.020	ppm	ND	PASS	1.5	
CADMIUM						0.020	ppm	ND	PASS	0.5	
MERCURY						0.020	ppm	ND	PASS	3	
LEAD						0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440 Weight: 0.2289g Extraction date: 10/14/23 13:22:29 Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065389HEA Reviewed On : 10/16/23 14:14:52 Instrument Used : DA-ICPMS-004 Batch Date : 10/14/23 11:27:06 Analyzed Date : 10/16/23 10:21:29 Dilution : 50 Reagent : 092123.R14; 101123.R29; 101323.R13; 100923.R02; 101323.R11; 101323.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Communion Drops 30g
Communion
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31014002-005

Harvest/Lot ID: 6720 9948 8077 4129

Batch# : 6720 9948 8077
4129

Sampled : 10/14/23

Ordered : 10/14/23

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065396FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/14/23 21:10:08

Reviewed On : 10/14/23 21:36:04

Batch Date : 10/14/23 12:23:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.521	TESTED	

Analyzed by: 4056, 585, 1440	Weight: 0.407g	Extraction date: 10/14/23 15:03:53	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065394WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/14/23 14:51:43

Reviewed On : 10/16/23 12:08:26

Batch Date : 10/14/23 11:45:17

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23