



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31015001-002
Harvest/Lot ID: 8961 5808 7474 2441
Batch#: 8961 5808 7474 2441
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Processing
Seed to Sale#: 9771 8357 6290 3760
Batch Date: 07/27/23
Sample Size Received: 15.5 gram
Total Amount: 486 units
Retail Product Size: 0.5 gram
Ordered: 10/14/23
Sampled: 10/15/23
Completed: 10/17/23
Sampling Method: SOP.T.20.010

Oct 17, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

88.886%

Total THC/Container : 444.43 mg



Total CBD

0.939%

Total CBD/Container : 4.70 mg



Total Cannabinoids

94.459%

Total Cannabinoids/Container : 472.30 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.815	0.081	0.939	ND	0.249	1.832	ND	1.308	0.541	ND	0.694
mg/unit	444.08	0.41	4.70	ND	1.25	9.16	ND	6.54	2.71	ND	3.47
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3605, 585, 4044

Weight:
0.1049g

Extraction date:
10/16/23 09:47:12

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA065417POT
Instrument Used : DA-LC-007
Analyzed Date : 10/16/23 09:47:22

Reviewed On : 10/17/23 10:46:59
Batch Date : 10/15/23 17:00:00

Dilution : 400
Reagent : 100623.R02; 061623.02; 100623.R03
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
10/17/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Green Venom Syringe Distillate 0.5 g
Green Venom
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31015001-002

Harvest/Lot ID: 8961 5808 7474 2441

Batch# : 8961 5808 7474
2441

Sampled : 10/15/23

Ordered : 10/15/23

Sample Size Received : 15.5 gram

Total Amount : 486 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.51	2.301		SABINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.18	0.035		GUAJOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.80	0.560		FENCHYL ALCOHOL	0.007	0.36	0.071	
ALPHA-HUMULENE	0.007	0.78	0.156		BORNEOL	0.013	<0.20	<0.040	
BETA-MYRCENE	0.007	0.77	0.153		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	3.12	0.624		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.24	0.048		ALPHA-PINENE	0.007	0.24	0.047	
LINALOOL	0.007	1.22	0.243		CEDROL	0.007	0.14	0.027	
BETA-PINENE	0.007	0.31	0.061						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		1879, 2076, 585, 4044	0.9871g	10/15/23 11:13:40	1879,3702,2076	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA06S411TER			Reviewed On : 10/17/23 10:47:01	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 10/15/23 10:40:26	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/15/23 18:52:51				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	ND	ND		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FARNESENE	0.001	0.50	0.099						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	0.17	0.033						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.72	0.144						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%) 2.301

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Green Venom Syringe Distillate 0.5 g
Green Venom
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31015001-002

Harvest/Lot ID: 8961 5808 7474 2441

Batch# : 8961 5808 7474
2441

Sampled : 10/15/23
Ordered : 10/15/23

Sample Size Received : 15.5 gram

Total Amount : 486 units

Completed : 10/17/23 Expires: 10/17/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4044	Weight: 0.2622g	Extraction date: 10/16/23 14:39:58	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065433PES		Reviewed On : 10/17/23 12:06:35			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 10/16/23 08:34:01			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/16/23 13:39:31					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 101223.R01; 101623.R01; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 4044	Weight: 0.2622g	Extraction date: 10/16/23 14:39:58	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065435VOL		Reviewed On : 10/17/23 11:30:45			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/16/23 08:36:36			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/16/23 14:33:15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 100923.R29; 040521.11; 092523.R21; 092523.R22					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Green Venom Syringe Distillate 0.5 g
Green Venom
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31015001-002

Harvest/Lot ID: 8961 5808 7474 2441

Batch# : 8961 5808 7474
2441

Sampled : 10/15/23

Ordered : 10/15/23

Sample Size Received : 15.5 gram

Total Amount : 486 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	<375.000
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4044

Weight:
0.025g

Extraction date:
10/17/23 13:27:01

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065439SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 10/17/23 13:01:03

Reviewed On : 10/17/23 14:38:18
Batch Date : 10/16/23 15:04:56

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31015001-002
 Harvest/Lot ID: 8961 5808 7474 2441
 Batch# : 8961 5808 7474 2441
 Sample Size Received : 15.5 gram
 Total Amount : 486 units
 Completed : 10/17/23 Expires: 10/17/24
 Ordered : 10/15/23
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3963, 3621, 585, 4044 Weight: 0.8g Extraction date: 10/15/23 11:48:33 Extracted by: 3336, 3963 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065407MIC Reviewed On : 10/17/23 12:43:38 Batch Date : 10/15/23 10:20:41 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/16/23 11:07:24 Dilution : N/A Reagent : 083123.144; 100423.R39; 081023.06 Consumables : 7565004035 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.2622g Extraction date: 10/16/23 14:39:58 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065434MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 10/16/23 13:40:07 Reviewed On : 10/17/23 09:57:39 Batch Date : 10/16/23 08:36:34 Dilution : 250 Reagent : 101223.R01; 101623.R01; 100923.R29; 100623.R04; 101023.R01; 101123.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2645g Extraction date: 10/15/23 11:39:23 Extracted by: 4306, 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065409HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 10/16/23 11:55:45 Reviewed On : 10/17/23 10:46:31 Batch Date : 10/15/23 10:33:06 Dilution : 50 Reagent : 092123.R14; 101123.R29; 101323.R13; 100923.R02; 101323.R11; 101323.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Green Venom Syringe Distillate 0.5 g
Green Venom
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31015001-002

Harvest/Lot ID: 8961 5808 7474 2441

Batch# : 8961 5808 7474
2441

Sampled : 10/15/23

Ordered : 10/15/23

Sample Size Received : 15.5 gram

Total Amount : 486 units

Completed : 10/17/23 Expires: 10/17/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065419FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/15/23 18:47:56

Reviewed On : 10/15/23 18:49:45

Batch Date : 10/15/23 18:43:56

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.519	PASS	0.85

Analyzed by: 4056, 585, 4044	Weight: 0.267g	Extraction date: 10/15/23 11:21:54	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065394WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/14/23 14:51:43

Reviewed On : 10/16/23 12:26:45

Batch Date : 10/14/23 11:45:17

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/17/23