



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

Batch#: 2233 7364 0453 0081

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 4675 2568 5841 1700

Batch Date: 05/18/23

Sample Size Received: 16 gram

Total Amount: 1904 units

Retail Product Size: 1 gram

Ordered: 10/17/23

Sampled: 10/18/23

Completed: 10/20/23

Sampling Method: SOP.T.20.010

Oct 20, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

PASSED


Total THC

87.418%

Total THC/Container : 874.18 mg



Total CBD

0.270%

Total CBD/Container : 2.70 mg



Total Cannabinoids

93.568%

Total Cannabinoids/Container : 935.68 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 87.418 | ND | 0.270 | ND | 0.689 | 2.420 | ND | 1.096 | 0.512 | ND | 1.163 |
| mg/unit | 874.18 | ND | 2.70 | ND | 6.89 | 24.20 | ND | 10.96 | 5.12 | ND | 11.63 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1071g

Extraction date:
10/18/23 12:17:35

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065475POT

Instrument Used : DA-LC-007

Analyzed Date : 10/18/23 12:19:23

Reviewed On : 10/19/23 09:13:44
Batch Date : 10/18/23 09:03:42

Dilution : 400

Reagent : 101823.R02; 060723.24; 101823.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/20/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cocaina Cartridge Concentrate 1g (90%)

Cocaina

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

Batch# : 2233 7364 0453
0081

Sampled : 10/18/23

Ordered : 10/18/23

Sample Size Received : 16 gram

Total Amount : 1904 units

Completed : 10/20/23 Expires: 10/20/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) | | | |
|---------------------|---------|---------|--------|------------|--|--|---------|---------|------------------|-------------------|---------------|-------------------|
| TOTAL TERPENES | 0.007 | 14.74 | 1.474 | | VALENCENE | 0.007 | ND | ND | | | | |
| LIMONENE | 0.007 | 7.59 | 0.759 | | ALPHA-CEDRENE | 0.007 | ND | ND | | | | |
| BETA-CARYOPHYLLENE | 0.007 | 1.67 | 0.167 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | | | | |
| LINALOOL | 0.007 | 1.65 | 0.165 | | ALPHA-TERPINENE | 0.007 | ND | ND | | | | |
| BETA-MYRCENE | 0.007 | 1.55 | 0.155 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | | | | |
| BETA-PINENE | 0.007 | 0.48 | 0.048 | | CIS-NEROLIDOL | 0.007 | ND | ND | | | | |
| ALPHA-HUMULENE | 0.007 | 0.42 | 0.042 | | GAMMA-TERPINENE | 0.007 | ND | ND | | | | |
| FENCHYL ALCOHOL | 0.007 | 0.36 | 0.036 | | TRANS-NEROLIDOL | 0.007 | ND | ND | | | | |
| OCIMENE | 0.007 | 0.34 | 0.034 | | | | | | | | | |
| ALPHA-PINENE | 0.007 | 0.34 | 0.034 | | Analyzed by: | 2076, 585, 1440 | Weight: | 0.9363g | Extraction date: | 10/18/23 15:14:04 | Extracted by: | 2076 |
| HEXAHYDROTHYMOL | 0.007 | 0.24 | 0.024 | | Analysis Method : | SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | | | |
| FARNESENE | 0.001 | 0.10 | 0.010 | | Analytical Batch : | DA065480TER | | | | | Reviewed On : | 10/20/23 10:18:04 |
| BORNEOL | 0.013 | <0.40 | <0.040 | | Instrument Used : | DA-GCMS-009 | | | | | Batch Date : | 10/18/23 10:32:21 |
| CAMPHOR | 0.007 | <0.60 | <0.060 | | Analyzed Date : | 10/18/23 15:10:16 | | | | | | |
| FENCHONE | 0.007 | <0.40 | <0.040 | | Dilution : | 10 | | | | | | |
| TOTAL TERPINEOL | 0.007 | <0.20 | <0.020 | | Reagent : | 083123.51 | | | | | | |
| ALPHA-BISABOLOL | 0.007 | <0.20 | <0.020 | | Consumables : | 210414634; MKCN9995; CE0123; R1KB14270 | | | | | | |
| 3-CARENE | 0.007 | ND | ND | | Pipette : | N/A | | | | | | |
| CAMPHENE | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | | | | |
| Total (%) | | | | 1.474 | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/20/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cocaina Cartridge Concentrate 1g (90%)

Cocaina

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

Batch# : 2233 7364 0453 0081

Sampled : 10/18/23

Ordered : 10/18/23

Sample Size Received : 16 gram

Total Amount : 1904 units

Completed : 10/20/23 Expires: 10/20/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | Weight: 0.2196g | Extraction date: 10/18/23 15:13:12 | Extracted by: 3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA065489PES | | | Reviewed On : 10/19/23 12:32:35 | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 10/18/23 11:19:18 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 10/18/23 15:06:06 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | Weight: 0.2196g | Extraction date: 10/18/23 15:13:12 | Extracted by: 3379 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA065492VOL | | | Reviewed On : 10/19/23 12:26:58 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 10/18/23 11:21:23 | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 10/18/23 15:33:05 | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Reagent : 101723.R11; 040521.11; 092523.R21; 092523.R22 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 14725401; 326250IW | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/20/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

 Batch# : 2233 7364 0453
 0081

Sampled : 10/18/23

Ordered : 10/18/23

Sample Size Received : 16 gram

Total Amount : 1904 units

Completed : 10/20/23 Expires: 10/20/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0278g

 Extraction date:
 10/19/23 13:46:33

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA06550450L

Instrument Used : DA-GCMS-002

Analyzed Date : 10/18/23 16:09:35

Reviewed On : 10/19/23 15:57:02

Batch Date : 10/18/23 14:42:09

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

Batch# : 2233 7364 0453 0081

Sampled : 10/18/23

Ordered : 10/18/23

Sample Size Received : 16 gram

Total Amount : 1904 units

Completed : 10/20/23 Expires: 10/20/24

Sample Method : SOP.T.20.010

Page 5 of 6

| | | |
|---|-------------------|---------------|
|  | Microbial | PASSED |
|  | Mycotoxins | PASSED |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-----|-------|-------------|-------------|--------------|
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3390, 3621, 585, 1440 Weight: 1.123g Extraction date: 10/18/23 11:20:14 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065478MIC Reviewed On : 10/19/23 13:46:43 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 10/18/23 09:34:02 Analyzed Date : 10/18/23 14:29:44 Dilution : N/A Reagent : 083123.141; 100423.R39; 081023.06 Consumables : 7566003050 Pipette : N/A | | | | | |

| | | | |
|---|----------------|------------------------------------|--------------------------|
| Analyzed by: 3390, 585, 1440 | Weight: 1.123g | Extraction date: 10/18/23 11:20:14 | Extracted by: 3621, 3390 |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065491TYM Reviewed On : 10/20/23 15:35:24 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 10/18/23 11:20:31 Analyzed Date : 10/18/23 15:06:19 Dilution : 10 Reagent : 083123.141; 101723.R10 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 Weight: 0.2196g Extraction date: 10/18/23 15:13:12 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065502MYC Reviewed On : 10/19/23 09:25:15 Instrument Used : N/A Batch Date : 10/18/23 13:55:59 Analyzed Date : 10/18/23 15:06:52 Dilution : 250 Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| <div><div></div><div>Hg</div></div> | Heavy Metals | | | PASSED | |
|---|--------------|-----------------|---------------------------------|------------------------------------|--------------|
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | | Weight: 0.2668g | | Extraction date: 10/18/23 12:14:23 | |
| Analyzed by: 1022, 585, 1440 | | Weight: 0.2668g | | Extracted by: 1022,4306 | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA065485HEA | | | Reviewed On : 10/19/23 12:36:01 | | |
| Instrument Used : DA-ICPMS-004 | | | Batch Date : 10/18/23 10:46:01 | | |
| Analyzed Date : 10/18/23 16:12:47 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 092123.R14; 101123.R29; 101323.R13; 101823.R29; 101323.R11; 101323.R12; 101123.R28; 101123.R27 | | | | | |
| Consumables : 179436; 1852142; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cocaina Cartridge Concentrate 1g (90%)
Cocaina
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31018001-002

Harvest/Lot ID: 2233 7364 0453 0081

Batch# : 2233 7364 0453

0081

Sampled : 10/18/23

Ordered : 10/18/23

Sample Size Received : 16 gram

Total Amount : 1904 units

Completed : 10/20/23 Expires: 10/20/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA065496FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/18/23 20:42:30

Reviewed On : 10/18/23 20:50:52

Batch Date : 10/18/23 11:23:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.436 | PASS | 0.85 |

| | | | |
|---------------------------------|------------------|---------------------------------------|-----------------------|
| Analyzed by: 4056, 585, 1440 | Weight: 0.48g | Extraction date: 10/18/23 15:47:57 | Extracted by: 4056 |
|---------------------------------|------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA065493WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/18/23 15:46:18

Reviewed On : 10/19/23 09:13:46

Batch Date : 10/18/23 11:21:35

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/20/23