



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31019003-002
Harvest/Lot ID: 9354 5451 7392 3383
Batch#: 9354 5451 7392 3383
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 1263 5829 2925 7620
Batch Date: 07/17/23
Sample Size Received: 15.3 gram
Total Amount: 1795 units
Retail Product Size: 0.3 gram
Ordered: 10/18/23
Sampled: 10/19/23
Completed: 10/21/23
Sampling Method: SOP.T.20.010

Oct 21, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
89.384%

Total THC/Container : 268.15 mg


Total CBD
0.257%

Total CBD/Container : 0.77 mg


Total Cannabinoids
94.817%

Total Cannabinoids/Container : 284.45 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.384	ND	0.257	ND	0.653	1.806	0.072	0.884	0.680	ND	1.081
mg/unit	268.15	ND	0.77	ND	1.96	5.42	0.22	2.65	2.04	ND	3.24
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.104g

 Extraction date:
 10/19/23 13:45:51

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065514POT

Instrument Used : DA-LC-001

Analyzed Date : 10/19/23 13:47:07

Reviewed On : 10/20/23 12:49:10

Batch Date : 10/19/23 08:42:50

Dilution : 400

Reagent : 101823.R01; 060723.24; 101823.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Disposable Pen 0.3g
Kingdom Dreams
Matrix : Derivative
Type: Vape



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-002

Harvest/Lot ID: 9354 5451 7392 3383

Batch# : 9354 5451 7392
3383

Sample Size Received : 15.3 gram

Total Amount : 1795 units

Completed : 10/21/23 Expires: 10/21/24

Ordered : 10/19/23

Sample Size Received : 15.3 gram

Total Amount : 1795 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.08	4.359		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.81	1.604		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	2.76	0.920		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.98	0.660		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.01	0.336		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.43	0.144		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	0.40	0.133		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.40	0.132		GAMMA-TERPINENE	0.007	ND	ND	
GERANIOL	0.007	0.35	0.115						
TOTAL TERPINEOL	0.007	0.32	0.108						
NEROL	0.007	0.27	0.090						
ALPHA-PINENE	0.007	0.27	0.090						
HEXAHYDROTHYMOL	0.007	0.08	0.027						
BORNEOL	0.013	<0.12	<0.040						
CAMPENE	0.007	<0.06	<0.020						
CAMPOR	0.007	<0.18	<0.060						
FARNESENE	0.001	<0.03	<0.009						
FENCHONE	0.007	<0.12	<0.040						
OCIMENE	0.007	<0.06	<0.020						
ALPHA-HUMULENE	0.007	<0.06	<0.020						
TRANS-NEROLIDOL	0.007	<0.06	<0.020						
3-CARENE	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						

Total (%)

4.359

Analyzed by: 2076, 585, 1440

Weight: 0.9782g

Extraction date: 10/19/23 16:10:23

Extracted by: 2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA06531ITER

Instrument Used : DA-GCMS-009

Analyzed Date : 10/20/23 10:17:40

Reviewed On : 10/21/23 16:09:16

Batch Date : 10/19/23 11:18:32

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Disposable Pen 0.3g
Kingdom Dreams
Matrix : Derivative
Type: Vape



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-002

Harvest/Lot ID: 9354 5451 7392 3383

Batch# : 9354 5451 7392

3383

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 15.3 gram

Total Amount : 1795 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2467g	10/19/23 16:36:39	3379,450		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065530PES		Reviewed On : 10/20/23 11:18:42			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch Date : 10/19/23 11:18:10			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/19/23 15:56:03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2467g	10/19/23 16:36:39	3379,450		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA065533VOL		Reviewed On : 10/20/23 11:16:20			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/19/23 11:20:57			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/19/23 16:49:59					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 101723.R11; 040521.11; 092523.R21; 092523.R22					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Disposable Pen 0.3g
Kingdom Dreams
Matrix : Derivative
Type: Vape



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-002

Harvest/Lot ID: 9354 5451 7392 3383

Batch# : 9354 5451 7392
3383

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 15.3 gram

Total Amount : 1795 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.022g

Extraction date:
10/20/23 16:15:54

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065550SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/19/23 17:39:32

Reviewed On : 10/20/23 17:03:47
Batch Date : 10/19/23 15:47:29

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31019003-002

Harvest/Lot ID: 9354 5451 7392 3383

 Batch# : 9354 5451 7392
 3383

 Sampled : 10/19/23
 Ordered : 10/19/23


Sample Size Received : 15.3 gram


Total Amount : 1795 units


Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3621, 3336, 585, 1440	Weight: 0.999g	Extraction date: 10/19/23 11:31:00	Extracted by: 3621			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/20/23 13:31:25			
Analytical Batch : DA065519MIC			Batch Date : 10/19/23 09:24:36			
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						
Analyzed Date : 10/19/23 12:34:17						
Dilution : N/A						
Reagent : 083123.138; 100423.R39; 100423.R40; 081023.06						
Consumables : 7566003047						
Pipette : N/A						
Analyzed by: 3390, 3336, 585, 1440	Weight: 0.999g	Extraction date: 10/19/23 11:31:00	Extracted by: 3621,3390			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 10/21/23 16:21:21			
Analytical Batch : DA065543TYM			Batch Date : 10/19/23 12:02:46			
Instrument Used : Incubator (25-27C) DA-097						
Analyzed Date : 10/19/23 14:39:01						
Dilution : 10						
Reagent : 083123.138; 101723.R10						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 1440	Weight: 0.2467g	Extraction date: 10/19/23 16:36:39	Extracted by: 3379,450			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA065540MYC		Reviewed On : 10/20/23 10:48:08				
Instrument Used : DA-LCMS-004 (MYC)		Batch Date : 10/19/23 11:49:46				
Analyzed Date : 10/19/23 15:55:46						
Dilution : 250						
Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11						
Consumables : 326250IW						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2639g	Extraction date: 10/19/23 11:30:11	Extracted by: 1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA065522HEA		Reviewed On : 10/20/23 11:27:17				
Instrument Used : DA-ICPMS-004		Batch Date : 10/19/23 10:25:35				
Analyzed Date : 10/19/23 16:04:45						
Dilution : 50						
Reagent : 092123.R14; 101123.R29; 101323.R13; 101823.R29; 101323.R11; 101323.R12; 101123.R28; 101123.R27						
Consumables : 179436; 1852142; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Disposable Pen 0.3g
Kingdom Dreams
Matrix : Derivative
Type: Vape



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-002

Harvest/Lot ID: 9354 5451 7392 3383

Batch# : 9354 5451 7392
3383

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 15.3 gram

Total Amount : 1795 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065553FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/20/23 20:18:36

Reviewed On : 10/20/23 20:29:23

Batch Date : 10/19/23 22:42:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.471	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.65g	Extraction date: 10/20/23 08:40:55	Extracted by: 4056
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065548WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 10/20/23 12:49:11

Batch Date : 10/19/23 12:05:38

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23