

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

FTH-Swiss Watch WF 3.5g FTH-Swiss Watch

Matrix: Flower Type: Flower-Cured

Sample:DA31019005-001

Harvest/Lot ID: HYB-SW-101723-C0114

Batch#: 9224 7043 6599 0327

Cultivation Facility: Zolfo Springs Cultivation Processing Facility: Zolfo Springs

Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 8846 0081 2920 5763

Batch Date: 09/22/23

Sample Size Received: 31.5 gram

Total Amount: 1474 units Retail Product Size: 3.5 gram

> Ordered: 10/18/23 Sampled: 10/19/23

> > PASSED

Completed: 10/21/23

Sampling Method: SOP.T.20.010

Oct 21, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS





PASSED





PASSED



PASSED



PASSED



Residuals Solvents



PASSED



Water Activity **PASSED**



PASSED



MISC.

TESTED

PASSED



Cannabinoid



Total THC



Total CBD



Total Cannabinoids

ma/unit LOD

D9-THC	THCA
0.459	21.6
16.065	757
0.001	0.00























0.189 6.615 0.001

CRGA



Reviewed On: 10/20/23 13:30:09

Batch Date: 10/19/23 09:13:27

CBN

< 0.010

ND ND 0.001

THCV

ND 0.001

CRDV CBC ND 0.072 2.52 0.001

Total CBD 0.05% 1.75 mg /Container

Total THC 19.428% 679.98 mg /Container

Total Cannabinoids 22.548% 789.18 mg /Container

As Received

Analyzed by: 3335, 1665, 585, 1440 Extraction date: Extracted by: Weight: 0.2024g 10/19/23 13:55:37

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA065517POT Instrument Used : DA-LC-002 Analyzed Date : 10/19/23 13:57:53

Dilution: 400

Reagent: 100423.R31; 060723.24; 100423.R34 Consumables: 947.109; 1852142; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

FTH-Swiss Watch WF 3.5g FTH-Swiss Watch

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31019005-001 Harvest/Lot ID: HYB-SW-101723-C0114

Batch#: 9224 7043 6599

Sampled: 10/19/23 Ordered: 10/19/23

Sample Size Received: 31.5 gram Total Amount: 1474 units

Completed: 10/21/23 Expires: 10/21/24 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	86.94	2.484		SABINENE HYDRATE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	16.17	0.462		VALENCENE		0.007	ND	ND	
IMONENE	0.007	15.54	0.444		ALPHA-CEDRENE		0.007	ND	ND	
ARNESENE	0.001	11.59	0.331		ALPHA-PHELLANDRENE		0.007	ND	ND	
INALOOL	0.007	10.57	0.302		ALPHA-TERPINENE		0.007	ND	ND	
BETA-MYRCENE	0.007	6.69	0.191		ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	4.34	0.124		GAMMA-TERPINENE		0.007	ND	ND	
ETA-PINENE	0.007	2.49	0.071		TRANS-NEROLIDOL		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	2.17	0.062		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-PINENE	0.007	1.79	0.051		2076, 585, 1440	0.9638g		10/19/23 16	:39:18	2076
LPHA-BISABOLOL	0.007	1.75	0.050		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
OTAL TERPINEOL	0.007	1.65	0.047		Analytical Batch : DA065532TER Instrument Used : DA-GCMS-008					/21/23 16:32:10 9/23 11:19:08
IS-NEROLIDOL	0.007	0.91	0.026		Analyzed Date : 10/19/23 16:40:50			Batch	Date: 10/1	3/23 11.13.00
ARYOPHYLLENE OXIDE	0.007	0.81	0.023		Dilution: 10					
ORNEOL	0.013	<1.40	< 0.040		Reagent: 121622.26					
AMPHENE	0.007	< 0.70	< 0.020		Consumables : 210414634; MKCN999	95; CE0123; R1KB1	1270			
-CARENE	0.007	ND	ND		Pipette : N/A					
AMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	as Chromatography M	iss Spectr	ometry. For all I	riower sample	es, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
ntal (%)			2.484							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Swiss Watch WF 3.5g FTH-Swiss Watch

> Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31019005-001 Harvest/Lot ID: HYB-SW-101723-C0114

Batch#: 9224 7043 6599

Sampled: 10/19/23 Ordered: 10/19/23

Sample Size Received: 31.5 gram Total Amount : 1474 units

Completed: 10/21/23 Expires: 10/21/24 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZEN	F (PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	E (I CND)	0.010		0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010	1.1.	0.1	PASS	ND	CAPTAN *						
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	11.11	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted I	by:
METHOATE	0.010		0.1	PASS PASS	ND	3379, 585, 1440	1.0883g	10/19/23	16:40:30		3379,450	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.10	1.FL (Gainesville)), SOP.T.30.10	2.FL (Davie)), SOP.T.40.101	L.FL (Gainesville),
OFENPROX	0.010	1.1	0.1	PASS	ND ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010			PASS		Analytical Batch : DA065528PI Instrument Used : DA-LCMS-00				On:10/20/23 e:10/19/23 11		
NHEXAMID	0.010		0.1		ND	Analyzed Date : 10/19/23 15:5			Dattii Dati	e :10/19/23 11	.03.42	
NOXYCARB	0.010	1.1	0.1	PASS PASS	ND ND	Dilution : 250						
NPYROXIMATE	0.010		0.1	PASS	ND ND	Reagent: 101723.R11; 04052	1.11; 101823.R35	; 101623.R01;	101623.R1	2; 101023.R01	L; 101823.R05	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW						
ONICAMID	0.010	1.1	0.1	PASS	ND ND	Pipette: DA-093; DA-094; DA-						
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is		g Liquid Chrom	atography T	Triple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX		1.1.	0.1	PASS	ND ND	accordance with F.S. Rule 64ER2		Profession 177			Protoco etc. 11	
AZALIL	0.010		0.1	PASS	ND ND	Analyzed by: 450, 585, 1440	Weight: 1.0883a	Extraction 10/19/23			Extracted b 3379,450	y:
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.15				a) SOPT 40 1		
ESOXIM-METHYL		1.1.	0.1	PASS	ND	Analytical Batch : DA065529V				:10/20/23 12:		
LATHION	0.010		0.2	PASS	ND ND	Instrument Used : DA-GCMS-0				10/19/23 11:07		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 10/19/23 16:4	9:51					
THIOCARB		1.1.	0.1	PASS	ND ND	Dilution: 250						
THOMYL	0.010			PASS		Reagent: 092523.R21; 09252		11; 040521.11				
EVINPHOS	0.010	11.11	0.1	PASS	ND ND	Consumables: 326250IW; 147 Pipette: DA-080: DA-146: DA-						
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Fipeite: DA-000, DA-140; DA-				ple-Quadrupole		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Swiss Watch WF 3.5g FTH-Swiss Watch

> Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31019005-001 Harvest/Lot ID: HYB-SW-101723-C0114

Batch#: 9224 7043 6599

Sampled: 10/19/23 Ordered: 10/19/23

Sample Size Received: 31.5 gram Total Amount: 1474 units

Completed: 10/21/23 Expires: 10/21/24 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 10/20/23 11:42:29

Batch Date: 10/19/23 11:48:11



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	

Analyzed by: Weight: **Extraction date:** Extracted by: 0.888g 3621, 3336, 585, 1440 10/19/23 11:31:04

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA065519MIC

Reviewed On: 10/21/23 16:32:08

Batch Date: 10/19/23

Extracted by:

Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block 09:24:36

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Instrument Used: PathogenDx Scanner DA-111.Applied

Analyzed Date: 10/19/23 12:34:17

Dilution: N/A

Reagent: 083123.138; 100423.R39; 100423.R40; 081023.06

Consumables: 7566003047 Pipette: N/A

	مکو	•					
4	Analyte		LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN I	B2	0.002	ppm	ND	PASS	0.02
	AFLATOXIN I	B1	0.002	ppm	ND	PASS	0.02
	OCHRATOXIN	A I	0.002	ppm	ND	PASS	0.02
	AFLATOVIN (G1	0.002	nnm	ND	PASS	0.02

					rall	Level	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction dat			xtracted	by:	
3379, 585, 1440	1.0883g	10/19/23 16:4	10:30	3	379,450		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville). SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA065539MYC
Instrument Used : DA-LCMS-004 (MYC)

Analyzed Date: 10/19/23 15:55:44

Dilution: 250

Reagent: 101723.R11; 040521.11; 101823.R35; 101623.R01; 101623.R12; 101023.R01;

101823.R05 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Analyzed by: 3390, 3336, 585, 1440	Weight: 0.888g	Extraction date: 10/19/23 11:31:04	Extracted by 3621,3390
Analysis Method : SOP.T.40.208	(Gainesville), SOP.T.40.209.FL	
Analytical Batch: DA065543TYM	V]	Reviewed On: 10/2	21/23 16:32:12
Instrument Used: Incubator (25	5-27C) DA-09	7 Batch Date: 10/19	/23 12:02:46
Analyzed Date: 10/19/23 14:39	:01		

Dilution: 10 Reagent: 083123.138; 101723.R10 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2667g	Extraction da 10/19/23 11:			Extracted 1022	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA065521HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 10/19/23 16:04:58 Reviewed On: 10/20/23 11:20:24 Batch Date: 10/19/23 10:20:28

Dilution: 50

Reagent : 092123.R14; 101123.R29; 101323.R13; 101823.R29; 101323.R11; 101323.R12; 101123.R28; 101123.R27

Consumables: 179436; 1852142; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FTH-Swiss Watch WF 3.5g FTH-Swiss Watch

Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA31019005-001 Harvest/Lot ID: HYB-SW-101723-C0114

Batch#: 9224 7043 6599

Sampled: 10/19/23 Ordered: 10/19/23 Sample Size Received: 31.5 gram Total Amount: 1474 units Completed: 10/21/23 Expires: 10/21/24

Sample Method: SOP.T.20.010

1: 31.5 gram Inits Page 5 of 5
Expires: 10/21/24



Filth/Foreign Material

PASSED



Pipette: DA-066

Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material 0		0.100) %	ND	PASS	1	Moisture Content		1.00	%	12.11	PASS	15
Analyzed by: 1879, 1440	Weight: NA	_	xtraction o	late:	Extra N/A	cted by:	Analyzed by: 4056, 585, 1440	Weight: 0.512g		o/20/23 09			tracted by:
				0/23 20:29:11 23 22:42:50	Analysis Method: SOP. Analytical Batch: DA06 Instrument Used: DA-0 Analyzed Date: 10/20/2	5546MOI 03 Moisture A	nalyzei		Reviewed On Batch Date :	-, -,			
Dilution: N/A Reagent: N/A Consumables: N/A							Dilution: N/A Reagent: 031523.19; 0 Consumables: N/A	20123.02					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Analyte Water Activity		LOD 0.010	Units aw	Result 0.530	P/F PASS	Action Level 0.65	
Analyzed by: 4056, 585, 1440	Weight: 0.712g		traction d /20/23 08		Extracted by: 4056		
Analysis Method : SOF Analytical Batch : DAG Instrument Used : DAG	65547WAT	/aropalı	n	Reviewed Or Batch Date :			

Dilution: N/A
Reagent: 113021.10
Consumables: PS-14
Pipette: N/A

Analyzed Date : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature

10/21/23

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha