



# Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31020003-003  
 Harvest/Lot ID: HYB-SC-082423-C0104  
 Batch#: 7166 9041 2111 4724  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility: Tampa Processing  
 Source Facility: Tampa Cultivation  
 Seed to Sale#: 1614 0649 3047 8020  
 Batch Date: 07/20/23  
 Sample Size Received: 26 gram  
 Total Amount: 1039 units  
 Retail Product Size: 1 gram  
 Ordered: 10/19/23  
 Sampled: 10/20/23  
 Completed: 10/23/23  
 Sampling Method: SOP.T.20.010

Oct 23, 2023 | FLUENT

82 NE 26th street  
 Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**31.083%**  
 Dry Weight



**Total CBD**  
**0.076%**  
 Dry Weight



**Total Cannabinoids**  
**36.153%**  
 Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.652	29.947	ND	0.076	0.035	0.128	0.435	<0.010	ND	ND	0.032
mg/unit	6.52	299.47	ND	0.76	0.35	1.28	4.35	<0.10	ND	ND	0.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

**Total THC**  
**26.915%**  
 269.15 mg /Container

**Total CBD**  
**0.066%**  
 0.66 mg /Container

**Total Cannabinoids**  
**31.305%**  
 313.05 mg /Container

**As Received**

Analized by:  
 1665, 585, 1440, 2023

Weight:  
 0.2225g

Extraction date:  
 10/20/23 12:21:55

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA065587POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 10/20/23 12:24:47

Reviewed On : 10/23/23 10:29:11  
 Batch Date : 10/20/23 11:52:46

Dilution : 400  
 Reagent : 100423.R31; 070121.27; 100423.R34  
 Consumables : 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 10/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Static Charge Full Flower 1g Pre-roll(s)(.035oz) 1 unit  
FTH-Static Charge Full Flower  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31020003-003  
Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 7166 9041 2111  
Sample Size Received : 26 gram  
Total Amount : 1039 units  
Completed : 10/23/23 Expires: 10/23/24  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.05	1.805		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	4.97	0.497		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.39	0.339		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.74	0.174		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.46	0.146		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.98	0.098		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.85	0.085		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.83	0.083		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.53	0.053						
OCIMENE	0.007	0.50	0.050						
TOTAL TERPENEOL	0.007	0.29	0.029						
FARNESENE	0.001	0.09	0.009						
BORNEOL	0.013	<0.40	<0.040						
CAMPHENE	0.007	<0.20	<0.020						
LINALOOL	0.007	<0.20	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.805

Analyzed by: 2076, 585, 1440 Weight: 1.1088g Extraction date: 10/20/23 16:09:02 Extracted by: 2076  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA063586TER  
Instrument Used : DA-GCMS-009  
Reviewed On : 10/23/23 10:29:13  
Batch Date : 10/20/23 11:27:09  
Dilution : 10  
Reagent : 121622.26  
Consumables : 210414634; MKCN9995; CE0123; R1KB14270  
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/23/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Static Charge Full Flower 1g Pre-roll(s)(.035oz) 1 unit  
FTH-Static Charge Full Flower  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31020003-003

Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 7166 9041 2111

4724

Sampled : 10/20/23

Ordered : 10/20/23

Sample Size Received : 26 gram

Total Amount : 1039 units

Completed : 10/23/23 Expires: 10/23/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 4056, 585, 1440, 2023	1.1483g	10/20/23 14:49:11	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065576PES		Reviewed On : 10/23/23 10:24:22			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/20/23 11:05:03			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/20/23 14:49:47					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.1483g	10/20/23 14:49:11	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA065578VOL		Reviewed On : 10/23/23 10:22:55			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/20/23 11:07:30			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/20/23 16:48:44					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 101723.R11; 040521.11; 092523.R21; 092523.R22					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/23/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31020003-003

Harvest/Lot ID: HYB-SC-082423-C0104

 Batch# : 7166 9041 2111  
 4724

 Sampled : 10/20/23  
 Ordered : 10/20/23

Sample Size Received : 26 gram

Total Amount : 1039 units

Completed : 10/23/23 Expires: 10/23/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1000	PASS	100000	Analyzed by: 3379, 4056, 585, 1440, 2023	Weight: 1.1483g	Extraction date: 10/20/23 14:49:11		Extracted by: 3379	
Analyzed by: 3390, 3336, 585, 1440	Weight: 1.1743g	Extraction date: 10/20/23 11:02:34	Extracted by: 3336	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA065577MYC							
Analytical Batch : DA065563MIC				Reviewed On : 10/23/23 10:13:22							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021				Batch Date : 10/20/23 09:38:53							
Analyzed Date : 10/20/23 15:59:20				Dilution : 250							
				Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11							
				Consumables : 326250IW							
				Pipette : DA-093; DA-094; DA-219							

Dilution : N/A				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 083123.134; 100423.R39; 081023.03									
Consumables : 7566003044									
Pipette : N/A				<div><div><div>Hg</div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Analyzed by: 3621, 3963, 585, 1440									
Weight: 1.1743g		Extraction date: 10/20/23 11:02:34							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL									
Analytical Batch : DA065589TYM				Reviewed On : 10/23/23 10:29:15					
Instrument Used : Incubator (25-27C) DA-096				Batch Date : 10/20/23 11:55:07					
Analyzed Date : 10/20/23 14:45:56									
Dilution : 10									
Reagent : 083123.134; 101723.R10									
Consumables : N/A									
Pipette : N/A									

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

<div>Analyzed by: 3621, 3963, 585, 1440</div> <div>Weight: 1.1743g</div> <div>Extraction date: 10/20/23 11:02:34</div> <div>Extracted by: 3336,3621</div>	<div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div>																																				
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA065589TYM</div> <div>Instrument Used : Incubator (25-27C) DA-096</div> <div>Analyzed Date : 10/20/23 14:45:56</div>	<div>Reviewed On : 10/23/23 10:29:15</div> <div>Batch Date : 10/20/23 11:55:07</div>																																				
<div>Dilution : 10</div> <div>Reagent : 083123.134; 101723.R10</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>	<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5
Metal	LOD	Units	Result	Pass / Fail	Action Level																																
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																
ARSENIC	0.020	ppm	ND	PASS	0.2																																
CADMIUM	0.020	ppm	ND	PASS	0.2																																
MERCURY	0.020	ppm	ND	PASS	0.2																																
LEAD	0.020	ppm	ND	PASS	0.5																																

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Static Charge Full Flower 1g Pre-roll(s)(.035oz) 1 unit  
FTH-Static Charge Full Flower  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31020003-003

Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 7166 9041 2111  
4724

Sampled : 10/20/23

Ordered : 10/20/23

Sample Size Received : 26 gram

Total Amount : 1039 units

Completed : 10/23/23 Expires: 10/23/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.41	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 1440	Weight: 0.522g	Extraction date: 10/20/23 14:54:05	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065595FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/20/23 20:18:39						Analysis Method : SOP.T.40.021 Analytical Batch : DA065579MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 10/20/23 13:56:11					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.489	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 0.931g	Extraction date: 10/20/23 14:22:03	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA065580WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 10/20/23 13:55:50					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
10/23/23