



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31021006-001
Harvest/Lot ID: HYB - AGXS - 101923-C0114
Batch#: 1263 9122 7197 2498
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0862 7759 3259 8780
Batch Date: 09/22/23
Sample Size Received: 31.5 gram
Total Amount: 1089 units
Retail Product Size: 3.5 gram
Ordered: 10/20/23
Sampled: 10/21/23
Completed: 10/25/23
Sampling Method: SOP.T.20.010

Oct 25, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
23.453%
Dry Weight



Total CBD
0.054%
Dry Weight



Total Cannabinoids
27.496%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.609	22.538	ND	0.054	0.024	0.06	0.546	<0.010	ND	0.023	0.032
mg/unit	21.315	788.83	ND	1.89	0.84	2.1	19.11	<0.35	ND	0.805	1.12
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Total THC
20.374%
713.09 mg /Container

Total CBD
0.047%
1.645 mg /Container

Total Cannabinoids
23.886%
836.01 mg /Container

As Received

Analyzed by:
3335, 585, 4044

Weight:
0.194g

Extraction date:
10/23/23 11:40:50

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065645POT

Instrument Used : DA-LC-002

Analyzed Date : 10/23/23 11:43:34

Reviewed On : 10/25/23 07:32:25

Batch Date : 10/23/23 07:12:05

Dilution : 400

Reagent : 100423.R31; 060723.24; 100423.R34

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PJA-
Testing 97164

Signature
10/25/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Acai Gelato x Sherb BX1WF 3.5g (1/8oz)
FTH - Acai Gelato x Sherb BX1
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31021006-001
Harvest/Lot ID: HYB - AGXS - 101923-C0114
Batch# : 1263 9122 7197
Sample Size Received : 31.5 gram
Total Amount : 1089 units
Completed : 10/25/23 Expires: 10/25/24
Ordered : 10/21/23
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	52.01	1.486		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.40	0.297		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	8.26	0.236		ALPHA-PHELLANDRENE	0.007	ND	ND	
FARNESENE	0.001	7.56	0.216		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	5.99	0.171		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.94	0.084		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.70	0.077		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.93	0.055		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.82	0.052						
FENCHYL ALCOHOL	0.007	1.61	0.046		Analysis by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPINEOL	0.007	1.19	0.034		2076, 585, 4044	1.0605g	10/22/23 12:08:22	1879	
OCIMENE	0.007	0.81	0.023		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	<1.40	<0.040		Analytical Batch : DA065624TER			Reviewed On : 10/24/23 08:23:57	
CAMPHENE	0.007	<0.70	<0.020		Instrument Used : DA-GCMS-008			Batch Date : 10/22/23 09:29:00	
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Analysis Date : 10/23/23 09:00:55				
BETA-MYRCENE	0.007	<0.70	<0.020		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 121622.26				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.486

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/25/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Acai Gelato x Sherb BX1WF 3.5g (1/8oz)

FTH - Acai Gelato x Sherb BX1

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31021006-001

Harvest/Lot ID: HYB - AGXS - 101923-C0114

Batch# : 1263 9122 7197

2498

Sampled : 10/21/23

Ordered : 10/21/23

Sample Size Received : 31.5 gram

Total Amount : 1089 units

Completed : 10/25/23 Expires: 10/25/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9895g	Extraction date: 10/23/23 14:10:02	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065655PES			Reviewed On : 10/24/23 13:01:01		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 10/23/23 08:59:25		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/23/23 15:09:57					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.9895g	Extraction date: 10/23/23 14:10:02	Extracted by: 450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065657VOL			Reviewed On : 10/24/23 12:59:43		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 10/23/23 09:02:31		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/24/23 08:23:34					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/25/23






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31021006-001
 Harvest/Lot ID: HYB - AGXS - 101923-C0114
 Batch# : 1263 9122 7197 Sample Size Received : 31.5 gram
 2498 Total Amount : 1089 units
 Sampled : 10/21/23 Completed : 10/25/23 Expires: 10/25/24
 Ordered : 10/21/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3379, 585, 4044 Weight: 0.9895g Extraction date: 10/23/23 14:10:02 Extracted by: 450,3379					
TOTAL YEAST AND MOLD	10	CFU/g	180	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065656MYC Reviewed On : 10/24/23 10:24:34 Instrument Used : N/A Batch Date : 10/23/23 09:02:28 Analyzed Date : 10/23/23 15:10:10 Dilution : 250 Reagent : 102023.R02; 102323.R01; 101723.R11; 101723.R01; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3621, 585, 4044 Weight: 0.9985g Extraction date: 10/21/23 14:34:00 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065608MIC Reviewed On : 10/24/23 13:50:54 Batch Date : 10/21/23 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/22/23 16:47:30 Dilution : N/A Reagent : 083123.134; 100423.R40; 081023.03; 100423.R39 Consumables : 7566003048 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3390, 585, 4044 Weight: 0.9985g Extraction date: 10/21/23 14:34:00 Extracted by: 3621,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065619TYM Reviewed On : 10/24/23 08:23:59 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 10/21/23 14:34:19 Analyzed Date : 10/22/23 11:17:06 Dilution : 10 Reagent : 083123.134; 101723.R10 Consumables : N/A Pipette : N/A						 Heavy Metals PASSED					
						Metal	LOD	Units	Result	Pass / Fail	Action Level
						TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
						ARSENIC	0.020	ppm	ND	PASS	0.2
						CADMIUM	0.020	ppm	ND	PASS	0.2
						MERCURY	0.020	ppm	ND	PASS	0.2
						LEAD	0.020	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 4044 Weight: 0.2895g Extraction date: 10/22/23 11:51:50 Extracted by: 1022,4056,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065604HEA Reviewed On : 10/24/23 07:42:25 Instrument Used : DA-ICPMS-004 Batch Date : 10/21/23 10:03:23 Analyzed Date : 10/23/23 13:11:05 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2895g Extraction date: 10/22/23 11:51:50 Extracted by: 1022,4056,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065604HEA Reviewed On : 10/24/23 07:42:25 Instrument Used : DA-ICPMS-004 Batch Date : 10/21/23 10:03:23 Analyzed Date : 10/23/23 13:11:05 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31021006-001
 Harvest/Lot ID: HYB - AGXS - 101923-C0114
 Batch# : 1263 9122 7197
 Sample Size Received : 31.5 gram
 Total Amount : 1089 units
 Completed : 10/25/23 Expires: 10/25/24
 Sample Method : SOP.T.20.010
 2498
 Sampled : 10/21/23
 Ordered : 10/21/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.13	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Extracted by: N/A Analysis Method : SOP.T.40.090 Analytical Batch : DA065628FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/23/23 01:34:49 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 4056, 585, 4044 Weight: 0.519g Extraction date: 10/22/23 12:54:50 Extracted by: 4056 Analysis Method : SOP.T.40.021 Analytical Batch : DA065614MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Analyzed Date : 10/22/23 12:39:24 Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 10/23/23 01:47:08 Batch Date : 10/22/23 10:13:55						Reviewed On : 10/23/23 16:01:49 Batch Date : 10/21/23 13:51:06					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.542	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.63g Extraction date: 10/22/23 12:22:03 Extracted by: 4056 Analysis Method : SOP.T.40.019 Analytical Batch : DA065615WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					
Reviewed On : 10/23/23 16:01:52 Batch Date : 10/21/23 13:51:18					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.