

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix: Derivative



Type: Distillate Sample:DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228 Batch#: 9669 3120 9964 3228 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 2090 6629 9459 4282 Batch Date: 06/07/23 Sample Size Received: 15.5 gram Total Amount: 1893 units Retail Product Size: 0.5 gram Ordered: 10/21/23 Sampled: 10/21/23 Completed: 10/25/23

Sampling Method: SOP.T.20.010

Oct 25, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

PASSED



Water Activity PASSED

Moisture

Pages 1 of 6

Terpenes

TESTED

MISC.

Cannabinoid

Total THC 92.237% Total THC/Container : 461.19 mg

٦a

Heavy Metals

PASSED

Microbials

PASSED

Total CBD 0.479% Total CBD/Container : 2.40 mg

Mycotoxins

PASSED

Total Cannabinoids 9 7.808% Total Cannabinoids/Container : 489.04 mg

% mg/unit LOD	рэ-тнс 92.145 460.73 0.001	THCA 0.106 0.53 0.001	свр 0.479 2.40 0.001	CBDA ND ND 0.001	D8-THC 0.305 1.53 0.001	свс 2.471 12.36 0.001	CBGA ND ND 0.001	CBN 0.948 4.74 0.001	тнсу 0.680 3.40 0.001	CBDV ND ND 0.001	свс 0.674 3.37 0.001
	%	%	%	%	%	%	%	%	%	%	%
						Extraction date: Extracted by: 10/23/23 11:08:45 3335					
Analytical Batcl Instrument Use	d:SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.05640POT d:DA-LC-007 :10/23/23 11:15:14					Reviewed On : 10 Batch Date : 10/2	0/24/23 08:27:26 23/23 07:00:21				

Dilution: 400

Reagent : 100423.R32; 070121.27; 100423.R35 Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/25/23



PASSED



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228 Batch# : 9669 3120 9964 Sample

3228 Sampled : 10/21/23 Ordered : 10/21/23 Sample Size Received : 15.5 gram Total Amount : 1893 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Ter	'ne	ne	S
	hc		3

erpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
DTAL TERPENES	0.007	6.98	1.395		SABINENE HYDRATE	0.007	ND	ND	
PHA-TERPINOLENE	0.007	3.70	0.740		TOTAL TERPINEOL	0.007	ND	ND	
ETA-MYRCENE	0.007	0.92	0.184		ALPHA-CEDRENE	0.007	ND	ND	
CIMENE	0.007	0.75	0.149		ALPHA-PHELLANDRENE	0.007	ND	ND	
MONENE	0.007	0.49	0.098		ALPHA-PINENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.44	0.088		ALPHA-TERPINENE	0.007	ND	ND	
ERANYL ACETATE	0.007	0.23	0.045		CIS-NEROLIDOL	0.007	ND	ND	
LPHA-BISABOLOL	0.007	0.20	0.039		GAMMA-TERPINENE	0.007	ND	ND	
EXAHYDROTHYMOL	0.007	0.14	0.028		Analyzed by:	Weight:	Extraction	on date:	Extracted by:
LPHA-HUMULENE	0.007	0.12	0.024		1879, 2076, 585, 4044	0.9315g	10/22/2	3 17:57:23	1879,2076
ORNEOL	0.013	<0.20	< 0.040		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	.061A.FL			
AMPHOR	0.007	< 0.30	< 0.060		Analytical Batch : DA065627TER Instrument Used : DA-GCMS-009				/25/23 08:12:48 2/23 10:13:10
ARNESENE	0.001	< 0.05	< 0.009		Analyzed Date : 10/23/23 20:16:32		Batcr	Date: 10/2	2/23 10.13.10
ALENCENE	0.007	<0.10	<0.020		Dilution : 10				
ETA-PINENE	0.007	< 0.10	< 0.020		Reagent : 121622.26				
RANS-NEROLIDOL	0.007	< 0.10	< 0.020		Consumables : 210414634; MKCN9995; CE012	3; R1KB14270			
CARENE	0.007	ND	ND		Pipette : N/A				
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromat	ography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
ARYOPHYLLENE OXIDE	0.007	ND	ND						
EDROL	0.007	ND	ND						
JCALYPTOL	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ENCHYL ALCOHOL	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
UAIOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
INALOOL	0.007	ND	ND						
EROL	0.007	ND	ND						
	0.007	ND	ND						
ULEGONE									
ULEGONE ABINENE	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228

Batch#: 9669 3120 9964 3228 Sampled : 10/21/23 Ordered : 10/21/23

Sample Size Received : 15.5 gram Total Amount : 1893 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 P

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
FOTAL SPINETORAM	0.010		0.2	PASS	ND			0.010		0.1	PASS	ND
FOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					PASS	
ABAMECTIN B1A	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1		ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPKID		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			1.1.			
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZEN	IE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND		Weight:		ion date:		Extracted I	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	0.2043a		3 14:13:43		450.3379	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.10				SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	STILE (GuilleSville)	,, 501.11.50.10	2.1 E (Duvic),	501.1.40.101	In E (Guinesville	//
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065658P				n:10/25/231		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0			Batch Date	:10/23/23 09:	03:13	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/23/23 15:0	9:58					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250	2 0 0 1 1 0 1 7 2 2 0 1	1 101622 01	2 101022 00	1 101000 00	F 040521.11	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 101823.R35; 10232 Consumables : 326250IW	3.R01; 101/23.R1	LI; 101623.RI	.2; 101023.RU	1; 101823.RU	5; 040521.11	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-	219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is		a Liquid Chron	natography Tri	nle-Quadrunol	e Mass Spectror	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER2		ig ciquid cirion	nacography m	pie quudiupoi	e mass speed of	neary in
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	on date:		Extracted b	v:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	585, 450, 4044	0.2043g	10/23/23	14:13:43		450,3379	-
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.15						
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA065660V			eviewed On :			
METALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-0		Ba	atch Date :10	0/23/23 09:04	:49	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/24/23 08:2	2:10					
METHOMYL	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 101823.R35: 10232	3 001- 101723 01	11. 101623 01	2. 101023 PO	1.101823 00	5: 0/0521 11	
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW	J.NOI, 101723.RI	LI, IUIUZJ.KI	.∠, 101023.KU	1, 101023.KU	J, 040JZI.II	
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-	219					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER2		ig Gas Chroma	tography Triple	e-Quadrupole	Mass Spectrome	try in
						dance men i bi nale 04Ella						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23

PASSED

PASSED



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228 Batch# : 9669 3120 9964 Sample

3228 Sampled : 10/21/23 Ordered : 10/21/23 64 3228 Sample Size Received : 15.5 gram Total Amount : 1893 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 350, 585, 4044	Weight: 0.0255g	Extraction date: 10/24/23 15:57:08		E x 85	tracted by: 0				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065662SOL Instrument Used : DA-GCMS-003 Analyzed Date : 10/24/23 15:39:14		Reviewed On : 10/24/23 16:46:06 Batch Date : 10/23/23 15:33:44							

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23

PASSED



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228

Batch#: 9669 3120 9964 3228 Sampled : 10/21/23 Ordered : 10/21/23

Sample Size Received : 15.5 gram Total Amount : 1893 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

🥵 Micro	bial			PAS	SED	သို့	M	ycotox	ins			PAS	SED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GE	NE		Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN			0.002	mag	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 404	4	Weight: 0.2043g	Extraction da 10/23/23 14:			xtracted 50,3379	oy:
nalyzed by: 336, 3621, 585, 4044	Weight: 0.896g	Extraction da 10/22/23 11		Extracted 3336,339				.30.101.FL (Gain), SOP.T.40.102.		.40.101.FL	. (Gainesvi	ille),	
Analysis Method : SOP.T.40.05 Analytical Batch : DA065629M		58.FL, SOP.T.		wed On : 10)/24/23	Analytical Bate Instrument Use Analyzed Date	d:N/A				.0/25/23 1 23/23 09:		
MiniAmp Thermocycler DA-19 DA-020, fisherbrand Isotemp H sotemp Heat Block DA-021 Analyzed Date : 10/22/23 16:4 Dilution : N/A Reagent : 083123.168; 10042 Consumables : 7566003048 Pipette : N/A	Heat Block DA-0	49,Fisher Sci	entific	::12		040521.11 Consumables : Pipette : DA-09	3262501 3; DA-09	94; DA-219 g Liquid Chromato					
Analyzed by: 3336, 3390, 585, 4044	Weight: 0.896g	Extractio N/A		Extracted b 3336,3390		Hg	Не	avy Mo	etals			PAS	SED
Analysis Method : SOP.T.40.20 Analytical Batch : DA065631T	YM	Rev	iewed On : 10/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Used : Incubator (2 Analyzed Date : 10/22/23 13:2		Bato	:h Date : 10/22/	25 11:04:3	2	TOTAL CONT		T LOAD META	LS 0.080	ppm	ND	PASS	1.1
						ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution:10 Reagent:083123.168:10172	3 B10					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : N/A	5.110					MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A						LEAD			0.020	ppm	ND	PASS	0.5
Fotal yeast and mold testing is pe accordance with F.S. Rule 64ER20		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 404	4	Weight: 0.2436q	Extraction da 10/22/23 14:3			ctracted k 306.1022	y:
						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	d:SOP.1 h:DA06 ed:DA-10	T.30.082.FL, SOP 5610HEA CPMS-004	P.T.40.082.FL Review	ed On : 10	/24/23 09: 1/23 10:41	09:33	
						Dilution: 50							

Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23



Miami Vibes Cartridge Concentrate 0.5g Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021014-005 Harvest/Lot ID: 9669 3120 9964 3228 Batch#: 9669 3120 9964 3228

Ordered : 10/21/23

Sampled : 10/21/23

Sample Size Received : 15.5 gram Total Amount : 1893 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

		Filth/For Materia		n		PASSED				
	nalyte ilth and Fore	ion Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level			
A	nalyzed by: 379, 4044	Weight: NA	Extraction date: N/A			Extracted by: N/A				
Aı In	nalytical Batch strument Used	: SOP.T.40.090 : DA065628FIL I: Filth/Foreign Mater 10/23/23 01:34:49	ial Micro	oscope			8/23 01:46:51 23 10:13:55			
	lution : N/A eagent : N/A									

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	OD .010	Units aw	Result 0.512	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 4044	Weight: 0.388g		traction d		Ex 40	tracted by: 56
Analysis Method : SOP. Analytical Batch : DA06 Instrument Used : DA-6 Analyzed Date : 10/21/	55616WAT)28 Rotronic Hyg	Iropal	m	Reviewed O Batch Date :		
Dilution : N/A Reagent : 113021.10 Consumables : PS-14						

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23

PASSED

Page 6 of 6