

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

**Certificate of Analysis** 


Kaycha Labs

Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix: Derivative Type: Vape



Sample:DA31021005-001 Harvest/Lot ID: 2905 0408 4134 7166 Batch#: 2905 0408 4134 7166 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3642 5634 2328 6200 Batch Date: 04/03/23 Sample Size Received: 15.5 gram Total Amount: 1983 units Retail Product Size: 0.5 gram Ordered: 10/20/23 Sampled: 10/21/23 Completed: 10/25/23

Sampling Method: SOP.T.20.010



Analyzed Date : 10/23/23 11:15:14 Dilution: 400

Reagent : 100423.R32; 070121.27; 100423.R35 Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/25/23



Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix : Derivative Type: Vape



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31021005-001

 Harvest/Lot ID: 2905 0408 4134 7166

 Batch#: 2905 0408 4134
 Sample

 7166
 Total Ar

Sampled : 10/21/23 Ordered : 10/21/23 Sample Size Received : 15.5 gram Total Amount : 1983 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

Page 2 of 6

# Ô

### Terpenes

lerpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	10.16	2.032		VALENCENE	0.007	ND	ND	
IMONENE	0.007	3.41	0.681		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.67	0.534		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.45	0.289		ALPHA-TERPINENE	0.007	ND	ND	
INALOOL	0.007	0.88	0.175		ALPHA-TERPINOLENE	0.007	ND	ND	
GERANIOL	0.007	0.51	0.101		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.40	0.080		GAMMA-TERPINENE	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.28	0.056		TRANS-NEROLIDOL	0.007	ND	ND	
ETA-PINENE	0.007	0.20	0.040		Analyzed by:	Weight:	Extractio	n date:	Extracted by:
TOTAL TERPINEOL	0.007	0.15	0.030		1879, 2076, 585, 4044	0.9345g		17:54:19	1879,2076
ALPHA-BISABOLOL	0.007	0.15	0.029		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	.061A.FL			
ARNESENE	0.001	0.09	0.017		Analytical Batch : DA065627TER				/25/23 07:50:43
ORNEOL	0.013	<0.20	< 0.040		Instrument Used : DA-GCMS-009 Analyzed Date : 10/23/23 20:16:32		Batch	Date : 10/2	2/23 10:13:10
AMPHOR	0.007	< 0.30	< 0.060		Dilution : 10				
ARYOPHYLLENE OXIDE	0.007	< 0.10	< 0.020		Reagent : 121622.26				
ENCHONE	0.007	< 0.20	< 0.040		Consumables : 210414634; MKCN9995; CE012	3; R1KB14270			
CIMENE	0.007	< 0.10	< 0.020		Pipette : N/A				
LPHA-PINENE	0.007	< 0.10	< 0.020		Terpenoid testing is performed utilizing Gas Chroma	tography Mass Spectro	metry. For all F	lower sample	es, the Total Terpenes % is dry-weight corrected.
3-CARENE	0.007	ND	ND						
AMPHENE	0.007	ND	ND						
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
	0.007	ND	ND						
ABINENE									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/25/23



Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021005-001 Harvest/Lot ID: 2905 0408 4134 7166 Batch# : 2905 0408 4134

Sampled : 10/21/23 Ordered : 10/21/23

Sample Size Received : 15.5 gram Total Amount : 1983 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

R 0

### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P.P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	1.1.	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010	P.P.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	W'
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044	0.2431g		3 14:04:31		450,3379	y.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1				50P.T.40.101.I		
ETOFENPROX	0.010	P.P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA065649				n:10/24/231		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-(			Batch Date :	10/23/23 08:5	3:23	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :10/23/23 15: Dilution : 250	:09:55					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 101823.R35; 1023	23 R01· 101723 R11	· 101623 B1	2. 101023 B01	1· 101823 B05	040521 11	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	2011/02/2017201112	., 101025		1, 1010201100	, 010021111	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA	A-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents i		Liquid Chron	natography Trip	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64EP	R20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted by	y:
IMIDACLOPRID	0.010		0.4	PASS	ND	585, 450, 4044	0.2431g	10/23/23			450,3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1						
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA065651 Instrument Used : DA-GCMS-			eviewed On : 1 atch Date : 10/			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :10/24/23 08:		De	sen pute i 10/	,20,20 00.00.		
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent : 101823.R35; 1023	23.R01; 101723.R11	;101623.R1	2; 101023.R01	1; 101823.R05	; 040521.11	
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents i accordance with F.S. Rule 64EP		Gas Chroma	tography Triple	e-Quadrupole M	lass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23

PASSED

PASSED

Page 3 of 6



Page 4 of 6

Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA31021005-001

 Harvest/Lot ID: 2905 0408 4134
 Sample

 Batch# : 2905 0408 4134
 Sample

 7166
 Total Ar

 Sampled: 10/21/23
 Complet

 Ordered: 10/21/23
 Sample

4134 7166 Sample Size Received : 15.5 gram Total Amount : 1983 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ENZENE	0.100	ppm	1	PASS	ND	
-PROPANOL	50.000	ppm	500	PASS	<250.000	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
THYL ETHER	50.000	ppm	500	PASS	ND	
THYLENE OXIDE	0.500	ppm	5	PASS	ND	
IEPTANE	500.000	ppm	5000	PASS	ND	
IETHANOL	25.000	ppm	250	PASS	ND	
I-HEXANE	25.000	ppm	250	PASS	ND	
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
OLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
nalyzed by: 50, 585, 4044	Weight: 0.0257g	Extraction date: 10/23/23 12:08:49	)		<b>xtracted by:</b> 50	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065623SOL nstrument Used : DA-GCMS-002 Analyzed Date : 10/23/23 10:13:20	<b>Reviewed On :</b> 10/24/23 07:37:25 <b>Batch Date :</b> 10/21/23 15:56:05					
Dilution : 1 Reagent : N/A						

Reagent : N/A Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23

## PASSED



Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021005-001 Harvest/Lot ID: 2905 0408 4134 7166 Batch# : 2905 0408 4134 Sample

7166 Sampled : 10/21/23 Ordered : 10/21/23 Sample Size Received : 15.5 gram Total Amount : 1983 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

Pag	е	5	of	6

🔥 Mic	robial			PAS	SED	လ္နီ	Му	cotox	ins			PAS	SED
Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFI	C GENE		Not Present	PASS		AFLATOXIN E	2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN E	1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGA	TUS		Not Present	PASS		AFLATOXIN O	61		0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREU	IS		Not Present	PASS		AFLATOXIN O	62		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	tou	E	xtracted I	
TOTAL YEAST AND MO	<b>)LD</b> 10	CFU/g	<10	PASS	100000		4	0.2431g	10/23/23 14:0			50,3379	Jy:
Analyzed by: 3336, 3621, 585, 4044	Weight: 1.094q	Extraction ( 10/21/23 1		Extracte 3621	d by:	Analysis Metho SOP.T.30.102.F			nesville), SOP.T. FL (Davie)	.40.101.FL	. (Gainesvi	lle),	
Analysis Method : SOP.T. Analytical Batch : DA065(	40.056C, SOP.T.40.	058.FL, SOP.T		<b>ved On :</b> 10	/24/23	Analytical Batc Instrument Use Analyzed Date	h:DA0656 d:N/A	50MYC	Review		0/24/23 08 23/23 08:		
Instrument Used : Pathog Biosystems Thermocycle DA-020,fisherbrand Isote Isotemp Heat Block DA-0 Analyzed Date : 10/22/23	r DA-171,fisherbrar mp Heat Block DA- 21	id Isotemp He	at Block 10:15:	<b>Date :</b> 10/2 10	1/23	Dilution : 250 Reagent : 1018 040521.11 Consumables : Pipette : DA-09	326250IW		01723.R11; 1016	523.R12; 1	.01023.R0	1; 10182	3.R05;
Dilution : N/A Reagent : 083123.134; 1 Consumables : 75660030 Pipette : N/A		1.03; 100423.F	39			Mycotoxins test accordance with	ng utilizing F.S. Rule 6	Liquid Chromato 4ER20-39.	ography with Triple	e-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 3336, 3390, 585, 4044	Weight: 1.094g	Extraction d 10/21/23 14		Extracted 3621,339		Hg	Hea	avy M	etals		l	PAS	SED
Analysis Method : SOP.T.4 Analytical Batch : DA0656 Instrument Used : Incuba	519TYM	Rev	9.FL iewed On : 10/24 ch Date : 10/21/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
Analyzed Date : 10/22/23		/ Dat	cii bate . 10/21/2	19 14.94.1	5	TOTAL CONT	AMINANT	LOAD META	LS 0.080	ppm	ND	PASS	1.1
Dilution : 10						ARSENIC			0.020	ppm	ND	PASS	0.2
Reagent : 083123.134; 1	01723.R10					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A						LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing accordance with F.S. Rule 64		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 404	4	Weight: 0.2948g	Extraction dat 10/21/23 16:4			<b>tracted b</b> 022,4306	y:
						Analysis Metho Analytical Batc Instrument Use Analyzed Date	h:DA0656 d:DA-ICP	510HEA MS-004	Reviewe		/24/23 09: 1/23 10:41		

Dilution : 50

Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/25/23



Page 6 of 6

Rainmaker Cartridge (4:1) 450 mg Rainmaker Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

Consumables : N/A Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31021005-001 Harvest/Lot ID: 2905 0408 4134 7166 Batch# : 2905 0408 4134 Sampled : 10/21/23

Ordered : 10/21/23

Sample Size Received : 15.5 gram Total Amount : 1983 units Completed : 10/25/23 Expires: 10/25/24 Sample Method : SOP.T.20.010

		Filth/Fo Materia		n		PA	SSED		
	nalyte ilth and Fore	ian Matorial	<b>LOD</b> 0.100	Units	<b>Result</b> ND	P/F PASS	Action Level		
_	nalyzed by:	Weight:		70 xtraction		Extracted by:			
	879, 4044	NA	N/A			N/A			
A Ir	nalytical Batch strument Used	: SOP.T.40.090 : DA065628FIL I: Filth/Foreign Mater 10/23/23 01:34:49	oscope			8/23 01:47:17 23 10:13:55			
	ilution : N/A eagent : N/A								

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	LOD Units	<b>Result</b> 0.434	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 4044	Weight: 0.402g	Extraction 10/21/23 1			<b>tracted by:</b> )56
Analysis Method : SOP. Analytical Batch : DA06 Instrument Used : DA-6 Analyzed Date : 10/21/2	5616WAT 28 Rotronic Hyg	gropalm	Reviewed O Batch Date		
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

10/25/23