

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Golden Hour Disposable Pen 0.3g Golden Hour Matrix: Derivative

Type: Vape

Sample:DA31024002-001

Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023 2298

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 7999 8659 5046 5376

Batch Date: 07/05/23

Sample Size Received: 15.3 gram

Total Amount: 1828 units Retail Product Size: 0.3 gram

> **Ordered:** 10/23/23 Sampled: 10/24/23

Completed: 10/26/23

Sampling Method: SOP.T.20.010

PASSED

Oct 26, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals

Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

88.567% Total THC/Container : 265.70 mg



Total CBD 0.259% Total CBD/Container: 0.78 mg

Reviewed On: 10/25/23 10:42:58 Batch Date: 10/24/23 09:55:02



Total Cannabinoids

Total Cannabinoids/Container: 274.27 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA065675POT Instrument Used : DA-LC-007

Analyzed Date: 10/24/23 14:41:21

Reagent: 060723.24; 100423.R32; 100423.R35

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Golden Hour Disposable Pen 0.3g Golden Hour

Matrix : Derivative Type: Vape



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31024002-001 Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023

Sampled: 10/24/23 Ordered: 10/24/23

Sample Size Received: 15.3 gram Total Amount: 1828 units

Completed: 10/26/23 Expires: 10/26/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

	LOD (%)	mg/unit	%	Result (%)
SABINENE HYDRATE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND	
VALENCENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	ND	ND	
ALPHA-CEDRENE	0.007	ND	ND	
CIS-NEROLIDOL	0.007	ND	ND	
GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	ND	ND	
Analyzed by:	Weight:	Extraction d	ate:	Extracted by:
2076, 585, 4351	0.9274g	10/24/23 15		2076
Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL			
Analytical Batch : DA065679TER Instrument Used : DA-GCMS-008				/26/23 14:44:12 4/23 10:07:01
Analyzed Date : 10/26/23 13:13:40		Battr	Date: 10/24	4/23 10:07:01
Dilution: 10				
Reagent : 121622.26				
Consumables: 210414634; MKCN999	95; CE0123; R1KB14270			
Pipette : N/A				
Terpenoid testing is performed utilizing G	as Chromatography Mass Spec	trometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
				9

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Vape



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31024002-001 Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023

2298
Sampled: 10/24/23
Ordered: 10/24/23

Sample Size Received: 15.3 gram
Total Amount: 1828 units

Completed: 10/26/23 Expires: 10/26/24 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

esticide			Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	mag	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010	1.1.	0.1	PASS	ND	PROPOXUR		0.010				
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND		NE (DCND) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *				PASS	
ILORMEQUAT CHLORIDE	0.010	P. P.	1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	P. P.	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracte	d hv
METHOATE	0.010		0.1	PASS	ND	3379, 585, 4351	0.2369g		3 11:06:24		3379	u by.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP.T.40.101	.FL (Gainesville).
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)	,,,,		, , , , , , , , , , , , , , , , , , , ,			
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch: DA065690				n:10/26/23		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-I			Batch Date	:10/24/23 13	:21:18	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/24/23 17:	34:53					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 101823.R35; 1023	22 DO1: 101722 D11	· 101623 D1	2· 101023 DC	11. 101923 D	5- 040521 11	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	23.1101, 101723.1111	., 101025.111	2, 101025.110	11, 101025.11	75, 040521.11	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	N-219					
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents	is performed utilizing	Liquid Chrom	natography Tr	iple-Quadrupo	le Mass Spectroi	metry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64EF						
IAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	d by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	585, 450, 4351	0.2369g		11:06:24		3379	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch: DA065692 Instrument Used: DA-GCMS-				10/26/23 14: 0/24/23 13:23		
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 10/25/23 08:		Ба	ittii Date : 10	1124123 13:23	.1/	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	/					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 101823.R35; 1023	23.R01: 101723 R11	: 101623.R1	2: 101023 RO	1: 101823 R	5: 040521.11	
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW		.,	_,	_,	, 5.0522.11	
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA	\-219					
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents	is nerformed utilizing	Gas Chromat	ography Tripl	e-Ouadrunole	Macc Spectrome	atry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g Golden Hour

Matrix : Derivative Type: Vape



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31024002-001 Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023

Sampled: 10/24/23 Ordered: 10/24/23

Sample Size Received: 15.3 gram Total Amount: 1828 units

Completed: 10/26/23 Expires: 10/26/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Э Л			
- 14		3	ы
-	_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Extracted by:		

850, 585, 4351 0.0271g 10/25/23 10:53:42

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065704SOL Instrument Used: DA-GCMS-003 Analyzed Date: 10/24/23 16:32:58

Dilution: 1 Reagent: 030420.09

Consumables: R2017.099; 172723 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 10/25/23 14:24:40 Batch Date: 10/24/23 16:31:14

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g

Golden Hour Matrix : Derivative Type: Vape



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31024002-001 Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023

Sampled: 10/24/23 Ordered: 10/24/23

Sample Size Received: 15.3 gram Total Amount: 1828 units

Completed: 10/26/23 Expires: 10/26/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	

Analyzed by: Weight: **Extraction date:** Extracted by: 3336, 3390, 585, 4351 10/24/23 13:59:42 1.115g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA065673MIC

Reviewed On: 10/26/23

Batch Date: 10/24/23

Extracted by

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 09:28:22

Weight:

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 10/24/23 15:49:49

Dilution: N/A

Reagent: 083123.166; 100423.R39; 081023.03

Consumables: 7566004011 Pipette: N/A

Analyzed by

. Tyddiaxiiis			. 75525				
LOD	Units	Result	Pass / Fail	Action Level			
0.002	ppm	ND	PASS	0.02			
0.002	ppm	ND	PASS	0.02			
0.002	ppm	ND	PASS	0.02			
		LOD Units 0.002 ppm 0.002 ppm	LOD Units Result 0.002 ppm ND 0.002 ppm ND	LOD Units Result Fail Pass / Fail 0.002 ppm ND PASS 0.002 ppm ND PASS			

Analyzed by: 3379, 585, 4351	Weight: 0.2369g	Extraction date: 10/25/23 11:06:24			Extracte 3379	d by:
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
					raii	Levei

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA065691MYC

Reviewed On: 10/25/23 13:09:34 Instrument Used : N/A **Batch Date :** 10/24/23 13:23:14 **Analyzed Date:** 10/24/23 17:34:57

Dilution: 250

Reagent: 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

3336, 585, 4351	1.115g	10/24/23 13:59:42	3336
Analysis Method: SOP Analytical Batch: DAO Instrument Used: Incu Analyzed Date: 10/24/	55699TYM bator (25-27C) DA	Reviewed On	: 10/26/23 14:04:59 10/24/23 14:01:55
Dilution: 10 Reagent: 083123.166 Consumables: N/A Pipette: N/A	; 101723.R10		

Extraction date:

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMIN	ANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by	Walahti	Extraction do	tor		Evtracted	by

10/24/23 13:19:48

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2821g

Analytical Batch : DA065682HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 10/24/23 18:15:40

Reviewed On: 10/25/23 13:11:30 Batch Date: 10/24/23 10:09:51

Dilution: 50

1022, 585, 4351

Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Golden Hour Disposable Pen 0.3g Golden Hour

Matrix : Derivative Type: Vape

Page 6 of 6



PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31024002-001 Harvest/Lot ID: 8711 5149 3023 2298

Batch#: 8711 5149 3023

Sampled: 10/24/23 Ordered: 10/24/23

Certificate of Analysis

Sample Size Received: 15.3 gram Total Amount: 1828 units Completed: 10/26/23 Expires: 10/26/24 Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4351 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA065724FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 10/25/23 12:35:53 Batch Date: 10/25/23 12:23:26 Analyzed Date: 10/25/23 12:26:48

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 10/26/23 07:43:01

Water Activity 0.010 aw 0.448 PASS 0.85	Analyte	LOD Unit	ts Result	P/F Action Lev	el
, cloud an clinic contract	Water Activity	0.010 aw	0.448	PASS 0.85	

Extraction date: 10/25/23 15:48:34 Extracted by: 4056 Analyzed by: 4056, 585, 4351 Weight: 0.382g

Analytical Batch: DA065707WAT Instrument Used : DA-028 Rotronic Hygropalm **Analyzed Date:** 10/25/23 13:23:48

Batch Date: 10/24/23 21:18:37

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Analysis Method: SOP.T.40.019

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164