



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31025001-005
Harvest/Lot ID: 4445 0453 9002 7758
Batch#: 4445 0453 9002 7758
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0057 4327 4622 1509
Batch Date: 07/05/23
Sample Size Received: 16 gram
Total Amount: 1933 units
Retail Product Size: 1 gram
Ordered: 10/24/23
Sampled: 10/25/23
Completed: 10/27/23
Sampling Method: SOP.T.20.010

Oct 27, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
87.791%

Total THC/Container : 877.91 mg


Total CBD
0.233%

Total CBD/Container : 2.33 mg


Total Cannabinoids
91.974%

Total Cannabinoids/Container : 919.74 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.666	0.143	0.233	ND	0.204	1.109	ND	1.493	0.577	ND	0.549
mg/unit	876.66	1.43	2.33	ND	2.04	11.09	ND	14.93	5.77	ND	5.49
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3605, 585, 3963

 Weight:
 0.0991g

 Extraction date:
 10/25/23 11:57:55

 Extracted by:
 3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065709POT

Instrument Used : DA-LC-007

Analyzed Date : 10/25/23 11:58:29

Reviewed On : 10/26/23 08:14:25

Batch Date : 10/25/23 09:09:47

Dilution : 400

Reagent : 100423.R32; 060723.24; 100423.R35

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 1g(90%)

Golden Hour

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-005

Harvest/Lot ID: 4445 0453 9002 7758

Batch# : 4445 0453 9002
7758

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.02	1.802		NEROL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	9.34	0.934		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.47	0.247		SABINENE HYDRATE	0.007	ND	ND	
OCIMENE	0.007	1.99	0.199		TOTAL TERPINEOL	0.007	ND	ND	
LIMONENE	0.007	1.33	0.133		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.00	0.100		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.47	0.047		BETA-PINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.37	0.037		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.31	0.031						
SABINENE	0.007	0.30	0.030		Analysis by:	Weight:	Extraction date:	Extracted by:	
LINALOOL	0.007	0.23	0.023		2076, 585, 3963	1.0489g	10/25/23 12:15:33	1879	
HEXAHYDROTHYMOL	0.007	0.21	0.021		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	<0.20	<0.020		Analytical Batch : DA06S721TER			Reviewed On : 10/27/23 14:10:03	
BORNEOL	0.013	<0.40	<0.040		Instrument Used : DA-GCMS-009			Batch Date : 10/25/23 11:16:20	
CAMPHOR	0.007	<0.60	<0.060		Analyzed Date : 10/27/23 12:52:12				
FARNESENE	0.001	<0.09	<0.009		Dilution : 10				
VALENCENE	0.007	<0.20	<0.020		Reagent : 121622.26				
ALPHA-PINENE	0.007	<0.20	<0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CIS-NEROLIDOL	0.007	<0.20	<0.020		Pipette : N/A				
TRANS-NEROLIDOL	0.007	<0.20	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			1.802						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 1g(90%)

Golden Hour

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-005

Harvest/Lot ID: 4445 0453 9002 7758

Batch# : 4445 0453 9002

7758

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2628g	Extraction date: 10/26/23 11:23:11	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065725PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 10/26/23 15:15:10		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/25/23 17:06:16			Batch Date : 10/25/23 13:00:49		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2628g	Extraction date: 10/26/23 11:23:11	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065727VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 10/26/23 16:55:53		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/26/23 12:12:04			Batch Date : 10/25/23 13:03:53		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 1g(90%)

Golden Hour

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-005

Harvest/Lot ID: 4445 0453 9002 7758

Batch# : 4445 0453 9002
7758

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0237g

Extraction date:
10/26/23 14:02:49

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065731SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/25/23 15:24:53

Reviewed On : 10/26/23 14:53:21
Batch Date : 10/25/23 14:13:53

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31025001-005

Harvest/Lot ID: 4445 0453 9002 7758

Batch# : 4445 0453 9002 7758

Sampled : 10/25/23

Ordered : 10/25/23


Sample Size Received : 16 gram


Total Amount : 1933 units


Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3390, 585, 3963	Weight: 1.2g	Extraction date: 10/25/23 11:00:15		Extracted by: 3336	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/26/23 12:43:53		
Analytical Batch : DA065710MIC			Batch Date : 10/25/23 09:17:26		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254					
Analyzed Date : 10/25/23 11:18:02					
Dilution : N/A					
Reagent : 083123.165; 100423.R39; 081023.03					
Consumables : 7566004011					
Pipette : N/A					
Analyzed by: 3336, 3621, 585, 3963	Weight: 1.2g	Extraction date: 10/25/23 11:00:15		Extracted by: 3336	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 10/27/23 12:43:50		
Analytical Batch : DA065716TYM			Batch Date : 10/25/23 11:00:27		
Instrument Used : Incubator (25-27C) DA-096					
Analyzed Date : 10/25/23 11:19:08					
Dilution : 10					
Reagent : 083123.165; 101723.R10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963	Weight: 0.2628g	Extraction date: 10/26/23 11:23:11		Extracted by: 3379	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA065726MYC			Reviewed On : 10/26/23 11:52:16		
Instrument Used : N/A			Batch Date : 10/25/23 13:03:51		
Analyzed Date : 10/25/23 17:06:56					
Dilution : 250					
Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.080	ppm	ND	PASS	1.1
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.274g	Extraction date: 10/25/23 12:11:04		Extracted by: 1022,4306	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065720HEA			Reviewed On : 10/26/23 12:06:11		
Instrument Used : DA-ICPMS-004			Batch Date : 10/25/23 11:11:26		
Analyzed Date : 10/25/23 15:10:42					
Dilution : 50					
Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 1g(90%)

Golden Hour

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-005

Harvest/Lot ID: 4445 0453 9002 7758

Batch# : 4445 0453 9002
7758

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065724FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/25/23 12:26:48

Reviewed On : 10/25/23 12:35:25

Batch Date : 10/25/23 12:23:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.447	PASS	0.85

Analyzed by: 4056, 585, 3963	Weight: 0.446g	Extraction date: 10/25/23 15:19:57	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065719WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/25/23 13:23:55

Reviewed On : 10/25/23 15:28:03

Batch Date : 10/25/23 11:09:51

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23