



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31025001-006
Harvest/Lot ID: 9852 6001 4014 8300
Batch#: 9852 6001 4014 8300
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 8993 2243 5048 9587
Batch Date: 07/17/23
Sample Size Received: 15.3 gram
Total Amount: 1937 units
Retail Product Size: 0.3 gram
Ordered: 10/24/23
Sampled: 10/25/23
Completed: 10/27/23
Sampling Method: SOP.T.20.010

Oct 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

86.476%

Total THC/Container : 259.43 mg



Total CBD

0.230%

Total CBD/Container : 0.69 mg



Total Cannabinoids

90.540%

Total Cannabinoids/Container : 271.62 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.351	0.143	0.230	ND	0.217	1.104	ND	1.440	0.534	ND	0.521
mg/unit	259.05	0.43	0.69	ND	0.65	3.31	ND	4.32	1.60	ND	1.56
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3605, 585, 3963

Weight:
0.102g

Extraction date:
10/25/23 11:57:55

Extracted by:
3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA065709POT
Instrument Used : DA-LC-007
Analyzed Date : 10/25/23 11:58:29

Reviewed On : 10/26/23 08:14:29
Batch Date : 10/25/23 09:09:47

Dilution : 400
Reagent : 100423.R32; 060723.24; 100423.R35
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-006

Harvest/Lot ID: 9852 6001 4014 8300

Batch# : 9852 6001 4014
8300

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 15.3 gram

Total Amount : 1937 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.84	3.945		SABINENE	0.007	ND	ND	
LIMONENE	0.007	5.42	1.805		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.18	0.727		TOTAL TERPINEOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.11	0.369		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.86	0.287		ALPHA-TERPINENE	0.007	ND	ND	
VALENCENE	0.007	0.59	0.198		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	0.40	0.134		BETA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.32	0.107		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	0.25	0.083						
ALPHA-BISABOLOL	0.007	0.24	0.081		Analyzed by:	Weight:	Extraction date:	Extracted by:	
NEROL	0.007	0.22	0.072		2076, 585, 3963	1.0814g	10/25/23 12:15:33	1879	
CARYOPHYLLENE OXIDE	0.007	0.15	0.051		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	0.09	0.031		Analytical Batch : DA06S721TER			Reviewed On : 10/27/23 14:10:05	
BORNEOL	0.013	<0.12	<0.040		Instrument Used : DA-GCMS-009			Batch Date : 10/25/23 11:16:20	
CAMPHOR	0.007	<0.18	<0.060		Analyzed Date : 10/27/23 12:52:12				
FARNESENE	0.001	<0.03	<0.009		Dilution : 10				
CIS-NEROLIDOL	0.007	<0.06	<0.020		Reagent : 121622.26				
TRANS-NEROLIDOL	0.007	<0.06	<0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
3-CARENE	0.007	ND	ND		Pipette : N/A				
CAMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			3.945						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31025001-006

Harvest/Lot ID: 9852 6001 4014 8300

 Batch# : 9852 6001 4014
 8300

Sampled : 10/25/23

Ordered : 10/25/23


Sample Size Received : 15.3 gram

Total Amount : 1937 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963 Weight: 0.2586g Extraction date: 10/26/23 11:23:11 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA065725PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 10/25/23 17:06:16 Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 3963 Weight: 0.2586g Extraction date: 10/26/23 11:23:11 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA065727VOL Instrument Used : DA-GCMS-010 Analyzed Date : 10/26/23 12:12:04 Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31025001-006

Harvest/Lot ID: 9852 6001 4014 8300

 Batch# : 9852 6001 4014
 8300

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 15.3 gram

Total Amount : 1937 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 3963

 Weight:
 0.0278g

 Extraction date:
 10/26/23 14:03:17

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA065731SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 10/25/23 15:24:53

 Reviewed On : 10/26/23 14:53:21
 Batch Date : 10/25/23 14:13:53

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.099; 172723
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31025001-006

Harvest/Lot ID: 9852 6001 4014 8300

 Batch# : 9852 6001 4014
 8300

Sampled : 10/25/23

Ordered : 10/25/23




Sample Size Received : 15.3 gram

Total Amount : 1937 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 585, 3963 Weight: 1.053g Extraction date: 10/25/23 11:00:15 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065710MIC Reviewed On : 10/26/23 12:43:54 Batch Date : 10/25/23 09:17:26 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254 Analyzed Date : 10/25/23 11:18:02 Dilution : N/A Reagent : 083123.165; 100423.R39; 081023.03 Consumables : 7566004011 Pipette : N/A						Analyzed by: 3379, 585, 3963 Weight: 0.2586g Extraction date: 10/26/23 11:23:11 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065726MYC Instrument Used : N/A Analyzed Date : 10/25/23 17:06:56 Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3621, 585, 3963 Weight: 1.053g Extraction date: 10/25/23 11:00:15 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065716TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 10/25/23 11:19:08 Dilution : 10 Reagent : 083123.165; 101723.R10 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 3963 Weight: 0.2273g Extraction date: 10/25/23 12:13:42 Extracted by: 1022, 4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065720HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 10/25/23 15:10:42 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g
Midnight Cruiser
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31025001-006

Harvest/Lot ID: 9852 6001 4014 8300

Batch# : 9852 6001 4014
8300

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 15.3 gram

Total Amount : 1937 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:
1879, 3963

Weight:
NA

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA065724FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/25/23 12:26:48

Reviewed On : 10/25/23 12:35:24

Batch Date : 10/25/23 12:23:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.446	PASS	0.85

Analyzed by:
4056, 585, 3963

Weight:
0.337g

Extraction date:
10/25/23 15:19:57

Extracted by:
4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA065719WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/25/23 13:23:55

Reviewed On : 10/25/23 15:28:04

Batch Date : 10/25/23 11:09:51

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23