



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31122013-001
Harvest/Lot ID: 9434 2521 7190 6276
Batch#: 9434 2521 7190 6276
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3263 1959 8588 7616
Batch Date: 08/24/23
Sample Size Received: 16 gram
Total Amount: 1968 units
Retail Product Size: 1 gram
Ordered: 11/22/23
Sampled: 11/22/23
Completed: 11/27/23
Sampling Method: SOP.T.20.010

Nov 27, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
85.296%

Total THC/Container : 852.96 mg


Total CBD
0.307%

Total CBD/Container : 3.07 mg


Total Cannabinoids
90.394%

Total Cannabinoids/Container : 903.94 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.209	0.100	0.307	ND	0.434	2.217	ND	0.877	0.453	ND	0.797
mg/unit	852.09	1.00	3.07	ND	4.34	22.17	ND	8.77	4.53	ND	7.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 3605, 3963

 Weight:
 0.0514g

 Extraction date:
 11/22/23 22:15:39

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066707POT

Instrument Used : DA-LC-007

Analyzed Date : 11/22/23 22:17:49

Reviewed On : 11/26/23 20:47:12

Batch Date : 11/22/23 20:25:12

Dilution : 200

Reagent : 112223.R27; 060723.24; 110723.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 11/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Disposable Pen 1g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122013-001

Harvest/Lot ID: 9434 2521 7190 6276

Batch# : 9434 2521 7190
6276

Sampled : 11/22/23
Ordered : 11/22/23

Sample Size Received : 16 gram

Total Amount : 1968 units

Completed : 11/27/23 Expires: 11/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.63	2.263		LINALOOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	8.84	0.884		NEROL	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	4.43	0.443		PULEGONE	0.007	ND	ND	
OCIMENE	0.007	2.52	0.252		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.87	0.187		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.17	0.117		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.99	0.099		ALPHA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.90	0.090		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	0.87	0.087						
VALENCENE	0.007	0.46	0.046		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PHELLANDRENE	0.007	0.35	0.035		2076, 585, 3963	0.9678g	11/22/23 22:22:26	3702	
BETA-PINENE	0.007	0.23	0.023		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	<0.20	<0.020		Analytical Batch : DA066709TER			Reviewed On : 11/27/23 09:24:41	
LIMONENE	0.007	<0.20	<0.020		Instrument Used : DA-GCMS-009			Batch Date : 11/22/23 20:38:41	
TOTAL TERPINEOL	0.007	<0.20	<0.020		Analyzed Date : 11/24/23 12:52:08				
ALPHA-BISABOLOL	0.007	<0.20	<0.020		Dilution : 10				
ALPHA-PINENE	0.007	<0.20	<0.020		Reagent : 121622.26				
CIS-NEROLIDOL	0.007	<0.20	<0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
3-CARENE	0.007	ND	ND		Pipette : N/A				
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			2.263						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Disposable Pen 1g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122013-001

Harvest/Lot ID: 9434 2521 7190 6276

Batch# : 9434 2521 7190
6276

Sampled : 11/22/23
Ordered : 11/22/23

Sample Size Received : 16 gram

Total Amount : 1968 units

Completed : 11/27/23 Expires: 11/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 3963	Weight: 0.2677g	Extraction date: 11/22/23 22:32:06	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066710PES		Reviewed On : 11/25/23 13:18:48			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/22/23 20:41:14			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/22/23 23:15:01					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 112023.R20; 112223.R38; 112223.R13; 111723.R06; 112123.R13; 112223.R11; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 3963	Weight: 0.2677g	Extraction date: 11/22/23 22:32:06	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066716VOL		Reviewed On : 11/25/23 13:16:47			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 11/22/23 21:04:44			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/22/23 23:23:56					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 112223.R13; 040423.08; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Disposable Pen 1g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122013-001

Harvest/Lot ID: 9434 2521 7190 6276

Batch# : 9434 2521 7190
6276

Sampled : 11/22/23

Ordered : 11/22/23

Sample Size Received : 16 gram

Total Amount : 1968 units

Completed : 11/27/23 Expires: 11/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0264g

Extraction date:
11/25/23 11:07:32

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA066697SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 11/22/23 17:45:40

Reviewed On : 11/25/23 13:52:40
Batch Date : 11/22/23 17:14:54

Dilution : 1
Reagent : N/A
Consumables : R2017.099; G201.062
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31122013-001

Harvest/Lot ID: 9434 2521 7190 6276

 Batch# : 9434 2521 7190
 6276

 Sampled : 11/22/23
 Ordered : 11/22/23


Sample Size Received : 16 gram


Total Amount : 1968 units

Completed : 11/27/23 Expires: 11/27/24


Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																													
<table><tr><td>Analyzed by: 3390, 3336, 585, 3963</td><td>Weight: 1.134g</td><td>Extraction date: 11/22/23 21:30:30</td><td>Extracted by: 3390</td></tr></table>	Analyzed by: 3390, 3336, 585, 3963	Weight: 1.134g	Extraction date: 11/22/23 21:30:30	Extracted by: 3390																																														
Analyzed by: 3390, 3336, 585, 3963	Weight: 1.134g	Extraction date: 11/22/23 21:30:30	Extracted by: 3390																																															
<table><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 11/25/23 13:47:20</td></tr><tr><td>Analytical Batch : DA066696MIC</td></tr><tr><td></td></tr></table>	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Reviewed On : 11/25/23 13:47:20	Analytical Batch : DA066696MIC																																															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Reviewed On : 11/25/23 13:47:20																																																	
Analytical Batch : DA066696MIC																																																		
<table><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td><td rowspan="2">Batch Date : 11/22/23 17:01:36</td></tr><tr><td>Analyzed Date : 11/22/23 22:59:39</td></tr></table>	Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021	Batch Date : 11/22/23 17:01:36	Analyzed Date : 11/22/23 22:59:39																																															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021	Batch Date : 11/22/23 17:01:36																																																	
Analyzed Date : 11/22/23 22:59:39																																																		
<table><tr><td>Dilution : N/A</td></tr><tr><td>Reagent : 101123.07; 102323.R20; 081023.07; 083123.105; 101123.09</td></tr><tr><td>Consumables : 7568001004</td></tr><tr><td>Pipette : N/A</td></tr></table>	Dilution : N/A	Reagent : 101123.07; 102323.R20; 081023.07; 083123.105; 101123.09	Consumables : 7568001004	Pipette : N/A																																														
Dilution : N/A																																																		
Reagent : 101123.07; 102323.R20; 081023.07; 083123.105; 101123.09																																																		
Consumables : 7568001004																																																		
Pipette : N/A																																																		
<table><tr><td>Analyzed by: 3390, 3621, 585, 3963</td><td>Weight: 1.134g</td><td>Extraction date: N/A</td><td>Extracted by: 3390</td></tr></table>	Analyzed by: 3390, 3621, 585, 3963	Weight: 1.134g	Extraction date: N/A	Extracted by: 3390																																														
Analyzed by: 3390, 3621, 585, 3963	Weight: 1.134g	Extraction date: N/A	Extracted by: 3390																																															
<table><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 11/25/23 13:23:57</td></tr><tr><td>Analytical Batch : DA066702TYM</td></tr><tr><td>Instrument Used : Incubator (25-27C) DA-097</td></tr><tr><td>Analyzed Date : 11/22/23 23:10:06</td><td></td><td></td></tr></table>	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Reviewed On : 11/25/23 13:23:57	Analytical Batch : DA066702TYM	Instrument Used : Incubator (25-27C) DA-097	Analyzed Date : 11/22/23 23:10:06																																													
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Reviewed On : 11/25/23 13:23:57																																																	
Analytical Batch : DA066702TYM																																																		
Instrument Used : Incubator (25-27C) DA-097																																																		
Analyzed Date : 11/22/23 23:10:06																																																		
<table><tr><td>Dilution : 10</td></tr><tr><td>Reagent : 101123.07; 101723.R10; 101123.09</td></tr><tr><td>Consumables : N/A</td></tr><tr><td>Pipette : N/A</td></tr></table>	Dilution : 10	Reagent : 101123.07; 101723.R10; 101123.09	Consumables : N/A	Pipette : N/A																																														
Dilution : 10																																																		
Reagent : 101123.07; 101723.R10; 101123.09																																																		
Consumables : N/A																																																		
Pipette : N/A																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																	
<table><tr><td>Analyzed by: 3379, 585, 3963</td><td>Weight: 0.2677g</td><td>Extraction date: 11/22/23 22:32:06</td><td>Extracted by: 450,3379</td></tr></table>	Analyzed by: 3379, 585, 3963	Weight: 0.2677g	Extraction date: 11/22/23 22:32:06	Extracted by: 450,3379																																		
Analyzed by: 3379, 585, 3963	Weight: 0.2677g	Extraction date: 11/22/23 22:32:06	Extracted by: 450,3379																																			
<table><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td rowspan="3">Reviewed On : 11/24/23 20:27:23</td></tr><tr><td>Analytical Batch : DA066715MYC</td></tr><tr><td>Instrument Used : N/A</td></tr><tr><td>Analyzed Date : 11/22/23 23:15:11</td><td></td><td>Batch Date : 11/22/23 21:04:41</td></tr></table>	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On : 11/24/23 20:27:23	Analytical Batch : DA066715MYC	Instrument Used : N/A	Analyzed Date : 11/22/23 23:15:11		Batch Date : 11/22/23 21:04:41																															
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On : 11/24/23 20:27:23																																					
Analytical Batch : DA066715MYC																																						
Instrument Used : N/A																																						
Analyzed Date : 11/22/23 23:15:11		Batch Date : 11/22/23 21:04:41																																				
<table><tr><td>Dilution : 250</td></tr><tr><td>Reagent : 112023.R20; 112223.R38; 112223.R13; 111723.R06; 112123.R13; 112223.R11; 040423.08</td></tr><tr><td>Consumables : 326250IW</td></tr><tr><td>Pipette : DA-093; DA-094; DA-219</td></tr></table>	Dilution : 250	Reagent : 112023.R20; 112223.R38; 112223.R13; 111723.R06; 112123.R13; 112223.R11; 040423.08	Consumables : 326250IW	Pipette : DA-093; DA-094; DA-219																																		
Dilution : 250																																						
Reagent : 112023.R20; 112223.R38; 112223.R13; 111723.R06; 112123.R13; 112223.R11; 040423.08																																						
Consumables : 326250IW																																						
Pipette : DA-093; DA-094; DA-219																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

<div><div></div><div>Hg</div></div>	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																	
ARSENIC	0.020	ppm	ND	PASS	0.2																																	
CADMIUM	0.020	ppm	ND	PASS	0.2																																	
MERCURY	0.020	ppm	ND	PASS	0.2																																	
LEAD	0.020	ppm	ND	PASS	0.5																																	
<table><tr><td>Analyzed by: 1022, 585, 3963</td><td>Weight: 0.2307g</td><td>Extraction date: 11/22/23 22:21:52</td><td>Extracted by: 1022.1879</td></tr></table>	Analyzed by: 1022, 585, 3963	Weight: 0.2307g	Extraction date: 11/22/23 22:21:52	Extracted by: 1022.1879																																		
Analyzed by: 1022, 585, 3963	Weight: 0.2307g	Extraction date: 11/22/23 22:21:52	Extracted by: 1022.1879																																			

	Mycotoxins			PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963		Weight: 0.2677g		Extraction date: 11/22/23 22:32:06	
Extracted by: 450,3379					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066715MYC			Reviewed On : 11/24/23 20:27:23		
Instrument Used : N/A			Batch Date : 11/22/23 21:04:41		
Analyzed Date : 11/22/23 23:15:11					
Dilution : 250					
Reagent : 112023.R20; 112223.R38; 112223.R13; 111723.R06; 112123.R13; 112223.R11; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2307g	Extraction date: 11/22/23 22:21:52		Extracted by: 1022,1879		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA066708HEA			Reviewed On : 11/25/23 17:34:04			
Instrument Used : DA-ICPMS-004			Batch Date : 11/22/23 20:35:06			
Analyzed Date : 11/25/23 16:57:03						
Dilution : 50						
Reagent : 102723.R12; 111723.R17; 111623.R11; 111723.R15; 111723.R16; 112023.R22; 110123.49; 111023.R06						
Consumables : 179436; 210508058; 12594-247CD-247C						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Disposable Pen 1g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31122013-001

Harvest/Lot ID: 9434 2521 7190 6276

Batch# : 9434 2521 7190 6276

Sampled : 11/22/23

Ordered : 11/22/23

Sample Size Received : 16 gram

Total Amount : 1968 units

Completed : 11/27/23 Expires: 11/27/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:
1879, 3963

Weight:
NA

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA066704FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/23/23 12:50:10

Reviewed On : 11/23/23 13:25:12

Batch Date : 11/22/23 19:43:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.422	PASS	0.85

Analyzed by:
4371, 585, 3963

Weight:
0.427g

Extraction date:
11/22/23 22:29:00

Extracted by:
4371

Analysis Method : SOP.T.40.019

Analytical Batch : DA066711WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 11/24/23 20:36:23

Batch Date : 11/22/23 20:46:35

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/23