

Type: Distillate

...... Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix: Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis COMPLIANCE FOR RETAIL**

Sample:DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614 Batch#: 9050 8060 3318 7614 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing** Source Facility : Tampa Processing Seed to Sale# 2165 5011 5034 4628 Batch Date: 08/31/23 Sample Size Received: 15.5 gram Total Amount: 1881 units Retail Product Size: 0.5 gram Ordered: 10/13/23 Sampled: 10/14/23 Completed: 10/17/23 Sampling Method: SOP.T.20.010

## Oct 17, 2023 | FLUENT

90 991%

82 NE 26th street Miami, FL, 33137, US

# PASSED

Pages 1 of 6 PRODUCT IMAGE SAFETY RESULTS MISC. Нα Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED PASSED PASSED NOT TESTED PASSED PASSED PASSED Cannabinoid Total CBD Total THC

0 231%

		AJJL
	Total Cannabinoids	
7	95.758%	

nalysis Method nalytical Batch	: SOP.T.40.031, SC : DA065417POT : DA-LC-007	DP.T.30.031		0.10229			)/17/23 09:58:06			1005			
nalyzed by: .665, 3605, 585, 1440			Weight: Extraction date:   0.1022q 10/16/23 09:46:40				Extracted by: 1665						
	%	%	%	%	%	%	%	%	%	%	%		
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		
mg/unit	454.96	ND	1.16	ND	0.92	9.88	ND	7.12	1.57	ND	3.19		
%	90.991	ND	0.231	ND	0.184	1.976	ND	1.424	0.314	ND	0.638		
	D9-ТНС	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС		
		THC/Container	: 454.96 mg	~	Total CBD/Container : 1.16 mg				Total Cannabinoids/Container : 4				

Dilution: 400

Reagent : 100623.R02; 061623.02; 100623.R03 Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 10/17/23



..... ..... Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

TESTED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614 Batch#: 9050 8060 3318 7614 Sampled : 10/14/23 Ordered : 10/14/23

Sample Size Received : 15.5 gram Total Amount : 1881 units Completed : 10/17/23 Expires: 10/17/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	14.82	2.964		SABINENE	0.007	ND	ND		
TOTAL TERPINEOL	0.007	0.15	0.030		GUAIOL	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	1.52	0.304		FENCHYL ALCOHOL	0.007	0.16	0.032		
ALPHA-HUMULENE	0.007	0.39	0.077		BORNEOL	0.013	<0.20	< 0.040		
BETA-MYRCENE	0.007	5.38	1.075		CIS-NEROLIDOL	0.007	ND	ND		
LIMONENE	0.007	1.15	0.229		3-CARENE	0.007	ND	ND		
ALPHA-BISABOLOL	0.007	<0.10	<0.020		ALPHA-PINENE	0.007	0.77	0.154		
LINALOOL	0.007	0.88	0.175		CEDROL	0.007	ND	ND		
BETA-PINENE	0.007	0.24	0.048		Analyzed by:	Weight:	Extrac	tion date:		Extracted by:
ALENCENE	0.007	ND	ND		1879, 2076, 585, 1440	1.0442g		23 13:58:00	)	1879
PULEGONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL				
SOPULEGOL	0.007	ND	ND		Analytical Batch : DA065403TER Instrument Used : DA-GCMS-009				/17/23 09:58:08 4/23 12:32:13	
GERANYL ACETATE	0.007	ND	ND		Analyzed Date : 10/15/23 18:52:48		Batch	Date: 10/1	4/23 12:32:13	
LPHA-CEDRENE	0.007	ND	ND		Dilution : 10					
UCALYPTOL	0.007	ND	ND		Reagent : 083123.51					
AMPHENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; (	CE0123; R1KB14270				
LPHA-PHELLANDRENE	0.007	<0.10	<0.020		Pipette : N/A					
SAMMA-TERPINENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Cl	hromatography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is drj	-weight corrected.
RANS-NEROLIDOL	0.007	ND	ND							
SOBORNEOL	0.007	<0.10	<0.020							
DCIMENE	0.007	2.30	0.459							
ALPHA-TERPINOLENE	0.007	1.75	0.349							
SABINENE HYDRATE	0.007	ND	ND							
ENCHONE	0.007	<0.20	< 0.040							
ARNESENE	0.001	0.16	0.032							
ALPHA-TERPINENE	0.007	ND	ND							
IEROL	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
CARYOPHYLLENE OXIDE	0.007	<0.10	<0.020							
IEXAHYDROTHYMOL	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/17/23



..... Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614

Batch#: 9050 8060 3318 7614 Sampled : 10/14/23 Ordered : 10/14/23

Sample Size Received : 15.5 gram Total Amount : 1881 units Completed : 10/17/23 Expires: 10/17/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	) ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		) ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		) ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND						ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		) ppm	0.1	PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		) ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	) ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	) ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	) ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		) ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		) ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND				0.1		ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		) ppm		PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PC)	NB)* 0.010	) PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	) PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		) PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		) PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND			ion date: 3 14:37:52		Extracted b 3379.450	y:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (0			COD T 40 101 0		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	Jamesvine), SOP.1.50.1	JZ.FL (Davie),	50F.1.40.101.1	L (Gamesville)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065427PES		Reviewed O	n:10/17/2310	):59:56	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES	5)	Batch Date	10/16/23 08:2	8:31	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :10/16/23 13:39:35					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 101223.R01; 101623.R01; Consumables : 326250IW	100923.R29; 100623.R	04; 101023.RO	1; 101123.R01	; 040521.11	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perform	med utilizing Liquid Chro	matography Tri	ple-Quadrupole	Mass Spectrom	etrv in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Wei	ght: Extracti	on date:		Extracted by	/:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.23	28g 10/16/23	14:37:52		3379,450	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (0					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA065429VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :10/16/23 14:42:54	в	atch Date :10	/10/23 08:30:1	.0	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 100923.R29; 040521.11; 0	92523.R21: 092523 R2	2			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W; 14725401		_			
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perform accordance with F.S. Rule 64ER20-39.	med utilizing Gas Chroma	atography Triple	e-Quadrupole M	ass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/17/23



Type: Distillate

Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614 Batch# : 9050 8060 3318 Sample 7614 Total Ar Sampled : 10/14/23 Complet Ordered : 10/14/23 Sample

3318 7614 Sample Size Received :15.5 gram Total Amount :1881 units Completed :10/17/23 Expires:10/17/24 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
analyzed by: 350, 585, 1440	Weight: 0.022g	Extraction date: 10/16/23 13:53:44		<b>Ex</b> 85	tracted by: O				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA065404SOL nstrument Used : DA-GCMS-003 Analyzed Date : 10/16/23 14:00:12		<b>Reviewed On :</b> 10/16/23 14:41:55 <b>Batch Date :</b> 10/14/23 13:06:21							

**Reagent :** 030420.09 **Consumables :** R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/17/23



..... Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614 Batch#: 9050 8060 3318 7614

Sampled : 10/14/23 Ordered : 10/14/23 Sample Size Received : 15.5 gram Total Amount : 1881 units Completed : 10/17/23 Expires: 10/17/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ţ	Microl	bial			PAS	SED	သို့	M	ycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2328g	Extraction da 10/16/23 14:			xtracted I 379,450	oy:
Analyzed by: 8963, 3621, 58	5 1440	Weight: 0.827a	Extraction d		Extracte 3336		Analysis Metho	d:SOP.	.T.30.101.FL (Gair	nesville), SOP.T				
Analysis Metho	d:SOP.T.40.0560 h:DA065386MIC	C, SOP.T.40.0	., , .	40.209.FL	red On : 10,	/17/23	SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)   Analytical Batch : DA065428MYC Reviewed On : 10/17/23 10:07:27   Instrument Used : N/A Batch Date : 10/16/23 08:30:15   Analyzed Date : 10/16/23 13:40:04 Batch Date : 10/16/23 08:30:15							
Biosystems The DA-020,fisherb sotemp Heat E	ed : PathogenDx S ermocycler DA-01 orand Isotemp Hea Block DA-021 : 10/16/23 11:07:	.0,fisherbrand at Block DA-0	d Isotemp He	at Block 10:47:0	<b>Date :</b> 10/1 08	4/23	Dilution : 250 Reagent : 1012 040521.11 Consumables : Pipette : DA-09	326250		0923.R29; 100	623.R04; 1	L01023.R0	1; 10112	3.R01;
Dilution : N/A Reagent : 0831 Consumables : Pipette : N/A	L23.136; 100423.F 7565004035	R39; 081023.	06				Mycotoxins test accordance wit		ng Liquid Chromato e 64ER20-39.	graphy with Tripl	e-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3336, 3963, 58	5, 1440	Weight: 0.827g	Extraction da 10/14/23 12		Extracted 3336,339		Hg	He	eavy Me	etals			PAS	SED
Analytical Batc	d:SOP.T.40.208 h:DA065401TYM	1	Rev	iewed On : 10/16			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25- : 10/14/23 15:56:		Bato	<b>ch Date :</b> 10/14/2	23 12:27:2.	L	TOTAL CONT		NT LOAD METAL	<b>.s</b> 0.080	ppm	ND	PASS	1.1
-	. 10, 14,20 10.00.	<i></i>					ARSENIC			0.020	ppm	ND	PASS	0.2
ilution: 10 eagent: 0831	L23.136; 092123.F	R18					CADMIUM			0.020	ppm	ND	PASS	0.2
consumables :							MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analyzed by: Weight: Extraction date: Extracted by:   1022, 585, 1440 0.2685q 10/14/23 13:25:15 1022,4306						y:	
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	<b>h:</b> DA06 e <b>d:</b> DA-1	CPMS-004	Review	ed On : 10 Date : 10/1			
							Dilution: 50							

Dilution: 50

Reagent : 092123.R14; 101123.R29; 101323.R13; 100923.R02; 101323.R11; 101323.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/17/23



..... Super Glue x Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Super Glue x Grape Diamond Lilac Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

## PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31014002-003 Harvest/Lot ID: 9050 8060 3318 7614 Batch#: 9050 8060 3318 7614 Sampled : 10/14/23 Ordered : 10/14/23

Sample Size Received : 15.5 gram Total Amount : 1881 units Completed : 10/17/23 Expires: 10/17/24 Sample Method : SOP.T.20.010

	Filth/Fo Materia			PASSED				
Analyte Filth and Forei	gn Material	<b>LOD Units</b> 0.100 %	<b>Result</b> ND	P/F PASS	Action Level			
Analyzed by: L879, 1440	Weight: NA	Extraction N/A	date:	<b>Extra</b> N/A	cted by:			
Analyzed Date : 1		rial Microscope			4/23 21:36:02 23 12:23:02			
	A aterial inspection is pe ordance with F.S. Rule		spection utilizi	ng naked ey	ve and microscope			
	Water A			ΡΑ	SSED			
Analyte Water Activity		LOD Units 0.010 aw	Result 0.515	P/F PASS	Action Level 0.85			
Analyzed by: 1056, 585, 1440	Weight: 0.442g	Extraction d 10/14/23 15						
Analysis Method	: SOP.T.40.019							

Analytical Batch : DA065394WAT Reviewed On : 10/16/23 12:08:25 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 10/14/23 11:45:17 Analyzed Date : 10/14/23 14:51:43 Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 10/17/23

Page 6 of 6