



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31019003-004
Harvest/Lot ID: 0650 3351 8679 0682
Batch#: 0650 3351 8679 0682
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0516 7538 7086 7438
Batch Date: 07/27/23
Sample Size Received: 67.5 gram
Total Amount: 1373 units
Retail Product Size: 11.25 gram
Ordered: 10/18/23
Sampled: 10/19/23
Completed: 10/21/23
Sampling Method: SOP.T.20.010

Oct 21, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
4.290%

Total THC/Container : 482.63 mg


Total CBD
0.013%

Total CBD/Container : 1.46 mg


Total Cannabinoids
4.531%

Total Cannabinoids/Container : 509.74 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.290	ND	0.013	ND	0.021	0.078	ND	0.064	0.026	ND	0.039
mg/unit	482.63	ND	1.46	ND	2.36	8.78	ND	7.20	2.93	ND	4.39
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 3.0225g

 Extraction date:
 10/19/23 13:45:52

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065514POT

Instrument Used : DA-LC-001

Analyzed Date : 10/19/23 13:47:07

Reviewed On : 10/20/23 13:01:44

Batch Date : 10/19/23 08:42:50

Dilution : 400

Reagent : 101823.R01; 060723.24; 101823.R04

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 10/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Communion Drops 11.25g

Communion

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-004

Harvest/Lot ID: 0650 3351 8679 0682

Batch# : 0650 3351 8679
0682

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 67.5 gram

Total Amount : 1373 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
FARNESENE	0.001	<1.01	<0.009		ALPHA-PHELLANDRENE	0.007	ND	ND	
FENCHONE	0.007	<4.50	<0.040		ALPHA-PINENE	0.007	ND	ND	
LINALOOL	0.007	<2.25	<0.020		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	<2.25	<0.020		BETA-MYRCENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<2.25	<0.020		BETA-PINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	<2.25	<0.020		CIS-NEROLIDOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	<2.25	<0.020		GAMMA-TERPINENE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
CAMPHOR	0.007	ND	ND		2076, 585, 1440	0.8407g	10/19/23 16:10:23	2076	
CARYOPHYLLENE OXIDE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CEDROL	0.007	ND	ND		Analytical Batch : DA06531ITER			Reviewed On : 10/21/23 16:11:15	
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/19/23 11:18:32	
FENCHYL ALCOHOL	0.007	ND	ND		Analyzed Date : 10/20/23 10:17:40				
GERANIOL	0.007	ND	ND		Dilution : 10				
GERANYL ACETATE	0.007	ND	ND		Reagent : 121622.26				
GUAJOL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
HEXAHYDROTHYMOL	0.007	ND	ND		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOPULEGOL	0.007	ND	ND						
LIMONENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPENES	0.007	ND	ND						
TOTAL TERPINEOL	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
ALPHA-HUMULENE	0.007	ND	ND						

Total (%)

ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Communion Drops 11.25g

Communion

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-004

Harvest/Lot ID: 0650 3351 8679 0682

Batch# : 0650 3351 8679

0682

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 67.5 gram

Total Amount : 1373 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.2228g	Extraction date:	10/19/23 16:36:40
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),			Extracted by:	3379,450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA065530PES			Reviewed On :	10/20/23 11:18:44
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	10/19/23 11:18:10
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date :	10/19/23 15:56:03				
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11				
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables :	326250IW				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2228g	Extraction date:	10/19/23 16:36:40
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	3379,450
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch :	DA065533VOL			Reviewed On :	10/20/23 11:16:22
MALATHION	0.010	ppm	2	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	10/19/23 11:20:57
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :	10/19/23 16:49:59				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	101723.R11; 040521.11; 092523.R21; 092523.R22				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	14725401; 326250IW				
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31019003-004

Harvest/Lot ID: 0650 3351 8679 0682

 Batch# : 0650 3351 8679
 0682

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 67.5 gram

Total Amount : 1373 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0245g

 Extraction date:
 10/20/23 16:17:00

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA065550SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 10/19/23 17:39:32

 Reviewed On : 10/20/23 17:03:53
 Batch Date : 10/19/23 15:47:29

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-004

Harvest/Lot ID: 0650 3351 8679 0682

Batch# : 0650 3351 8679

0682

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 67.5 gram

Total Amount : 1373 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 5 of 6

Microbial

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level		
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analized by: 3621, 3336, 585, 1440	Weight: 0.8122g	Extraction date: 10/19/23 11:31:01	Extracted by: 3621	Reviewed On : 10/20/23 13:31:27 Batch Date : 10/19/23 09:24:36			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065519MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analized Date : 10/19/23 12:34:17							
Dilution : N/A Reagent : 083123.138; 100423.R39; 100423.R40; 081023.06 Consumables : 7566003047 Pipette : N/A							
Analized by: 3390, 3336, 585, 1440	Weight: 0.8122g	Extraction date: 10/19/23 11:31:01	Extracted by: 3621,3390	Reviewed On : 10/21/23 16:11:34 Batch Date : 10/19/23 12:02:46			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065543TYM Instrument Used : Incubator (25-27C) DA-097 Analized Date : 10/19/23 14:39:01							
Dilution : 10 Reagent : 083123.138; 101723.R10 Consumables : N/A Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analized by: 3379, 585, 1440	Weight: 0.2228g	Extraction date: 10/19/23 16:36:40	Extracted by: 3379,450	Reviewed On : 10/20/23 10:48:11 Batch Date : 10/19/23 11:49:46			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA06554QMYC Instrument Used : DA-LCMS-004 (MYC) Analized Date : 10/19/23 15:55:46							
Dilution : 250 Reagent : 101823.R35; 101623.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

Hg

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5		
ARSENIC	0.020	ppm	ND	PASS	1.5		
CADMIUM	0.020	ppm	ND	PASS	0.5		
MERCURY	0.020	ppm	ND	PASS	3		
LEAD	0.020	ppm	ND	PASS	0.5		
Analized by: 1022, 585, 1440	Weight: 0.2398g	Extraction date: 10/19/23 11:21:31	Extracted by: 1022	Reviewed On : 10/20/23 11:27:10 Batch Date : 10/19/23 10:25:35			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065522HEA Instrument Used : DA-ICPMS-004 Analized Date : 10/19/23 16:04:45							
Dilution : 50 Reagent : 092123.R14; 101123.R29; 101323.R13; 101823.R29; 101323.R11; 101323.R12; 101123.R28; 101123.R27 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Communion Drops 11.25g

Communion

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31019003-004

Harvest/Lot ID: 0650 3351 8679 0682

Batch# : 0650 3351 8679
0682

Sampled : 10/19/23

Ordered : 10/19/23

Sample Size Received : 67.5 gram

Total Amount : 1373 units

Completed : 10/21/23 Expires: 10/21/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065553FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/20/23 20:18:36

Reviewed On : 10/20/23 20:29:22

Batch Date : 10/19/23 22:42:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.410	TESTED	

Analyzed by: 4056, 585, 1440	Weight: 0.631g	Extraction date: 10/20/23 08:40:56	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065548WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 10/20/23 13:01:46

Batch Date : 10/19/23 12:05:38

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/21/23