



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA31026010-006
Harvest/Lot ID: 9895 6099 9121 2812
Batch#: 9895 6099 9121 2812
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4276 1814 9053 7115
Batch Date: 08/04/23
Sample Size Received: 78.75 gram
Total Amount: 1439 units
Retail Product Size: 11.25 gram
Ordered: 10/25/23
Sampled: 10/26/23
Completed: 10/28/23
Sampling Method: SOP.T.20.010

Oct 28, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
4.124%

Total THC/Container : 463.95 mg


Total CBD
0.018%

Total CBD/Container : 2.03 mg


Total Cannabinoids
4.364%

Total Cannabinoids/Container : 490.95 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.120	0.005	0.018	ND	0.013	0.098	0.003	0.048	0.030	ND	0.029
mg/unit	463.50	0.56	2.03	ND	1.46	11.03	0.34	5.40	3.38	ND	3.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 3963

Weight:
3.0208g

Extraction date:
10/26/23 14:16:25

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065754POT

Instrument Used : DA-LC-007

Analyzed Date : 10/26/23 14:18:24

Reviewed On : 10/27/23 08:54:05

Batch Date : 10/26/23 11:49:03

Dilution : 400

Reagent : 100423.R32; 060723.24; 100423.R35

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31026010-006

Harvest/Lot ID: 9895 6099 9121 2812

Batch# : 9895 6099 9121
2812

Sample Size Received : 78.75 gram

Total Amount : 1439 units

Completed : 10/26/23

Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	70.54	0.627		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	32.40	0.288		ALPHA-PHELLANDRENE	0.007	ND	ND	
GERANIOL	0.007	11.25	0.100		ALPHA-PINENE	0.007	ND	ND	
OCIMENE	0.007	8.21	0.073		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	8.21	0.073		BETA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.94	0.035		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	3.83	0.034		GAMMA-TERPINENE	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	2.70	0.024		TRANS-NEROLIDOL	0.007	ND	ND	
CAMPHOR	0.007	<6.75	<0.060						
LINALOOL	0.007	<2.25	<0.020						
ALPHA-BISABOLOL	0.007	<2.25	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPENEOL	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						

Total (%)

0.627

Analyzed by: 2076, 585, 3963

Weight: 1.0008g

Extraction date: 10/26/23 16:58:18

Extracted by: 2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA065739TER

Instrument Used : DA-GCMS-009

Analyzed Date : 10/27/23 10:45:05

Reviewed On : 10/28/23 13:22:05

Batch Date : 10/26/23 10:17:10

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31026010-006

Harvest/Lot ID: 9895 6099 9121 2812

Batch# : 9895 6099 9121

2812

Sampled : 10/26/23

Ordered : 10/26/23

Sample Size Received : 78.75 gram

Total Amount : 1439 units

Completed : 10/28/23 Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.2502g	Extraction date: 10/27/23 08:33:31	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065767PES		Reviewed On : 10/28/23 10:00:20			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/26/23 12:19:14			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/26/23 16:47:26					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.2502g	Extraction date: 10/27/23 08:33:31	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA065769VOL		Reviewed On : 10/27/23 16:38:28			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/26/23 12:21:35			
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31026010-006

Harvest/Lot ID: 9895 6099 9121 2812

Batch# : 9895 6099 9121
2812

Sampled : 10/26/23

Ordered : 10/26/23

Sample Size Received : 78.75 gram

Total Amount : 1439 units

Completed : 10/28/23 Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0233g

Extraction date:
10/28/23 13:42:57

Extracted by:
3605,850,585

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065776SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/27/23 15:21:56

Reviewed On : 10/28/23 14:56:50
Batch Date : 10/26/23 16:39:31

Dilution : 1
Reagent : 030420.09
Consumables : R2017.100; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31026010-006

Harvest/Lot ID: 9895 6099 9121 2812

 Batch# : 9895 6099 9121
 2812

 Sampled : 10/26/23
 Ordered : 10/26/23

Sample Size Received : 78.75 gram

Total Amount : 1439 units

Completed : 10/28/23 Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 3963	Weight: 0.2502g	Extraction date: 10/27/23 08:33:31		Extracted by: 3379	
Analyzed by: 3336, 3621, 585, 3963	Weight: 1.1281g	Extraction date: 10/26/23 12:49:48	Extracted by: 3336	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA065768MYC							
Analytical Batch : DA065755MIC				Reviewed On : 10/27/23 15:00:19							
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021				Batch Date : 10/26/23 11:49:55							
Analyzed Date : 10/26/23 14:24:45				Dilution : 250							
Dilution : N/A				Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11							
Reagent : 083123.171; 100423.R39; 081023.03				Consumables : 326250IW							
Consumables : 7566003047				Pipette : DA-093; DA-094; DA-219							
Pipette : N/A				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 3336, 585, 3963		Weight: 1.1281g	Extraction date: 10/26/23 12:55:42	Extracted by: 3336, 3621, 3390
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA065770TYM</div> <div>Instrument Used : Incubator (25-27C) DA-096</div> <div>Analyzed Date : 10/26/23 13:26:23</div> <div>Reviewed On : 10/28/23 13:22:06</div> <div>Batch Date : 10/26/23 12:52:51</div>				
<div>Dilution : 10</div> <div>Reagent : 083123.171; 101723.R10</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.				

<div>Hg</div>		Heavy Metals				PASSED
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	5
ARSENIC		0.020	ppm	ND	PASS	1.5
CADMIUM		0.020	ppm	ND	PASS	0.5
MERCURY		0.020	ppm	ND	PASS	3
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963		Weight: 0.2441g	Extraction date: 10/26/23 13:23:33		Extracted by: 1022	
<div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA065743HEA</div> <div>Instrument Used : DA-ICPMS-004</div> <div>Analyzed Date : 10/26/23 15:56:43</div> <div>Reviewed On : 10/27/23 10:28:36</div> <div>Batch Date : 10/26/23 10:47:05</div>						
<div>Dilution : 50</div> <div>Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27</div> <div>Consumables : 179436; 210508058; 12594-247CD-247C</div> <div>Pipette : DA-061; DA-191; DA-216</div>						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31026010-006

Harvest/Lot ID: 9895 6099 9121 2812

Batch# : 9895 6099 9121
2812

Sampled : 10/26/23

Ordered : 10/26/23

Sample Size Received : 78.75 gram

Total Amount : 1439 units

Completed : 10/28/23 Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065774FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/26/23 19:03:19

Reviewed On : 10/26/23 19:11:43

Batch Date : 10/26/23 15:49:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.415	TESTED	

Analyzed by: 4056, 585, 3963	Weight: 0.331g	Extraction date: 10/26/23 15:15:19	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065753WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/26/23 15:07:08

Reviewed On : 10/26/23 17:07:40

Batch Date : 10/26/23 11:33:21

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23