

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

:

Wise Guy Cured SGR 1 g

Wise Guy

Matrix: Derivative Type: Sugar Wax

Sample:DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#: 5712 9637 6168 1758

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 8701 1308 2503 2721

> Batch Date: 08/21/23 Sample Size Received: 16 gram

Total Amount: 629 units Retail Product Size: 1 gram

> **Ordered:** 10/28/23 Sampled: 10/28/23

Completed: 10/31/23

Sampling Method: SOP.T.20.010

PASSED

Oct 31, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

MISC.

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 743.27 mg

74.327%



Total CBD

0.114% Total CBD/Container: 1.14 mg



Total Cannabinoids

Total Cannabinoids/Container: 866.51 mg



Extracted by: Analyzed by: 1665, 585, 4044 Weight: 0.0879q **Extraction date** 10/30/23 11:19:02

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA065861POT Instrument Used : DA-LC-007

Analyzed Date: 10/30/23 11:19:42

Reagent: 102723.R01; 070621.18; 102423.R03 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 10/31/23 10:59:37 Batch Date: 10/30/23 07:16:19

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Wise Guy Cured SGR 1 g

Wise Guy Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#: 5712 9637 6168

Sampled: 10/28/23 Ordered: 10/28/23

Sample Size Received: 16 gram Total Amount: 629 units

Completed: 10/31/23 Expires: 10/31/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	63.94	6.394			SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	20.17	2.017			SABINENE HYDRATE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	8.06	0.806			VALENCENE	0.007	ND	ND	
LIMONENE	0.007	6.55	0.655			ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	6.37	0.637			ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	4.44	0.444			CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.97	0.297			GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.35	0.235			TRANS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	2.31	0.231			Analyzed by:	Weight:	Extractio	on date:	Extracted by:
ALPHA-PINENE	0.007	1.60	0.160			1879, 2076, 585, 4044	1.023g	10/29/23	3 13:18:19	1879,2076
TOTAL TERPINEOL	0.007	1.59	0.159			Analysis Method: SOP.T.30.061A.FL, SOP.T	.40.061A.FL			
OCIMENE	0.007	1.51	0.151		Ī	Analytical Batch : DA065814TER				/31/23 10:59:39 7/23 15:37:20
CARYOPHYLLENE OXIDE	0.007	1.49	0.149		Ì	Instrument Used: DA-GCMS-008 Analyzed Date: 10/28/23 10:01:03		Batti	n Date: 10/2	//23 15:37:20
BETA-PINENE	0.007	1.49	0.149		Ì	Dilution: 10				
BETA-MYRCENE	0.007	1.15	0.115		Î	Reagent: 121622.26				
BORNEOL	0.013	0.81	0.081			Consumables: 210414634; MKCN9995; CE	0123; R1KB14270			
GUAIOL	0.007	0.47	0.047			Pipette : N/A				
CAMPHENE	0.007	0.33	0.033			Terpenoid testing is performed utilizing Gas Chro	matograpny Mass Spectroi	netry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
HEXAHYDROTHYMOL	0.007	0.28	0.028							
3-CARENE	0.007	< 0.20	< 0.020							
ALPHA-PHELLANDRENE	0.007	< 0.20	< 0.020							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
T . I . I (0/)										

Total (%)

6.394

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director



Kaycha Labs

Wise Guy Cured SGR 1 g

Wise Guy Matrix : Derivative

Type: Sugar Wax



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#: 5712 9637 6168

Sampled: 10/28/23 Ordered: 10/28/23

Sample Size Received: 16 gram Total Amount : 629 units

Completed: 10/31/23 Expires: 10/31/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P. P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	1.1.	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
СЕРНАТЕ	0.010		0.1	PASS	ND					0.1	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010				
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010	P. P.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZEI	NE (DCND) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND		ME (PUND)	0.010		0.13	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *				0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070				
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	l bv:
METHOATE	0.010		0.1	PASS	ND	3379, 585, 4044	0.203q		3 15:18:52		3379	,.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP.T.40.101),
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA065879F				n:10/31/23 1		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0			Batch Date	:10/30/23 09:	:45:53	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 10/30/23 15:2	23:21					
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 102523.R08; 10232	3 R01- 102523 P11	· 102523 pn	Q- 101022 PC	11: 102523 P1	2: 040521 11	
PRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	.5.1101, 102325.1111	., 102323.110	5, 101025.110	,1, 102323.1(1	2, 040321.11	
ONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is		Liquid Chron	natography Tr	iple-Quadrupol	le Mass Spectror	netry in
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER	20-39.					
AZALIL	0.010	1.1	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted	by:
IDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044	0.203g		15:18:52		3379	
ESOXIM-METHYL	0.010	1.1.	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA065881\ Instrument Used : DA-GCMS-(10/31/23 18:3 0/30/23 09:48		
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 10/30/23 17:4		Do	ren pare : 1	3,50,25 05.40	.00	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 102523.R11; 04052	21.11; 092523.R21:	092523.R22				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW; 14	725401					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA	-218					
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is	s performed utilizina	Gas Chromat	tography Tripl	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Wise Guy Cured SGR 1 g

Wise Guy Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#:5712 9637 6168

Sampled: 10/28/23 Ordered: 10/28/23 Sample Size Received: 16 gram
Total Amount: 629 units

Completed: 10/31/23 Expires: 10/31/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	xtracted by:	

Reviewed On: 10/31/23 18:40:58

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 4044
 0.0264g
 10/31/23 18:06:18
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA065883SOL Instrument Used: DA-GCMS-003 Analyzed Date: 10/31/23 13:59:46

Dilution: 1
Reagent: 030420.09

Consumables : R2017.099; 172723 Pipette : DA-309 25 uL Syringe 35028

: DA-GCMS-003 Batch Date : 10/30/23 17:10:27

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Wise Guy Cured SGR 1 g

Matrix : Derivative

Wise Guy Type: Sugar Wax



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#: 5712 9637 6168

Sampled: 10/28/23 Ordered: 10/28/23

Sample Size Received: 16 gram Total Amount: 629 units

Completed: 10/31/23 Expires: 10/31/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		ŀ
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		ŀ
SALMONELLA SPECIFIC GENE			Not Present	PASS		ŀ
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3336, 585, 4044 10/29/23 12:48:56 3963,3390 0.9514g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Reviewed On: 10/31/23 Analytical Batch: DA065849MIC

Batch Date: 10/29/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 10/31/23 10:47:14

Reagent: 083123.134; 100423.R40; 081023.03 Consumables: 7566004006

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3336, 585, 4044	0.9514a	10/29/23 12:48:56	3963.3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA065858TYM **Reviewed On :** 10/31/23 14:15:39 Instrument Used: Incubator (25-27C) DA-097 Batch Date: 10/29/23 12:49:49

Analyzed Date: 10/30/23 19:31:17 Dilution: 10

Reagent: 083123.134; 101723.R10

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Ç	Mycotoxins	
alyte	LC	D

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	Weight: 0.203g	Extraction da 10/30/23 15:3			Extracted 3379	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA065880MYC Reviewed On: 10/31/23 10:23:08 Instrument Used : N/A Batch Date: 10/30/23 09:48:05 Analyzed Date: 10/30/23 15:26:48

Dilution: 250

Reagent: 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12;

040521.11 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	. s 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2853g	Extraction d 10/29/23 16		Extracted by: 4306,1022		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 10/31/23 14:06:33 Analytical Batch : DA065857HEA Instrument Used : DA-ICPMS-004 Batch Date: 10/29/23 12:35:28 Analyzed Date: 10/30/23 14:39:28

Dilution: 50

Reagent : 102723.R12; 101123.R29; 102723.R15; 101823.R29; 102723.R13; 102723.R14; 101123.R28; 101123.R27

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Wise Guy Cured SGR 1 g

Wise Guy Matrix : Derivative Type: Sugar Wax



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31028015-005 Harvest/Lot ID: 5712 9637 6168 1758

Batch#: 5712 9637 6168

Sampled: 10/28/23

Ordered: 10/28/23

Filth/Foreign **Material**

PASSED

Sample Size Received: 16 gram

Sample Method: SOP.T.20.010

Completed: 10/31/23 Expires: 10/31/24

Total Amount: 629 units

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA065826FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 10/28/23 21:28:25 Batch Date: 10/28/23 10:17:39

Analyzed Date: 10/28/23 13:03:02

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 10/30/23

	Action Level
Water Activity 0.010 aw 0.496 PASS	0.85

Extracted by: 4056 Extraction date: 10/29/23 13:01:13 Analyzed by: 4056, 585, 4044 Analysis Method: SOP.T.40.019

Analytical Batch: DA065845WAT

Instrument Used: DA-324 Rotronic Hygropalm HC2-AW (Probe),DA-325 Rotronic Hygropalm HC2-AW (Probe),DA-326 Batch Date: 10/28/23 13:23:49 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date: 10/28/23 16:13:09

 $\textbf{Dilution:} \ \mathbb{N}/\mathbb{A}$ Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164