



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA31031005-001
Harvest/Lot ID: HYB-B2-102623-C0115
Batch#: 8045 8984 5177 4119
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 2445 4806 9803 6246
Batch Date: 10/29/23
Sample Size Received: 31.5 gram
Total Amount: 1545 units
Retail Product Size: 3.5 gram
Ordered: 10/30/23
Sampled: 10/31/23
Completed: 11/02/23
Sampling Method: SOP.T.20.010


Nov 02, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US

















PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtth PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 31.186% Dry Weight		Total CBD 0.08% Dry Weight		Total Cannabinoids 36.634% Dry Weight
--	--	---	--	---	---

												Total THC 27.572% 965.02 mg /Container Total CBD 0.071% 2.485 mg /Container Total Cannabinoids 32.389% 1133.615 mg /Container As Received
%	0.738	30.598	ND	0.081	0.033	0.168	0.723	ND	ND	ND	0.048	
mg/unit	25.83	1070.93	ND	2.835	1.155	5.88	25.305	ND	ND	ND	1.68	
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
%			%	%	%	%	%	%	%	%	%	

Analyzed by: 1665, 585, 4351	Weight: 0.2009g	Extraction date: 10/31/23 14:13:25	Extracted by: 1665
--	---------------------------	--	------------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA065919POT
Instrument Used : DA-LC-001
Analyzed Date : 10/31/23 14:15:45

Reviewed On : 11/01/23 15:06:38
Batch Date : 10/31/23 12:07:45

Dilution : 400
Reagent : 101823.R03; 121321.34; 102423.R03
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-L
 Testing 97164


 Signature
 11/02/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Bazookaz WF 3.5g
FTH-Bazookaz
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31031005-001

Harvest/Lot ID: HYB-B2-102623-C0115

Batch# : 8045 8984 5177
4119

Sample Size Received : 31.5 gram

Total Amount : 1545 units

Completed : 11/02/23 Expires: 11/02/24

Ordered : 10/31/23

Sample Size Received : 31.5 gram

Total Amount : 1545 units

Completed : 11/02/23 Expires: 11/02/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	98.63	2.818		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	41.06	1.173		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	18.55	0.530		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.02	0.172		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	5.46	0.156		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	4.94	0.141		CIS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	4.76	0.136		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	4.62	0.132		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	1.02	0.029						
CARYOPHYLLENE OXIDE	0.007	0.81	0.023						
FENCHYL ALCOHOL	0.007	<0.70	<0.020						
GERANIOL	0.007	<0.70	<0.020						
GERANYL ACETATE	0.007	<0.70	<0.020						
TOTAL TERPINEOL	0.007	<0.70	<0.020						
ALPHA-BISABOLOL	0.007	<0.70	<0.020						
ALPHA-PINENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			2.818						

Analyzed by: 2076, 585, 4351 Weight: 1.1117g Extraction date: 10/31/23 13:23:38 Extracted by: 2076
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA065918TER
Instrument Used : DA-GCMS-009
Analyzed Date : 10/31/23 14:49:01
Reviewed On : 11/02/23 09:26:29
Batch Date : 10/31/23 12:03:52
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/02/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Bazookaz WF 3.5g
FTH-Bazookaz
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31031005-001

Harvest/Lot ID: HYB-B2-102623-C0115

Batch# : 8045 8984 5177
4119

Sampled : 10/31/23
Ordered : 10/31/23

Sample Size Received : 31.5 gram

Total Amount : 1545 units

Completed : 11/02/23 Expires: 11/02/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4351	Weight: 1.0345g	Extraction date: 10/31/23 15:28:12	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065908PES		Reviewed On : 11/01/23 14:15:19			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/31/23 10:29:10			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/31/23 15:31:49					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 4351	Weight: 1.0345g	Extraction date: N/A	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065910VOL		Reviewed On : 11/01/23 14:19:05			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 10/31/23 10:31:14			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/31/23 18:41:49					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 25					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102523.R11; 040521.11; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/02/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31031005-001

Harvest/Lot ID: HYB-B2-102623-C0115

 Batch# : 8045 8984 5177
 4119

Sampled : 10/31/23

Ordered : 10/31/23

Sample Size Received : 31.5 gram

Total Amount : 1545 units

Completed : 11/02/23 Expires: 11/02/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 4351 Weight: 1.0219g Extraction date: 10/31/23 12:18:26 Extracted by: 3336

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065911MIC Reviewed On : 11/01/23 15:06:30 Batch Date : 10/31/23

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/31/23 14:14:49

Dilution : N/A Reagent : 083123.134; 083123.170; 100423.R40; 081023.03 Consumables : 7566004001 Pipette : N/A

Analyzed by: 3336, 585, 4351 Weight: 1.0219g Extraction date: 10/31/23 12:18:26 Extracted by: 3336

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065922TYM Reviewed On : 11/02/23 15:40:45 Batch Date : 10/31/23 13:22:53 Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 10/31/23 13:50:02

Dilution : N/A Reagent : 083123.134; 083123.170; 101723.R10 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4351 Weight: 1.0345g Extraction date: N/A Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA065909MYC Reviewed On : 11/01/23 11:29:44 Instrument Used : N/A Batch Date : 10/31/23 10:31:11 Analyzed Date : 10/31/23 15:32:23

Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4351 Weight: 0.2553g Extraction date: 10/31/23 13:05:08 Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065914HEA Reviewed On : 11/01/23 11:27:24 Instrument Used : DA-ICPMS-004 Batch Date : 10/31/23 11:10:25 Analyzed Date : 10/31/23 17:19:22

Dilution : 50 Reagent : 102723.R12; 101123.R29; 102723.R15; 101823.R29; 102723.R13; 102723.R14; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31031005-001

Harvest/Lot ID: HYB-B2-102623-C0115

 Batch# : 8045 8984 5177
 4119

Sampled : 10/31/23

Ordered : 10/31/23

Sample Size Received : 31.5 gram

Total Amount : 1545 units

Completed : 11/02/23 Expires: 11/02/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.59	PASS	15
Analyzed by: 1879, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 4351	Weight: 0.513g	Extraction date: 11/01/23 15:24:28	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065931FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/01/23 22:32:10						Analysis Method : SOP.T.40.021 Analytical Batch : DA065939MOI Reviewed On : 11/01/23 22:38:46 Batch Date : 10/31/23 20:42:04					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 11/01/23 15:20:22 Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.553	PASS	0.65
Analyzed by: 4056, 585, 4351	Weight: 0.709g	Extraction date: 11/01/23 15:58:17	Extracted by: 4056		
Analysis Method : SOP.T.40.019			Reviewed On : 11/01/23 16:22:19 Batch Date : 11/01/23 09:39:44		
Analytical Batch : DA065940WAT					
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe),DA-325 Rotronic Hygropalm HC2-AW (Probe),DA-326 Rotronic Hygropalm HC2-AW (Probe),DA-327 Rotronic Hygropalm HC2-AW (Probe)					
Analyzed Date : 11/01/23 15:20:38					
Dilution : N/A					
Reagent : 113021.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.