



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31101001-001
Harvest/Lot ID: 1188 2992 9685 3460
Batch#: 1188 2992 9685 3460
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8306 8902 9745 4788
Batch Date: 09/18/23
Sample Size Received: 16 gram
Total Amount: 1187 units
Retail Product Size: 1 gram
Ordered: 10/31/23
Sampled: 11/01/23
Completed: 11/03/23
Sampling Method: SOP.T.20.010

Nov 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
78.282%

Total THC/Container : 782.82 mg


Total CBD
0.110%

Total CBD/Container : 1.10 mg


Total Cannabinoids
90.351%

Total Cannabinoids/Container : 903.51 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.411	86.512	ND	0.126	ND	0.250	0.947	ND	0.073	ND	0.032
mg/unit	24.11	865.12	ND	1.26	ND	2.50	9.47	ND	0.73	ND	0.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 3963

Weight:
0.1002g

Extraction date:
11/01/23 10:35:28

Extracted by:
3605,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065937POT

Instrument Used : DA-LC-007

Analyzed Date : 11/01/23 11:16:06

Reviewed On : 11/02/23 09:40:12

Batch Date : 11/01/23 09:34:53

Dilution : 400

Reagent : 103123.R05; 030923.08; 103123.R02

Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
11/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Cured SGR 1 g
Cherry Platinum Wedding Cake
Matrix : Derivative
Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31101001-001

Harvest/Lot ID: 1188 2992 9685 3460

Batch# : 1188 2992 9685
3460

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 16 gram

Total Amount : 1187 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	49.96	4.996		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.43	0.943		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	8.65	0.865		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	8.15	0.815		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.75	0.575		ALPHA-TERPINOLENE	0.007	ND	ND	
GUAJOL	0.007	3.86	0.386		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.41	0.341		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.57	0.257		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.52	0.152						
TOTAL TERPINEOL	0.007	1.46	0.146						
GERANIOL	0.007	1.13	0.113						
CARYOPHYLLENE OXIDE	0.007	0.96	0.096						
BETA-PINENE	0.007	0.79	0.079						
BORNEOL	0.013	0.63	0.063						
GERANYL ACETATE	0.007	0.52	0.052						
FARNESENE	0.001	0.50	0.050						
ALPHA-PINENE	0.007	0.39	0.039						
HEXAHYDROTHYMOL	0.007	0.24	0.024						
CAMPHOR	0.007	<0.60	<0.060						
FENCHONE	0.007	<0.40	<0.040						
OCIMENE	0.007	<0.20	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%)

4.996

Analyzed by: 2076, 585, 3963

Weight: 0.9229g

Extraction date: 11/01/23 15:31:12

Extracted by: 2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA065945TER

Instrument Used : DA-GCMS-009

Analyzed Date : 11/02/23 08:53:50

Reviewed On : 11/03/23 09:46:02

Batch Date : 11/01/23 10:20:43

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Cured SGR 1 g
Cherry Platinum Wedding Cake
Matrix : Derivative
Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31101001-001

Harvest/Lot ID: 1188 2992 9685 3460

Batch# : 1188 2992 9685

3460

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 16 gram

Total Amount : 1187 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.2444g	Extraction date: 11/01/23 15:58:13	Extracted by: 3379,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065951PES		Reviewed On : 11/03/23 10:33:33			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/01/23 11:30:27			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/01/23 15:22:27					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.2444g	Extraction date: 11/01/23 15:58:13	Extracted by: 3379,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065953VOL		Reviewed On : 11/03/23 10:32:30			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 11/01/23 11:36:17			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/01/23 16:07:51					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102523.R11; 040423.08; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Cured SGR 1 g
Cherry Platinum Wedding Cake
Matrix : Derivative
Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31101001-001

Harvest/Lot ID: 1188 2992 9685 3460

Batch# : 1188 2992 9685
3460

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 16 gram

Total Amount : 1187 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0249g

Extraction date:
11/02/23 13:43:11

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065955SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 11/02/23 14:49:23

Reviewed On : 11/02/23 15:38:22
Batch Date : 11/01/23 11:39:22

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/03/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31101001-001

Harvest/Lot ID: 1188 2992 9685 3460

 Batch# : 1188 2992 9685
 3460

 Sampled : 11/01/23
 Ordered : 11/01/23



Sample Size Received : 16 gram


Total Amount : 1187 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3390, 3621, 585, 3963</td><td>Weight: 1.0267g</td><td>Extraction date: 11/01/23 12:07:23</td><td colspan="3">Extracted by: 3390,3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA065935MIC</td><td colspan="3">Reviewed On : 11/02/23 12:03:38</td></tr><tr><td colspan="3"></td><td colspan="3">Batch Date : 11/01/23 08:42:22</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 11/01/23 13:22:01</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 083123.134; 100423.R40; 081023.03; 081023.07</td></tr><tr><td colspan="6">Consumables : 7566004001</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Analyzed by: 3621, 3963, 585</td></tr><tr><td colspan="2">Weight: 1.0267g</td><td colspan="2">Extraction date: 11/01/23 12:07:23</td><td colspan="2">Extracted by: 3390,3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA065958TYM</td><td colspan="3">Reviewed On : 11/03/23 16:51:28</td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27C) DA-096</td><td colspan="3">Batch Date : 11/01/23 12:01:03</td></tr><tr><td colspan="6">Analyzed Date : 11/01/23 13:20:11</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 083123.134; 101723.R10</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3390, 3621, 585, 3963	Weight: 1.0267g	Extraction date: 11/01/23 12:07:23	Extracted by: 3390,3621			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA065935MIC			Reviewed On : 11/02/23 12:03:38						Batch Date : 11/01/23 08:42:22			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 11/01/23 13:22:01						Dilution : N/A						Reagent : 083123.134; 100423.R40; 081023.03; 081023.07						Consumables : 7566004001						Pipette : N/A						Analyzed by: 3621, 3963, 585						Weight: 1.0267g		Extraction date: 11/01/23 12:07:23		Extracted by: 3390,3621		Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA065958TYM			Reviewed On : 11/03/23 16:51:28			Instrument Used : Incubator (25-27C) DA-096			Batch Date : 11/01/23 12:01:03			Analyzed Date : 11/01/23 13:20:11						Dilution : N/A						Reagent : 083123.134; 101723.R10						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							<h1>Mycotoxins</h1>	<h2>PASSED</h2>
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																												
Analyzed by: 3390, 3621, 585, 3963	Weight: 1.0267g	Extraction date: 11/01/23 12:07:23	Extracted by: 3390,3621																																																																																																																																																																														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																	
Analytical Batch : DA065935MIC			Reviewed On : 11/02/23 12:03:38																																																																																																																																																																														
			Batch Date : 11/01/23 08:42:22																																																																																																																																																																														
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																	
Analyzed Date : 11/01/23 13:22:01																																																																																																																																																																																	
Dilution : N/A																																																																																																																																																																																	
Reagent : 083123.134; 100423.R40; 081023.03; 081023.07																																																																																																																																																																																	
Consumables : 7566004001																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																	
Analyzed by: 3621, 3963, 585																																																																																																																																																																																	
Weight: 1.0267g		Extraction date: 11/01/23 12:07:23		Extracted by: 3390,3621																																																																																																																																																																													
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																																	
Analytical Batch : DA065958TYM			Reviewed On : 11/03/23 16:51:28																																																																																																																																																																														
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 11/01/23 12:01:03																																																																																																																																																																														
Analyzed Date : 11/01/23 13:20:11																																																																																																																																																																																	
Dilution : N/A																																																																																																																																																																																	
Reagent : 083123.134; 101723.R10																																																																																																																																																																																	
Consumables : N/A																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																	
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 3963</td><td>Weight: 0.2444g</td><td>Extraction date: 11/01/23 15:58:13</td><td colspan="3">Extracted by: 3379,450</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA065952MYC</td><td colspan="3">Reviewed On : 11/02/23 10:02:32</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 11/01/23 11:36:15</td></tr><tr><td colspan="6">Analyzed Date : 11/01/23 15:22:31</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 3963	Weight: 0.2444g	Extraction date: 11/01/23 15:58:13	Extracted by: 3379,450			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA065952MYC			Reviewed On : 11/02/23 10:02:32			Instrument Used : N/A			Batch Date : 11/01/23 11:36:15			Analyzed Date : 11/01/23 15:22:31						Dilution : 250						Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<div><div><div>Hg</div></div></div>	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																																																														
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																												
Analyzed by: 3379, 585, 3963	Weight: 0.2444g	Extraction date: 11/01/23 15:58:13	Extracted by: 3379,450																																																																																																																																																																														
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																	
Analytical Batch : DA065952MYC			Reviewed On : 11/02/23 10:02:32																																																																																																																																																																														
Instrument Used : N/A			Batch Date : 11/01/23 11:36:15																																																																																																																																																																														
Analyzed Date : 11/01/23 15:22:31																																																																																																																																																																																	
Dilution : 250																																																																																																																																																																																	
Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08																																																																																																																																																																																	
Consumables : 326250IW																																																																																																																																																																																	
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																	
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 3963</td><td>Weight: 0.2889g</td><td>Extraction date: 11/01/23 11:49:00</td><td colspan="3">Extracted by: 1022,4306</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	<0.100	PASS	0.5	Analyzed by: 1022, 585, 3963	Weight: 0.2889g	Extraction date: 11/01/23 11:49:00	Extracted by: 1022,4306																																																																																																																																									
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																												
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																												
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																												
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																												
LEAD	0.020	ppm	<0.100	PASS	0.5																																																																																																																																																																												
Analyzed by: 1022, 585, 3963	Weight: 0.2889g	Extraction date: 11/01/23 11:49:00	Extracted by: 1022,4306																																																																																																																																																																														

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963	Weight: 0.2444g	Extraction date: 11/01/23 15:58:13		Extracted by: 3379,450	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA065952MYC			Reviewed On : 11/02/23 10:02:32		
Instrument Used : N/A			Batch Date : 11/01/23 11:36:15		
Analyzed Date : 11/01/23 15:22:31					
Dilution : 250					
Reagent : 110123.R25; 109123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	<0.100	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2889g	Extraction date: 11/01/23 11:49:00		Extracted by: 1022,4306		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA065942HEA			Reviewed On : 11/02/23 12:01:56			
Instrument Used : DA-ICPMS-004			Batch Date : 11/01/23 10:09:40			
Analyzed Date : 11/01/23 15:05:54						
Dilution : 50						
Reagent : 102723.R12; 101123.R29; 102723.R15; 101823.R29; 102723.R13; 102723.R14; 101123.R28; 101123.R27						
Consumables : 179436; 210508058; 12594-247CD-247C						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cherry Platinum Wedding Cake Cured SGR 1 g
Cherry Platinum Wedding Cake
Matrix : Derivative
Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31101001-001

Harvest/Lot ID: 1188 2992 9685 3460

Batch# : 1188 2992 9685
3460

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 16 gram

Total Amount : 1187 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065931FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/01/23 22:32:10

Reviewed On : 11/01/23 22:39:00

Batch Date : 10/31/23 20:42:04

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.473	PASS	0.85

Analyzed by: 4056, 585, 3963	Weight: 0.594g	Extraction date: 11/01/23 16:10:06	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065941WAT

Reviewed On : 11/01/23

16:23:37

Batch Date : 11/01/23

09:43:20

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 11/01/23 15:20:42

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/03/23