



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31102005-003
Harvest/Lot ID: 6446 5258 2003 0587
Batch#: 6446 5258 2003 0587
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 8379 1844 0702 8340
Batch Date: 09/21/23
Sample Size Received: 16 gram
Total Amount: 1900 units
Retail Product Size: 1 gram
Ordered: 11/01/23
Sampled: 11/02/23
Completed: 11/04/23
Sampling Method: SOP.T.20.010

Nov 04, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.387%

Total THC/Container : 793.87 mg



Total CBD

0.163%

Total CBD/Container : 1.63 mg



Total Cannabinoids

91.599%

Total Cannabinoids/Container : 915.99 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.140	88.082	ND	0.186	0.033	0.217	0.807	0.020	ND	ND	0.114
mg/unit	21.40	880.82	ND	1.86	0.33	2.17	8.07	0.20	ND	ND	1.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 3963

Weight:
0.0918g

Extraction date:
11/02/23 13:04:00

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065986POT

Instrument Used : DA-LC-003

Analyzed Date : N/A

Reviewed On : 11/03/23 11:38:37

Batch Date : 11/02/23 10:47:54

Dilution : 400

Reagent : 103123.R06; 070621.18; 103123.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cured SGR 1g
Midnight
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31102005-003

Harvest/Lot ID: 6446 5258 2003 0587

Batch# : 6446 5258 2003
0587

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 16 gram

Total Amount : 1900 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	71.10	7.110		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	19.80	1.980		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.90	1.390		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.53	0.753		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	6.51	0.651		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.79	0.579		CIS-NEROLIDOL	0.007	ND	ND	
FARNESENE	0.001	4.40	0.440		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.66	0.266		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.56	0.256						
BETA-PINENE	0.007	2.01	0.201		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPINEOL	0.007	1.97	0.197		2076, 585, 3963	0.8853g	11/03/23 09:45:25	2076	
GERANIOL	0.007	1.20	0.120		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	1.11	0.111		Analytical Batch : DA065980TER			Reviewed On : 11/03/23 11:38:42	
BORNEOL	0.013	0.78	0.078		Instrument Used : DA-GCMS-009			Batch Date : 11/02/23 10:21:06	
CARYOPHYLLENE OXIDE	0.007	0.38	0.038		Analyzed Date : 11/02/23 13:01:40				
HEXAHYDROTHYMOL	0.007	0.28	0.028		Dilution : 10				
CAMPENE	0.007	0.22	0.022		Reagent : 121622.26				
FENCHONE	0.007	<0.40	<0.040		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
ISOPULEGOL	0.007	<0.20	<0.020		Pipette : N/A				
OCIMENE	0.007	<0.20	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINOLENE	0.007	<0.20	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			7.110						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cured SGR 1g

Midnight

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31102005-003

Harvest/Lot ID: 6446 5258 2003 0587

Batch# : 6446 5258 2003
0587

Sampled : 11/02/23

Ordered : 11/02/23


Sample Size Received : 16 gram

Total Amount : 1900 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 4056, 585, 3963 Weight: 0.2429g Extraction date: 11/02/23 15:16:50 Extracted by: 3379					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA065991PES Reviewed On :11/04/23 13:52:42					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Batch Date :11/02/23 11:04:47					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/02/23 15:18:25					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963 Weight: 0.2429g Extraction date: 11/02/23 15:16:50 Extracted by: 3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA065994VOL Reviewed On :11/03/23 16:32:58					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Batch Date :11/02/23 11:06:45					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/02/23 15:49:02					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 050621.01; 103123.R19; 103123.R20					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31102005-003

Harvest/Lot ID: 6446 5258 2003 0587

 Batch# : 6446 5258 2003
 0587

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 16 gram

Total Amount : 1900 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 3963

 Weight:
 0.0254g

 Extraction date:
 11/04/23 05:52:08

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA066005SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 11/03/23 14:16:38

 Reviewed On : 11/04/23 13:59:41
 Batch Date : 11/02/23 15:22:07

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.099; 172723
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31102005-003

Harvest/Lot ID: 6446 5258 2003 0587

 Batch# : 6446 5258 2003
 0587

 Sampled : 11/02/23
 Ordered : 11/02/23

Sample Size Received : 16 gram

Total Amount : 1900 units


Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 4056, 585, 3963	Weight: 0.2429g	Extraction date: 11/02/23 15:16:50		Extracted by: 3379	
Analyzed by: 3336, 3390, 585, 3963	Weight: 0.8265g	Extraction date: 11/02/23 12:19:37		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA066000MYC		Reviewed On : 11/04/23 13:51:42			
Analytical Batch : DA065977MIC					Reviewed On : 11/03/23 16:36:45	Instrument Used : N/A		Batch Date : 11/02/23 11:56:17			
						Analyzed Date : 11/02/23 15:19:19					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					Batch Date : 11/02/23 09:51:00	Dilution : 250					
Analyzed Date : 11/02/23 16:23:46						Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5

Analyzed by: 1022, 585, 3963 Weight: 0.2764g Extraction date: 11/02/23 14:18:35 Extracted by: 1022	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065987HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 11/02/23 15:48:50 Reviewed On : 11/03/23 11:14:56 Batch Date : 11/02/23 10:50:20
Dilution : 50 Reagent : 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216	

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cured SGR 1g

Midnight

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31102005-003

Harvest/Lot ID: 6446 5258 2003 0587

Batch# : 6446 5258 2003 0587

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 16 gram

Total Amount : 1900 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066048FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/03/23 14:08:38

Reviewed On : 11/03/23 14:35:22

Batch Date : 11/03/23 13:54:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.452	PASS	0.85

Analyzed by: 4056, 585, 3963	Weight: 1.425g	Extraction date: 11/02/23 15:34:55	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065993WAT

Reviewed On : 11/02/23

16:51:23

Batch Date : 11/02/23

11:06:43

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 11/02/23 11:14:40

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23