

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sour Watermelon Gels 10 Count Sour Watermelon

Matrix: Edible Type: Soft Chew

Sample:DA31102016-008

Harvest/Lot ID: 9240 3523 9379 1887 Batch#: 9240 3523 9379 1887

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 0899 0921 5582 0266

Batch Date: 08/24/23

Sample Size Received: 1020 gram

Total Amount: 6953 units Retail Product Size: 62.4869 gram

Ordered: 11/02/23

Sampled: 11/02/23 **Completed:** 11/06/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

NOT TESTED

PASSED



Cannabinoid

Nov 06, 2023 | FLUENT

Total THC

0.139% Total THC/Container: 86.86 mg



Total CBD

Total CBD/Container: 0.00 mg



Total Cannabinoids

Total Cannabinoids/Container: 92.48 mg

%	D9-ТНС 0.139	THCA ND	CBD ND	CBDA ND	D8-THC	CBG 0.005	CBGA ND	CBN 0.002	тнсv 0.002	CBDV ND	CBC ND
mg/unit	86.86	ND	ND	ND	ND	3.12	ND	1.25	1.25	ND	ND
LOD	0.001 %										

Extracted by: Analyzed by: 3335, 1665, 585, 3963

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA066025POT Instrument Used: DA-LC-007 Analyzed Date: 11/03/23 14:08:11

Reagent: 100423.01; 103123.R05; 060723.50; 103123.R02 Consumables: 947.109: CE0123: 12594-247CD-247C: R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 11/06/23 10:10:01 Batch Date: 11/03/23 10:14:14

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/06/23



Kaycha Labs

Sour Watermelon Gels 10 Count

Sour Watermelon Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31102016-008 Harvest/Lot ID: 9240 3523 9379 1887

Batch#: 9240 3523 9379

1887 Sampled: 11/02/23 Ordered: 11/02/23 Sample Size Received: 1020 gram
Total Amount: 6953 units

Completed: 11/06/23 Expires: 11/06/24 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL	0.010) ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL	0.010) ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET	0.010) ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE	0.010) ppm	3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN) ppm	0.4	PASS	ND
OTAL SPINOSAD	0.010		3	PASS	ND	PROPICONAZOLE) ppm	1	PASS	ND
BAMECTIN B1A	0.010		0.3	PASS	ND				0.1	PASS	ND
CEPHATE	0.010		3	PASS	ND	PROPOXUR) ppm	3	PASS	
CEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN) ppm			ND
ETAMIPRID	0.010	1.1.	3	PASS	ND	SPIROMESIFEN) ppm	3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010) ppm	3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE	0.010) ppm	0.1	PASS	ND
FENAZATE	0.010	1.1.	3	PASS	ND	TEBUCONAZOLE	0.010) ppm	1	PASS	ND
FENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010) ppm	0.1	PASS	ND
OSCALID	0.010		3	PASS	ND	THIAMETHOXAM	0.010) ppm	1	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010) ppm	3	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		PPM	0.2	PASS	ND
ILORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *) PPM	0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		3	PASS	ND) PPM	3	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *					
OFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *) PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *) PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050) PPM	1	PASS	ND
AZINON	0.010		3	PASS	ND	CYPERMETHRIN *	0.050) PPM	1	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weigh	ht: E	xtraction date	e:	Extract	ed by:
METHOATE	0.010		0.1	PASS	ND	4056, 3379, 585, 3963 0.987		1/03/23 15:45		450	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	, SOP.T.30.10	02.FL (Davie), S	SOP.T.40.101	FL (Gainesville),
DFENPROX	0.010	11.11	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.010		1.5	PASS	ND	Analytical Batch : DA066038PES Instrument Used : DA-LCMS-003 (PES)			n:11/06/23 1 :11/03/23 11:		
NHEXAMID	0.010		3	PASS	ND	Analyzed Date :11/03/23 17:26:54		paten pate	11/03/23 11:	U2.30	
NOXYCARB	0.010	11.11	0.1	PASS	ND	Dilution: 250					
NPYROXIMATE	0.010		2	PASS	ND	Reagent: 102523.R11; 040423.08; 110123.R25	; 110123.R29	9; 101023.R01:	110123.R01	110123.R26	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW					
ONICAMID	0.010		2	PASS	ND	Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.010		3	PASS	ND	Testing for agricultural agents is performed utilizing	g Liquid Chror	matography Tri	ple-Quadrupol	e Mass Spectror	netry in
XYTHIAZOX	0.010			PASS PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1		ND ND	Analyzed by: Weight: 450, 585, 3963 0.9875q		ion date: 13 15:45:35		Extracte 450	a by:
IDACLOPRID	0.010		1	PASS	ND ND	Analysis Method :SOP.T.30.151.FL (Gainesville)			SORT 40 15		
ESOXIM-METHYL	0.010		2	PASS	ND ND	Analytical Batch : DA066039VOL		eviewed On :			
LATHION	0.010		3		ND ND	Instrument Used : DA-GCMS-001		atch Date:11			
TALAXYL	0.010	1.1.		PASS		Analyzed Date :11/03/23 15:46:38					
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 102523.R11; 040423.08; 103123.R19	; 103123.R20)			
EVINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 14725401 Pipette: DA-080: DA-146: DA-218					
YCLOBUTANIL	0.010		3	PASS	ND		- C Ch			4 C	Aur. Ca
ALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	g Gas Chroma	itograpny i riple	e-Quadrupole l	viass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 11/06/23



Kaycha Labs

Sour Watermelon Gels 10 Count Sour Watermelon

Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31102016-008 Harvest/Lot ID: 9240 3523 9379 1887

Batch#: 9240 3523 9379

Sampled: 11/02/23 Ordered: 11/02/23 Sample Size Received: 1020 gram
Total Amount: 6953 units

Completed: 11/06/23 Expires: 11/06/24 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

				11		
Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		ı	Extracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 3963
 0.0273g
 11/06/23 10:21:04
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA066050SOL Instrument Used: DA-GCMS-003 Analyzed Date: 11/03/23 15:23:47

Dilution: 1 Reagent: 030420.09

Consumables: R2017.099; 172723 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 11/06/23 12:10:45

Batch Date: 11/03/23 15:06:32

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 11/06/23



Kaycha Labs

Sour Watermelon Gels 10 Count

Sour Watermelon Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31102016-008 Harvest/Lot ID: 9240 3523 9379 1887

Batch#: 9240 3523 9379

Sampled: 11/02/23 Ordered: 11/02/23

Sample Size Received: 1020 gram Total Amount : 6953 units Completed: 11/06/23 Expires: 11/06/24 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Mycotoxing

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3336, 585, 3963 11/03/23 11:57:48 1.1611g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA066014MIC

Reviewed On: 11/06/23 Batch Date: 11/03/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 11/03/23 10:57:13

Reagent: 083123.134; 100423.R40; 081023.02 Consumables: 7566004012

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3336, 585, 3963	1.1611a	11/03/23 11:57:48	3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA066035TYM **Reviewed On:** 11/06/23 10:01:16 Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 11/03/23 13:18:43 Batch Date: 11/03/23 10:58:24

Dilution: N/A

Reagent: 083123.134; 101723.R10

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	Mycotoxilis				PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B	32	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02	
CHRATOXIN	Ι Δ	0.002	nnm	ND	PASS	0.02	

					Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 3963	Weight: 0.9875g	Extraction 11/03/23	on date: 3 15:45:35		Extract 450	ted by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066040MYC Reviewed On: 11/06/23 11:44:32 Instrument Used : N/A Batch Date: 11/03/23 11:30:03

Analyzed Date: 11/03/23 17:27:11

Dilution: 250 Reagent: 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01;

110123.R01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	5
ARSENIC		0.020	ppm	ND	PASS	1.5
CADMIUM		0.020	ppm	ND	PASS	0.5
MERCURY		0.020	ppm	ND	PASS	3
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2629g	Extraction da 11/03/23 13:			Extracted 1022	l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 11/06/23 09:19:52 Analytical Batch : DA066028HEA Instrument Used : DA-ICPMS-004 Batch Date: 11/03/23 10:24:45 Analyzed Date: 11/03/23 15:15:58

Dilution: 50

Reagent: 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/06/23



Kaycha Labs

Sour Watermelon Gels 10 Count

Sour Watermelon Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31102016-008 Harvest/Lot ID: 9240 3523 9379 1887

Batch#: 9240 3523 9379

Sampled: 11/02/23 Ordered: 11/02/23 Sample Size Received: 1020 gram
Total Amount: 6953 units
Completed: 11/06/23 Expires: 11/06/24

Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED

Homogeneity

PASSED

Amount of tests conducted: 32

Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Mate	rial	0.100	%	ND	PASS	1
Analyzed by	Weight	Ev	traction	dator	Evtra	cted by

Analyzeu Dy: Weight: Extraction date: 1879, 3963 NA N/A

Analysis Method : SOP.T.40.090

Analytical Batch: DA06048FIL
Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 11/03/23 14:36:08

Batch Date: 11/03/23 13:54:36

Analyzed Date: 11/03/23 14:08:38
Dilution: N/A
Reagent: N/A
Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Batch Date: 11/03/23 12:10:28

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	4.150	25

 Analyzed by
 Average Weight weight
 Extraction date :
 Extracted By :

 3605, 585, 3963
 6.255g
 11/03/23 11:54:26
 3605

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

 Analytical Batch : DA066010HOM
 Reviewed On : 11/06/23 10:01:12

 Instrument Used : DA-LC-006
 Batch Date : 11/03/23 08:33:48

 Analyzed Date : 11/03/23 11:55:16

Dilution: 40

Reagent: 100423.01; 102423.R04; 060723.50; 102423.R01

Consumables: 947.109; LCJ0311R; 210618-336; 266969; CE0123; 61691-131C6-131C;

R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.558 0.85 Extracted by: Analyzed by: 1879, 585, 3963 Extraction date: Analysis Method: SOP.T.40.019 Reviewed On: 11/03/23 16:37:51 Analytical Batch: DA066046WAT

Analyzed Date : N/A
Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Instrument Used : DA-028 Rotronic Hygropalm

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/06/23