



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31102016-007
Harvest/Lot ID: 2284 8370 7077 7569
Batch#: 2284 8370 7077 7569
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4348 8473 5864 6747
Batch Date: 08/24/23
Sample Size Received: 15.5 gram
Total Amount: 3868 units
Retail Product Size: 0.5 gram
Ordered: 11/02/23
Sampled: 11/02/23
Completed: 11/06/23
Sampling Method: SOP.T.20.010

Nov 06, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
90.119%

Total THC/Container : 450.60 mg


Total CBD
0.263%

Total CBD/Container : 1.32 mg


Total Cannabinoids
95.006%

Total Cannabinoids/Container : 475.03 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.937	0.208	0.263	ND	0.203	2.094	ND	1.206	0.375	ND	0.720
mg/unit	449.69	1.04	1.32	ND	1.02	10.47	ND	6.03	1.88	ND	3.60
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 3963

 Weight:
 0.1078g

 Extraction date:
 11/03/23 13:44:53

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066012POT

Instrument Used : DA-LC-007

Analyzed Date : 11/03/23 13:46:42

Reviewed On : 11/06/23 10:00:46

Batch Date : 11/03/23 08:56:14

Dilution : 400

Reagent : 103123.R05; 060723.24; 103123.R02

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 11/06/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g
Festivus Frost
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31102016-007

Harvest/Lot ID: 2284 8370 7077 7569

Batch# : 2284 8370 7077
7569

Sample Size Received : 15.5 gram

Total Amount : 3868 units

Completed : 11/06/23 Expires: 11/06/24

Ordered : 11/02/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.61	2.521		ISOPULEGOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	4.10	0.820		LINALOOL	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	2.27	0.454		NEROL	0.007	ND	ND	
OCIMENE	0.007	1.32	0.264		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.18	0.236		SABINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.64	0.127		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.59	0.117		ALPHA-CEDRENE	0.007	ND	ND	
FARNESENE	0.001	0.56	0.111		CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.55	0.109						
VALENCENE	0.007	0.22	0.044						
ALPHA-PHELLANDRENE	0.007	0.20	0.040						
BETA-PINENE	0.007	0.20	0.039						
ISOBORNEOL	0.007	0.19	0.037						
LIMONENE	0.007	0.14	0.027						
GAMMA-TERPINENE	0.007	0.13	0.026						
ALPHA-PINENE	0.007	0.13	0.025						
TOTAL TERPINEOL	0.007	0.12	0.023						
EUCALYPTOL	0.007	0.11	0.022						
3-CARENE	0.007	<0.10	<0.020						
FENCHYL ALCOHOL	0.007	<0.10	<0.020						
ALPHA-BISABOLOL	0.007	<0.10	<0.020						
ALPHA-TERPINENE	0.007	<0.10	<0.020						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						

Total (%)

2.521

Analyzed by: 2076, 585, 3963 Weight: 0.9761g Extraction date: 11/05/23 10:00:22 Extracted by: 2076
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA066029TER
Instrument Used : DA-GCMS-008
Analyzed Date : 11/05/23 10:01:17
Reviewed On : 11/06/23 10:00:49
Batch Date : 11/03/23 10:37:15
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/06/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31102016-007

Harvest/Lot ID: 2284 8370 7077 7569

 Batch# : 2284 8370 7077
 7569

Sampled : 11/02/23

Ordered : 11/02/23


Sample Size Received : 15.5 gram

Total Amount : 3868 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div>Analyzed by: 4056, 3379, 585, 3963Weight: 0.2431gExtraction date: 11/03/23 15:43:12Extracted by: 450</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA066033PESReviewed On : 11/06/23 12:03:26</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 11/03/23 10:54:58</div> <div>Analyzed Date : 11/03/23 17:26:55</div> <div>Dilution : 250</div> <div>Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31102016-007

Harvest/Lot ID: 2284 8370 7077 7569

 Batch# : 2284 8370 7077
 7569

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3868 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 3963

 Weight:
 0.0303g

 Extraction date:
 11/06/23 13:19:00

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06607050L
 Instrument Used : DA-GCMS-002
 Analyzed Date : 11/06/23 10:31:51

 Reviewed On : 11/06/23 17:02:02
 Batch Date : 11/04/23 12:18:38

 Dilution : 1
 Reagent : 030923.29
 Consumables : R2017.099; 172723
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31102016-007

Harvest/Lot ID: 2284 8370 7077 7569

 Batch# : 2284 8370 7077
 7569

 Sampled : 11/02/23
 Ordered : 11/02/23


Sample Size Received : 15.5 gram


Total Amount : 3868 units


Completed : 11/06/23 Expires: 11/06/24


Sample Method : SOP.T.20.010


Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585, 3963	Weight: 0.936g	Extraction date: 11/03/23 11:57:48	Extracted by: 3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 11/06/23 09:09:48		
Analytical Batch : DA066014MIC			Batch Date : 11/03/23 09:24:00		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 11/03/23 10:57:13					
Dilution : N/A					
Reagent : 083123.134; 100423.R40; 081023.02					
Consumables : 7566004012					
Pipette : N/A					
Analyzed by: 3390, 3336, 585, 3963	Weight: 0.936g	Extraction date: 11/03/23 11:57:48	Extracted by: 3390		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 11/06/23 10:01:09		
Analytical Batch : DA066035TYM			Batch Date : 11/03/23 10:58:24		
Instrument Used : Incubator (25-27C) DA-096					
Analyzed Date : 11/03/23 13:18:43					
Dilution : N/A					
Reagent : 083123.134; 101723.R10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 3963	Weight: 0.2431g	Extraction date: 11/03/23 15:43:12	Extracted by: 450		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066041MYC		Reviewed On : 11/06/23 12:05:19			
Instrument Used : N/A		Batch Date : 11/03/23 11:30:06			
Analyzed Date : 11/03/23 17:27:10					
Dilution : 250					
Reagent : 105253.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 3963	Weight: 0.2431g	Extraction date: 11/03/23 15:43:12		Extracted by: 450	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066041MYC		Reviewed On : 11/06/23 12:05:19			
Instrument Used : N/A		Batch Date : 11/03/23 11:30:06			
Analyzed Date : 11/03/23 17:27:10					
Dilution : 250					
Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:		Extracted by:	

<div><div>Hg</div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2909g	Extraction date: 11/03/23 12:22:10		Extracted by: 1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA066026HEA			Reviewed On : 11/06/23 09:07:32		
Instrument Used : DA-ICPMS-004			Batch Date : 11/03/23 10:18:20		
Analyzed Date : 11/03/23 15:10:43					
Dilution : 50					
Reagent : 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Festivus Frost Cartridge Concentrate 0.5g

Festivus Frost

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31102016-007

Harvest/Lot ID: 2284 8370 7077 7569

Batch# : 2284 8370 7077
7569

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3868 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066048FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/03/23 14:08:38

Reviewed On : 11/03/23 14:36:08

Batch Date : 11/03/23 13:54:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.411	PASS	0.85

Analyzed by: 1879, 585, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA066045WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 11/03/23 16:37:50

Batch Date : 11/03/23 12:10:12

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/06/23