



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA31102016-009  
**Harvest/Lot ID:** 9075 6887 3333 2233  
**Batch#:** 9075 6887 3333 2233  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 1676 5890 7501 0264  
**Batch Date:** 05/03/23  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 3955 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 11/02/23  
**Sampled:** 11/02/23  
**Completed:** 11/06/23  
**Sampling Method:** SOP.T.20.010

Nov 06, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**91.236%**

Total THC/Container : 456.18 mg


**Total CBD**
**0.224%**

Total CBD/Container : 1.12 mg


**Total Cannabinoids**
**95.038%**

Total Cannabinoids/Container : 475.19 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.236	ND	0.224	ND	0.283	1.315	ND	0.476	0.440	ND	1.064
mg/unit	456.18	ND	1.12	ND	1.42	6.58	ND	2.38	2.20	ND	5.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 3963

 Weight:  
 0.1043g

 Extraction date:  
 11/03/23 13:44:54

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066012POT

Instrument Used : DA-LC-007

Analyzed Date : 11/03/23 13:46:42

Reviewed On : 11/06/23 10:02:08

Batch Date : 11/03/23 08:56:14

Dilution : 400

Reagent : 103123.R05; 060723.24; 103123.R02

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 11/06/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Reindeer Reefer Cartridge Concentrate 0.5g  
Reindeer Reefer  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31102016-009

Harvest/Lot ID: 9075 6887 3333 2233

Batch# : 9075 6887 3333  
2233

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3955 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	14.65	2.930		SABINENE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	4.24	0.847		SABINENE HYDRATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	2.41	0.482		ALPHA-CEDRENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	1.31	0.262		ALPHA-PHELLANDRENE	0.007	ND	ND				
TRANS-NEROLIDOL	0.007	1.21	0.241		ALPHA-TERPINENE	0.007	ND	ND				
LIMONENE	0.007	1.09	0.217		ALPHA-TERPINOLENE	0.007	ND	ND				
LINALOOL	0.007	0.91	0.182		CIS-NEROLIDOL	0.007	ND	ND				
FARNESENE	0.001	0.73	0.145		GAMMA-TERPINENE	0.007	ND	ND				
VALENCENE	0.007	0.62	0.123									
BETA-MYRCENE	0.007	0.62	0.123		Analyzed by:	2076, 585, 3963	Weight:	0.9732g	Extraction date:	11/05/23 10:00:22	Extracted by:	2076
ALPHA-BISABOLOL	0.007	0.48	0.095		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
TOTAL TERPINEOL	0.007	0.25	0.049		Analytical Batch :	DA066029TER						
FENCHYL ALCOHOL	0.007	0.24	0.047		Instrument Used :	DA-GCMS-008						
ISOBORNEOL	0.007	0.18	0.036		Analyzed Date :	11/05/23 10:01:17						
CARYOPHYLLENE OXIDE	0.007	0.18	0.035		Dilution :	10						
EUCALYPTOL	0.007	0.13	0.026		Reagent :	121622.26						
BETA-PINENE	0.007	0.10	0.020		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
BORNEOL	0.013	<0.20	<0.040		Pipette :	N/A						
CEDROL	0.007	<0.10	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
GERANIOL	0.007	<0.10	<0.020									
ALPHA-PINENE	0.007	<0.10	<0.020									
3-CARENE	0.007	ND	ND									
CAMPHENE	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
FENCHONE	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
OCIMENE	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
Total (%)			2.930									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/06/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Reindeer Reefer Cartridge Concentrate 0.5g  
Reindeer Reefer  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31102016-009

Harvest/Lot ID: 9075 6887 3333 2233

Batch# : 9075 6887 3333

2233

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3955 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	4056, 3379, 585, 3963	Weight:	0.2884g	Extraction date:	11/03/23 15:43:12
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),			Extracted by:	450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA066033PES			Reviewed On :	11/06/23 12:03:27
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	11/03/23 10:54:58
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date :	11/03/23 17:26:55				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	102523.R11; 040423.08; 110123.R25; 110123.R26; 101023.R01; 110123.R01				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 3963	Weight:	0.2884g	Extraction date:	11/03/23 15:43:12
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	450,585
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA066034VOL			Reviewed On :	11/06/23 10:21:36
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	11/03/23 10:57:34
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	11/03/23 15:46:32				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	102523.R11; 040423.08; 103123.R19; 103123.R20				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					

accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/06/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31102016-009

Harvest/Lot ID: 9075 6887 3333 2233

 Batch# : 9075 6887 3333  
 2233

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3955 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 3963

 Weight:  
 0.0201g

 Extraction date:  
 11/06/23 13:19:00

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA06607050L  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 11/06/23 10:31:51

 Reviewed On : 11/06/23 17:02:03  
 Batch Date : 11/04/23 12:18:38

 Dilution : 1  
 Reagent : 030923.29  
 Consumables : R2017.099; 172723  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31102016-009

Harvest/Lot ID: 9075 6887 3333 2233

 Batch# : 9075 6887 3333  
 2233

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3955 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 585, 3963	Weight: 0.2884g	Extraction date: 11/03/23 15:43:12		Extracted by: 450	
Analyzed by: 3390, 3336, 585, 3963	Weight: 0.967g	Extraction date: 11/03/23 11:57:49		Extracted by: 3390		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 11/06/23 09:09:50			Analytical Batch : DA066041MYC			Reviewed On : 11/06/23 12:05:20		
Analytical Batch : DA066014MIC			Batch Date : 11/03/23 09:24:00			Instrument Used : N/A			Batch Date : 11/03/23 11:30:06		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 11/03/23 17:27:10					
Analyzed Date : 11/03/23 10:57:13						Dilution : 250			Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01		
Dilution : N/A						Consumables : 326250IW					
Reagent : 083123.134; 100423.R40; 081023.02						Pipette : DA-093; DA-094; DA-219					
Consumables : 7566004012						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											

<b>Analyzed by:</b> 3390, 3336, 585, 3963	<b>Weight:</b> 0.967g	<b>Extraction date:</b> 11/03/23 11:57:49	<b>Extracted by:</b> 3390
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
<b>Analytical Batch :</b> DA066035TYM		<b>Reviewed On :</b> 11/06/23 10:01:23	
<b>Instrument Used :</b> Incubator (25-27C) DA-096		<b>Batch Date :</b> 11/03/23 10:58:24	
<b>Analyzed Date :</b> 11/03/23 13:18:43			
<b>Dilution :</b> N/A			
<b>Reagent :</b> 083123.134; 101723.R10			
<b>Consumables :</b> N/A			
<b>Pipette :</b> N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2451g	Extraction date: 11/03/23 12:04:24	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA066026HEA		Reviewed On : 11/06/23 09:07:34			
Instrument Used : DA-ICPMS-004		Batch Date : 11/03/23 10:18:20			
Analyzed Date : 11/03/23 15:10:43					
Dilution : 50					
Reagent : 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Reindeer Reefer Cartridge Concentrate 0.5g  
Reindeer Reefer  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31102016-009

Harvest/Lot ID: 9075 6887 3333 2233

Batch# : 9075 6887 3333  
2233

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Total Amount : 3955 units

Completed : 11/06/23 Expires: 11/06/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066048FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/03/23 14:08:38

Reviewed On : 11/03/23 14:36:10

Batch Date : 11/03/23 13:54:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.453	PASS	0.85

Analyzed by: 1879, 585, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA066045WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 11/03/23 16:37:52

Batch Date : 11/03/23 12:10:12

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/06/23