



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA31104002-001**
**Harvest/Lot ID: 1657 8909 2581 9827**
**Batch#: 1657 8909 2581 9827**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 3777 2090 4153 4610**
**Batch Date: 07/27/23**
**Sample Size Received: 15.5 gram**
**Total Amount: 1908 units**
**Retail Product Size: 0.5 gram**
**Ordered: 11/03/23**
**Sampled: 11/04/23**
**Completed: 11/07/23**
**Sampling Method: SOP.T.20.010**

Nov 07, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**86.611%**

Total THC/Container : 433.06 mg


**Total CBD**
**0.937%**

Total CBD/Container : 4.69 mg


**Total Cannabinoids**
**91.790%**

Total Cannabinoids/Container : 458.95 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.611	ND	0.937	ND	0.191	1.785	ND	1.270	0.502	ND	0.494
mg/unit	433.06	ND	4.69	ND	0.96	8.93	ND	6.35	2.51	ND	2.47
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 4351

 Weight:  
 0.1187g

 Extraction date:  
 11/06/23 09:21:37

 Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066090POT

Instrument Used : DA-LC-007

Analyzed Date : 11/06/23 09:24:44

Reviewed On : 11/07/23 11:20:41

Batch Date : 11/05/23 10:49:18

Dilution : 400

Reagent : 103123.R06; 071222.01; 103123.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Summer Daze Cartridge Concentrate 0.5g

Summer Daze

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104002-001

Harvest/Lot ID: 1657 8909 2581 9827

Batch# : 1657 8909 2581 9827

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 15.5 gram

Total Amount : 1908 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.26	2.452		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	5.80	1.159		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.74	0.348		ALPHA-PINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	1.20	0.239		ALPHA-TERPINENE	0.007	ND	ND	
GERANIOL	0.007	0.62	0.123		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.45	0.090		BETA-PINENE	0.007	ND	ND	
GERANYL ACETATE	0.007	0.44	0.087		CIS-NEROLIDOL	0.007	ND	ND	
VALENCENE	0.007	0.43	0.085		GAMMA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.41	0.081						
ALPHA-BISABOLOL	0.007	0.40	0.079						
FARNESENE	0.001	0.27	0.054						
TOTAL TERPINEOL	0.007	0.15	0.029						
CARYOPHYLLENE OXIDE	0.007	0.13	0.026						
FENCHYL ALCOHOL	0.007	0.13	0.026						
LINALOOL	0.007	0.13	0.026						
BORNEOL	0.013	<0.20	<0.040						
CEDROL	0.007	<0.10	<0.020						
FENCHONE	0.007	<0.20	<0.040						
ISOBORNEOL	0.007	<0.10	<0.020						
OCIMENE	0.007	<0.10	<0.020						
PULEGONE	0.007	<0.10	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%)

2.452

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA060608TER

Instrument Used : DA-GCMS-009

Analyzed Date : 11/07/23 14:17:27

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

Weight: 0.8426g

Extraction date: 11/04/23 14:06:41

Extracted by: 1879,4056,2076

Reviewed On : 11/07/23 15:48:05

Batch Date : 11/04/23 12:12:07

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Summer Daze Cartridge Concentrate 0.5g

Summer Daze

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104002-001

Harvest/Lot ID: 1657 8909 2581 9827

Batch# : 1657 8909 2581

9827

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 15.5 gram

Total Amount : 1908 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 4351	0.2803g	11/06/23 13:13:07	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066098PES		Reviewed On : 11/07/23 11:32:27			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/05/23 11:16:06			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/05/23 17:05:23					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 4351	0.2803g	11/06/23 13:13:07	450,3379		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066099VOL		Reviewed On : 11/07/23 11:25:34			
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 11/05/23 11:16:38			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/06/23 13:29:53					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 040423.08; 103123.R19; 103123.R20					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Summer Daze Cartridge Concentrate 0.5g  
Summer Daze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104002-001

Harvest/Lot ID: 1657 8909 2581 9827

Batch# : 1657 8909 2581  
9827

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 15.5 gram

Total Amount : 1908 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 4351

Weight:  
0.0263g

Extraction date:  
11/06/23 13:20:11

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA06607050L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 11/06/23 10:31:51

Reviewed On : 11/06/23 17:02:16  
Batch Date : 11/04/23 12:18:38

Dilution : 1  
Reagent : 030923.29  
Consumables : R2017.099; 172723  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31104002-001

Harvest/Lot ID: 1657 8909 2581 9827

Batch# : 1657 8909 2581

9827

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 15.5 gram

Total Amount : 1908 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						4056, 3379, 585, 4351	0.2803g			11/06/23 13:13:07	Extracted by:
											450,3379
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),				
3336, 3621, 585, 4351	0.899g	11/04/23 11:30:16	3621			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA066100MYC			Reviewed On :	11/07/23 11:33:32
Analytical Batch :	DA066057MIC					Instrument Used :	N/A			Batch Date :	11/05/23 11:16:56
						Analyzed Date :	11/05/23 17:05:30				
Instrument Used :	PathogenDx Scanner DA-111,Applied					Dilution :	250				
Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block	10:06:59					Reagent :	102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01;				
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific						110123.R01					
Isotemp Heat Block DA-021						Consumables :	326250IW				
Analyzed Date :	11/05/23 15:28:51					Pipette :	DA-093; DA-094; DA-219				

 Dilution : N/A  
 Reagent : 083123.110; 100423.R40; 081023.02  
 Consumables : 7566004012  
 Pipette : N/A

 Analyzed by: 3336, 3963, 585, 4351  
 Weight: 0.899g  
 Extraction date: 11/04/23 11:30:16  
 Extracted by: 3621

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA066064TYM  
 Instrument Used : Incubator (25-27C) DA-097  
 Analyzed Date : 11/05/23 10:48:30  
 Reviewed On : 11/06/23 17:21:40  
 Batch Date : 11/04/23 11:30:35

 Dilution : N/A  
 Reagent : 083123.110; 101723.R10  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 585, 4351	0.2611g	11/04/23 13:00:06	4306,1022		
Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch :	DA066063HEA				Reviewed On : 11/07/23 10:34:46
Instrument Used :	DA-ICPMS-004				Batch Date : 11/04/23 11:26:20
Analyzed Date :	11/06/23 11:29:10				
Dilution :	50				
Reagent :	102723.R12; 101123.R29; 110323.R03; 110123.R33; 110123.R34; 110123.49;				
101123.R27					
Consumables :	179436; 210508058; 12594-247CD-247C				
Pipette :	DA-061; DA-191; DA-216				

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Summer Daze Cartridge Concentrate 0.5g  
Summer Daze  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104002-001

Harvest/Lot ID: 1657 8909 2581 9827

Batch# : 1657 8909 2581  
9827

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 15.5 gram

Total Amount : 1908 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066056FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 11/07/23 12:47:08

Batch Date : 11/04/23 09:55:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.479	PASS	0.85

Analyzed by: 4371, 4056, 585, 4351	Weight: 0.235g	Extraction date: 11/04/23 14:25:17	Extracted by: 4371
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA066074WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 11/04/23 14:24:27

Reviewed On : 11/06/23 17:21:40

Batch Date : 11/04/23 12:41:42

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23