



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31104005-002

Harvest/Lot ID: HYB-GZ-103123-C0115

Batch#: 4142 4290 7231 0048

Cultivation Facility: Zolfo Springs Cultivation

Processing Facility: Zolfo Springs

Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 7082 6886 7383 8774

Batch Date: 09/29/23

Sample Size Received: 38.5 gram

Total Amount: 2565 units

Retail Product Size: 3.5 gram

Ordered: 11/03/23

Sampled: 11/04/23

Completed: 11/07/23

Sampling Method: SOP.T.20.010

Nov 07, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US


**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**NOT TESTED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**


Total THC

**30.743%**

Dry Weight



Total CBD

**0.071%**

Dry Weight



Total Cannabinoids

**36.019%**

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.786	29.596	ND	0.071	0.047	0.173	0.588	ND	ND	ND	0.069
mg/unit	27.51	1035.86	ND	2.485	1.645	6.055	20.58	ND	ND	ND	2.415
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC  
**26.741%**  
935.935 mg /Container

Total CBD  
**0.062%**  
2.17 mg /Container

Total Cannabinoids  
**31.33%**  
1096.55 mg /Container

As Received

Analyzed by:  
1665, 585, 1879

Weight:  
0.2205g

Extraction date:  
11/06/23 09:37:24

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066089POT

Instrument Used : DA-LC-002

Analyzed Date : 11/06/23 09:37:50

Reviewed On : 11/07/23 11:40:34

Batch Date : 11/05/23 10:42:40

Dilution : 400

Reagent : 103123.R06; 030923.08; 103123.R03

Consumables : 927.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation # PJA-  
Testing 97164



Signature  
11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104005-002

Harvest/Lot ID: HYB-GZ-103123-C0115

Batch# : 4142 4290 7231  
0048

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 38.5 gram

Total Amount : 2565 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	89.92	2.569		SABINENE HYDRATE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	17.22	0.492		VALENCENE	0.007	ND	ND				
LIMONENE	0.007	16.14	0.461		ALPHA-CEDRENE	0.007	ND	ND				
LINALOOL	0.007	9.31	0.266		ALPHA-PHELLANDRENE	0.007	ND	ND				
BETA-MYRCENE	0.007	5.39	0.154		ALPHA-TERPINENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	5.29	0.151		ALPHA-TERPINOLENE	0.007	ND	ND				
OCIMENE	0.007	5.04	0.144		CIS-NEROLIDOL	0.007	ND	ND				
FARNESENE	0.001	4.31	0.123		GAMMA-TERPINENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	3.92	0.112									
TRANS-NEROLIDOL	0.007	2.94	0.084		Analyzed by:	2076, 585, 1879	Weight:	0.8837g	Extraction date:	11/04/23 13:30:38	Extracted by:	1879
ALPHA-PINENE	0.007	2.80	0.080		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
BETA-PINENE	0.007	2.10	0.060		Analytical Batch :	DA066067TER						
TOTAL TERPINEOL	0.007	1.47	0.042		Instrument Used :	DA-GCMS-009						
FENCHYL ALCOHOL	0.007	1.44	0.041		Analyzed Date :	11/04/23 19:31:03						
GERANIOL	0.007	0.88	0.025		Dilution :	10						
CAMPHERE	0.007	<0.70	<0.020		Reagent :	121622.26						
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
FENCHONE	0.007	<1.40	<0.040		Pipette :	N/A						
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
BORNEOL	0.013	ND	ND									
CAMPHOR	0.007	ND	ND									
CECROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									
Total (%)			2.569									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104005-002

Harvest/Lot ID: HYB-GZ-103123-C0115

Batch# : 4142 4290 7231  
0048

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 38.5 gram

Total Amount : 2565 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8659g	Extraction date: 11/06/23 13:15:19	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA066095PES		Reviewed On : 11/07/23 11:16:35			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/05/23 11:08:22			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/05/23 17:05:24					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.8659g	Extraction date: 11/06/23 13:15:19	Extracted by: 450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA066096VOL		Reviewed On : 11/07/23 11:14:28			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 11/05/23 11:10:34			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/06/23 13:30:03					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 102523.R11; 040423.08; 103123.R19; 103123.R20					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31104005-002

Harvest/Lot ID: HYB-GZ-103123-C0115

Batch# : 4142 4290 7231  
0048

Sampled : 11/04/23

Ordered : 11/04/23


Sample Size Received : 38.5 gram


Total Amount : 2565 units


Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000
Analyzed by: 3336, 3621, 585, 1879	Weight: 0.9016g	Extraction date: 11/04/23 11:30:19	Extracted by: 3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 11/07/23 12:46:24 Batch Date : 11/04/23 10:06:59		
Analytical Batch : DA066057MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 11/05/23 15:28:51					
Dilution : N/A					
Reagent : 083123.110; 100423.R40; 081023.02					
Consumables : 7566004012					
Pipette : N/A					
Analyzed by: 3336, 3963, 585, 1879	Weight: 0.9016g	Extraction date: 11/04/23 11:30:19	Extracted by: 3621		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA066064TYM			Reviewed On : 11/06/23 17:22:06		
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 11/04/23 11:30:35		
Analyzed Date : 11/05/23 10:48:30					
Dilution : N/A					
Reagent : 083123.110; 101723.R10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 1879	Weight: 0.8659g	Extraction date: 11/06/23 13:15:19	Extracted by: 450,3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066097MYC		Reviewed On : 11/07/23 11:15:23			
Instrument Used : N/A		Batch Date : 11/05/23 11:11:02			
Analyzed Date : 11/05/23 17:05:31					
Dilution : 250					
Reagent : 102523.R11; 040423.08; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1879	Weight: 0.2761g	Extraction date: 11/04/23 15:12:11	Extracted by: 4306,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA066066HEA			Reviewed On : 11/07/23 11:36:22		
Instrument Used : DA-ICPMS-004			Batch Date : 11/04/23 11:33:27		
Analyzed Date : 11/06/23 11:32:58					
Dilution : 50					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/07/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31104005-002

Harvest/Lot ID: HYB-GZ-103123-C0115

Batch# : 4142 4290 7231 0048

Sampled : 11/04/23

Ordered : 11/04/23

Sample Size Received : 38.5 gram

Total Amount : 2565 units

Completed : 11/07/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.02	PASS	15
Analyzed by: 585, 1879 Weight: NA Extraction date: N/A Analyzed Date: N/A						Analyzed by: 4056, 585, 1879 Weight: 0.507g Extraction date: 11/04/23 14:45:00 Analyzed Date: 11/04/23 14:42:27					
Analysis Method : SOP.T.40.090 Analytical Batch : DA066056FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA066072MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 11/07/23 12:47:19 Batch Date : 11/04/23 09:55:47						Reviewed On : 11/06/23 17:22:05 Batch Date : 11/04/23 12:35:02					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.545	PASS	0.65
Analyzed by: 4371, 4056, 585, 1879 Weight: 0.783g Extraction date: 11/04/23 14:27:39 Analyzed Date: 11/04/23 14:24:21					
Analysis Method : SOP.T.40.019 Analytical Batch : DA066073WAT Instrument Used : DA-028 Rotronic Hygropalm Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					
Reviewed On : 11/06/23 17:22:06 Batch Date : 11/04/23 12:35:31					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.