

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Kaycha Labs

Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix: Derivative



Type: Distillate Sample:DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188 Batch#: 6006 6102 3600 8188 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 0332 2036 2793 6710 Batch Date: 05/03/23 Sample Size Received: 16 gram Total Amount: 1965 units Retail Product Size: 1 gram Ordered: 11/04/23 Sampled: 11/05/23 Completed: 11/08/23

Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Nov 08, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE SAFETY RESULTS

MISC. ٦a Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED Cannabinoid Total CBD Total THC **Total Cannabinoids** 86.592% 0.503% 92.078% Total THC/Container : 865.92 mg Total CBD/Container : 5.03 mg Total Cannabinoids/Container : 920.78 mg THCA CBGA тнсу CBC D9-THC CBD CBDA D8-THC CRG CBN CRDV 0.441 86.592 ND 0.503 ND 0.179 2 3 2 1 ND 1.343 ND 0.699 865.92 ND 1.79 23.21 ND 13.43 4.41 ND 5.03 ND 6.99 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 4351 Weight: 0.1116g Extraction date: Extracted by: 1665,3335 11/06/23 09:21:42 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066090POT Instrument Used : DA-LC-007 Reviewed On : 11/07/23 12:40:53 Batch Date : 11/05/23 10:49:18 Analyzed Date : 11/06/23 09:24:44 Dilution: 400 Reagent : 103123.R06; 071222.01; 103123.R01 Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/08/23



Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188 Batch#:6006.6102.3600

8188 Sampled : 11/05/23 Ordered : 11/05/23

Sample Size Received : 16 gram Total Amount : 1965 units Completed : 11/08/23 Expires: 11/08/24 Sample Method : SOP.T.20.010

Page 2 of 6

6
$\langle \mathcal{L} \rangle$

Terpenes

	LOD (%)	mg/unit	t %	Result (%)	
E	0.007	ND	ND		
DRENE	0.007	ND	ND		
ELLANDRENE	0.007	ND	ND		
PINENE	0.007	ND	ND		
PINOLENE	0.007	ND	ND		
IDOL	0.007	ND	ND		
RPINENE	0.007	ND	ND		
ROLIDOL	0.007	ND	ND		
Weight:		Extraction dat	te:		Extracted by:
351 0.9479g		11/05/23 12:0			1879,2076
hod : SOP.T.30.061A.FL, SOP.T.40.061A.F	L				
tch : DA066083TER Ised : DA-GCMS-008				1/07/23 15:54:20 05/23 09:59:17	
te: 11/06/23 12:01:27		Batcr	n Date : 11/0	05/23 09:59:17	
1622.26					
: 210414634; MKCN9995; CE0123; R1KE	314270				
ing is performed utilizing Gas Chromatography	Mass Spect	rometry. For all	Flower sampl	les, the Total Terpenes %	is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/08/23



..... Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188

Batch#:6006.6102.3600 8188 Sampled : 11/05/23 Ordered : 11/05/23

Sample Size Received : 16 gram Total Amount : 1965 units Completed : 11/08/23 Expires: 11/08/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P. P.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1		ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
IFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		traction date		Extracted	i by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 4351 0.2576g Analysis Method :SOP.T.30.101.FL (Gainesville), 5		/06/23 13:18:4		450,3379	\ \
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)	50P.1.50.10	IZ.FL (Davie), 3	50P.1.40.101.	.FL (Gamesville)),
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA066101PES		Reviewed O	n:11/07/231	2:32:28	
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			11/05/23 11:		
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :11/05/23 17:05:18					
ENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250					
IPRONIL	0.010	maa	0.1	PASS	ND	Reagent: 102523.R11; 040423.08; 110123.R25; 1	L10123.R29	; 110123.R26;	101023.R01;	110123.R01	
LONICAMID	0.010		0.1	PASS	ND	Consumables : 326250IW Pipette : DA-093: DA-094: DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing I	iquid Chron	ootogrophy Tri	ala Quadrupal	o Mass Enostron	ooto i in
IEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		natography m	sie-Quadrupoi	e Mass spectron	neu y m
MAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted b	v:
MIDACLOPRID	0.010	maa	0.4	PASS	ND	450, 585, 4351 0.2576g	11/06/23			450,3379	,.
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), S	SOP.T.30.15	A.FL (Davie),	SOP.T.40.15	1.FL	
IALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA066102VOL	Re	eviewed On :	11/07/23 12:3	1:34	
IETALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-010	Ba	atch Date :11	/05/23 11:21:	12	
IETHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :11/06/23 13:25:37					
IETHOMYL	0.010		0.1	PASS	ND	Dilution : 250	02122 020				
IEVINPHOS	0.010		0.1	PASS	ND	Reagent : 102523.R11; 040423.08; 103123.R19; 1 Consumables : 326250IW; 14725401	LU3123.R20				
IYCLOBUTANIL	0.010	nnna	0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/08/23

PASSED

PASSED



Page 4 of 6

Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188 Batch# : 6006 6102 3600 Sample 8188 Sampled : 11/05/23 Complet

Ordered : 11/05/23

3600 8188 Sample Size Received :16 gram Total Amount :1965 units Completed :11/08/23 Expires:11/08/24 Sample Method : SOP.T.20.010

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result					
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND					
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND					
ACETONE	75.000	ppm	750	PASS	ND					
DICHLOROMETHANE	12.500	ppm	125	PASS	ND					
BENZENE	0.100	ppm	1	PASS	ND					
2-PROPANOL	50.000	ppm	500	PASS	ND					
CHLOROFORM	0.200	ppm	2	PASS	ND					
ETHANOL	500.000	ppm	5000	PASS	ND					
ETHYL ACETATE	40.000	ppm	400	PASS	ND					
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND					
ACETONITRILE	6.000	ppm	60	PASS	ND					
THYL ETHER	50.000	ppm	500	PASS	ND					
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND					
IEPTANE	500.000	ppm	5000	PASS	ND					
METHANOL	25.000	ppm	250	PASS	ND					
N-HEXANE	25.000	ppm	250	PASS	ND					
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND					
FOLUENE	15.000	ppm	150	PASS	ND					
TOTAL XYLENES	15.000	ppm	150	PASS	ND					
PROPANE	500.000	ppm	5000	PASS	ND					
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND					
analyzed by: 50, 585, 4351	Weight: 0.0226g	Extraction date: 11/08/23 12:15:18		E x 85	tracted by: 0					
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066106SOL nstrument Used : DA-GCMS-003 Analyzed Date : 11/07/23 10:45:01		Reviewed On : 11/08/23 13:46:51 Batch Date : 11/06/23 15:12:02								

Dilution : 1 Reagent : 030420.09 Consumables : R2017.099; 172723 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/08/23

PASSED

PASSED



Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188

Batch#:6006 6102 3600 8188 Sampled:11/05/23 Ordered:11/05/23 Sample Size Received : 16 gram Total Amount : 1965 units Completed : 11/08/23 Expires: 11/08/24 Sample Method : SOP.T.20.010

Page 5 of 6

4								0								
(Je	Micro	bial				PAS	SED	٠Ç•	Μ	ycoto	xin	S			PAS	SED
Analyte		I	OD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN	B2			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN	B1			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI	NA			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GE	NE			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ECOLI SHIGE					Not Present	PASS		Analyzed by:		Weig	ght:	Extractio	n date:		Extracted	l by:
TOTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000	4056, 3379, 58	35, 4351	0.25	76g	11/06/23	13:18:40		450,3379)
Analyzed by: 3336, 3621, 58	5, 4351	Weight: 0.977g		Extraction da 11/05/23 15:		Extracte 3336	ed by:			.T.30.101.FL (G e), SOP.T.40.10			40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.05 h : DA066088M		40.05	8.FL, SOP.T.4		I On : 11/0)7/23	Analytical Bate Instrument Us Analyzed Date	ed : N/A					1/07/23 1 05/23 11:		
Heat Block DA- Analyzed Date Dilution : N/A	niAmp Thermod -020,fisherbran : 11/05/23 15:2	d Isotemp H 28:46	leat B	lock DA-049				110123.R01 Consumables : Pipette : DA-0 Mycotoxins tes	: 326250 93; DA-0 ting utilizi	94; DA-219						
Pipette : N/A	/500004015							accordance wit	h F.S. Rul	e 64ER20-39.						
Analyzed by: 3336, 585, 435		eight: 977g		action date: 5/23 15:28:2	.5	Extracted 3336	by:	Hg	He	eavy M	let:	als			PAS	SED
Analytical Batc Instrument Use	od : SOP.T.40.20 :h : DA066093T ed : Incubator (2 . 11/05/22 15:3	YM 25-27C) DA-		Revie	P.FL wed On : 11/07 Date : 11/05/2			Metal				LOD	Units	Result	Pass / Fail	Action Level
	: 11/05/23 15:3	0.U1						TOTAL CONT	TAMINA	NT LOAD MET	ALS	0.080	ppm	ND	PASS	1.1
Dilution : N/A Reagent : 0831	123.163; 10172	3 R10						ARSENIC				0.020	ppm	ND	PASS	0.2
Consumables :		5.1110						CADMIUM				0.020	ppm	ND	PASS	0.2
Pipette : N/A								MERCURY				0.020	ppm	ND	PASS	0.2
	mold testing is pe		zing MI	PN and traditio	nal culture based	techniques	s in	LEAD				0.020	ppm	ND	PASS	0.5
accordance with	F.S. Rule 64ER20)-39.						Analyzed by: 1022, 585, 435	51	Weight: 0.2672g		raction dat /05/23 11:1			ctracted b 306,1022	y:
								Analysis Metho Analytical Bato Instrument Us Analyzed Date	ch:DA0 ed:DA-	CPMS-004	OP.T.40	Reviewe		/07/23 12: 5/23 09:59		
								Dilution : 50 Reagent : N/A Consumables :	: N/A							

Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/08/23



Rainmaker Cartridge Concentrate 1g (90%) Rainmaker Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

 \bigcirc

Sample : DA31105001-007 Harvest/Lot ID: 6006 6102 3600 8188 Batch# : 6006 6102 3600 Sample 8188 Total Ar Sampled : 11/05/23 Complet

Batch Date : 11/07/23 12:51:57

Ordered : 11/05/23

00 8188 Sample Size Received : 16 gram Total Amount : 1965 units Completed : 11/08/23 Expires: 11/08/24 Sample Method : SOP.T.20.010

		Filth/Fo Materia		n		PASSED				
An	alyte		LOD	Units	Result	P/F	Action Level			
Filt	th and Fore	ign Material	0.100	%	ND	PASS	1			
	alyzed by: 5, 4351	Weight: NA	Ex N/	traction d A	ate:	Extracted by: N/A				
		: SOP.T.40.090 : DA066145FIL			Reviewed	On : 11/07	/23 13:21:47			

Analytical Batch : DA066145FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A

Dilution : N/A Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte	I	LOD	Units	Result	P/F	Action Level
Water Activity	(0.010	aw	0.459	PASS	0.85
Analyzed by: 1879, 585, 4351	Weight: 0.257g		traction d			tracted by: 379
Analysis Method : SOP.T Analytical Batch : DA06 Instrument Used : DA-02 Analyzed Date : N/A	6082WAT	m	Reviewed Or Batch Date :	1 1		
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/08/23

PASSED

Page 6 of 6