



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31107005-002
Harvest/Lot ID: SA-SLA-102323-A133
Batch#: 5726 1027 9257 4522
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4008 5461 8532 3202
Batch Date: 10/19/23
Sample Size Received: 31.5 gram
Total Amount: 1649 units
Retail Product Size: 3.5 gram
Ordered: 11/06/23
Sampled: 11/07/23
Completed: 11/09/23
Revision Date: 11/09/23
Sampling Method: SOP.T.20.010

Nov 09, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
18.392%
Dry Weight



Total CBD
0.047%
Dry Weight



Total Cannabinoids
21.411%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.134	18.782	ND	0.05	0.029	0.056	0.248	<0.010	ND	ND	0.031
mg/unit	4.69	657.37	ND	1.75	1.015	1.96	8.68	<0.35	ND	ND	1.085
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
16.605%
581.175 mg /Container

Total CBD
0.043%
1.505 mg /Container

Total Cannabinoids
19.33%
676.55 mg /Container

As Received

Analyzed by:
1665, 585, 4351

Weight:
0.208g

Extraction date:
11/07/23 11:09:38

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066120POT

Instrument Used : DA-LC-002

Analyzed Date : N/A

Reviewed On : 11/08/23 09:20:33

Batch Date : 11/07/23 09:35:50

Dilution : 400

Reagent : 103123.R04; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
11/09/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Slapple WF 3.5g (1/8 oz)
Slapple WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31107005-002

Harvest/Lot ID: SA-SLA-102323-A133

Batch# : 5726 1027 9257
4522

Sampled : 11/07/23

Ordered : 11/07/23

Sample Size Received : 31.5 gram

Total Amount : 1649 units

Completed : 11/09/23 Expires: 11/09/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	56.49	1.614		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	15.05	0.429		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.48	0.299		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	6.97	0.199		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.91	0.111		ALPHA-TERPINOLENE	0.007	ND	ND	
OCIMENE	0.007	3.36	0.096		CIS-NEROLIDOL	0.007	<0.70	<0.020	
ALPHA-HUMULENE	0.007	3.13	0.089		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.61	0.074		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.88	0.053						
FENCHYL ALCOHOL	0.007	1.79	0.051		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.8076g	Extraction date:	11/07/23 15:28:57
TOTAL TERPINEOL	0.007	1.19	0.034		Analytical Batch : DA0661177ER	Extracted by:	2076		
ALPHA-BISABOLOL	0.007	0.83	0.023		Instrument Used : DA-GCMS-008	Reviewed On : 11/08/23 18:22:55			
3-CARENE	0.007	ND	ND		Analyzed Date : 11/07/23 15:37:18	Batch Date : 11/07/23 09:23:04			
BORNEOL	0.013	<1.40	<0.040		Dilution : 10				
CAMPHENE	0.007	<0.70	<0.020		Reagent : 121622.26				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Pipette : N/A				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	<0.32	<0.009						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.614

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
11/09/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Slapple WF 3.5g (1/8 oz)
Slapple WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31107005-002

Harvest/Lot ID: SA-SLA-102323-A133

Batch# : 5726 1027 9257

4522

Sampled : 11/07/23

Ordered : 11/07/23

Sample Size Received : 31.5 gram

Total Amount : 1649 units

Completed : 11/09/23 Expires: 11/09/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis by: 3379, 585, 4351	Weight: 0.8229g	Extraction date: 11/07/23 13:50:16	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066129PES		Reviewed On : 11/08/23 10:58:24			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/07/23 09:57:09			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/07/23 13:52:53					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis by: 450, 585, 4351	Weight: 0.8229g	Extraction date: 11/07/23 13:50:16	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA066131VOL		Reviewed On : 11/08/23 10:55:49			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 11/07/23 09:58:39			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/07/23 13:54:20					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102523.R11; 040423.08; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
11/09/23

Revision: #1 - Clerical error.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31107005-002

Harvest/Lot ID: SA-SLA-102323-A133

 Batch# : 5726 1027 9257
 4522


 Sampled : 11/07/23
 Ordered : 11/07/23


Sample Size Received : 31.5 gram


Total Amount : 1649 units

 Completed : 11/09/23 Expires: 11/09/24
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 585, 4351	Weight: 0.9841g	Extraction date: 11/07/23 11:22:57		Extracted by: 3336	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 11/08/23 17:26:04 Batch Date : 11/07/23 09:47:37		
Analytical Batch : DA066122MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 11/07/23 13:31:19					
Dilution : 10					
Reagent : 083123.163; 081023.02; 081023.07; 100423.R40; 083123.134; 083123.174					
Consumables : 7566004015					
Pipette : N/A					
Analyzed by: 3390, 3336, 585, 4351	Weight: 0.9841g	Extraction date: 11/07/23 11:22:57		Extracted by: 3336	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 11/09/23 11:48:22 Batch Date : 11/07/23 10:42:04		
Analytical Batch : DA066138TYM					
Instrument Used : Incubator (25-27C) DA-097					
Analyzed Date : 11/07/23 13:19:27					
Dilution : 10					
Reagent : 083123.163; 083123.134; 083123.174; 101723.R10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4351	Weight: 0.8229g	Extraction date: 11/07/23 13:50:16		Extracted by: 3379	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA066130MYC			Reviewed On : 11/08/23 09:14:03 Batch Date : 11/07/23 09:58:37		
Instrument Used : N/A					
Analyzed Date : 11/07/23 13:53:54					
Dilution : 250					
Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4351	Weight: 0.2753g	Extraction date: 11/07/23 10:56:45		Extracted by: 1022,4306	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA066132HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 11/07/23 13:26:16					
Dilution : 50					
Reagent : 102723.R12; 101123.R29; 110323.R03; 110123.R33; 110323.R01; 110323.R02; 110123.R34; 110123.49; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Slapple WF 3.5g (1/8 oz)
Slapple WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31107005-002

Harvest/Lot ID: SA-SLA-102323-A133

Batch# : 5726 1027 9257
4522

Sampled : 11/07/23

Ordered : 11/07/23

Sample Size Received : 31.5 gram

Total Amount : 1649 units

Completed : 11/09/23 Expires: 11/09/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	9.72	PASS	15
Analyzed by: 1879, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4351, 585	Weight: 0.505g	Extraction date: 11/07/23 14:16:14	Extracted by: 4351		
Analysis Method : SOP.T.40.090 Analytical Batch : DA066182FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/08/23 12:11:17						Analysis Method : SOP.T.40.021 Analytical Batch : DA066136MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 110123.49; 031523.19 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.518	PASS	0.65
Analyzed by: 4351, 585	Weight: 1.208g	Extraction date: 11/07/23 13:52:22	Extracted by: 4371		
Analysis Method : SOP.T.40.019 Analytical Batch : DA066137WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
11/09/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.