

# **Kaycha Labs**

Gulf Coast Sunset Cartridge Concentrate 1g (90%) Gulf Coast Sunset

Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

Sample: DA31108003-004 Harvest/Lot ID: 6035 6606 3843 9244

Batch#: 6035 6606 3843 9244

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 9482 5868 7630 6973

Batch Date: 08/24/23

Sample Size Received: 16 gram Total Amount: 1986 units

Retail Product Size: 1 gram **Ordered:** 11/07/23 Sampled: 11/08/23

**Completed:** 11/10/23

Sampling Method: SOP.T.20.010

# **PASSED**

Nov 10, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

MISC.

PRODUCT IMAGE

SAFETY RESULTS





Heavy Metals



Microbials Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



Terpenes TESTED

**PASSED** 



## Cannabinoid

**Total THC** 

82.006% Total THC/Container: 820.06 mg



**Total CBD** 0.300%

Total CBD/Container: 3.00 mg

Reviewed On: 11/09/23 21:59:53 Batch Date: 11/08/23 08:44:18



**Total Cannabinoids** 

Total Cannabinoids/Container: 871.78 mg



Extracted by: Analyzed by: 3335, 1665, 4044 Weight: 0.1124g Extraction date: 11/08/23 11:07:50

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066155POT Instrument Used : DA-LC-003

Analyzed Date: 11/08/23 11:09:37

Reagent: 110723.R01; 060723.24; 110723.R03

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/10/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



## Kaycha Labs

Gulf Coast Sunset Cartridge Concentrate 1g (90%)

Gulf Coast Sunset Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31108003-004 Harvest/Lot ID: 6035 6606 3843 9244

Batch#:6035 6606 3843

Sampled: 11/08/23 Ordered: 11/08/23

Sample Size Received: 16 gram Total Amount: 1986 units

Completed: 11/10/23 Expires: 11/10/24 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	t %	Result (%)
TOTAL TERPENES	0.007	11.44	1.144			PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.50	0.350			SABINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	2.34	0.234			SABINENE HYDRATE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.03	0.103			ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.00	0.100			ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.77	0.077			CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	0.68	0.068			GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.56	0.056			TRANS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	0.54	0.054			Analyzed by:	Weight:	Extra	ction date:	Extracted by:
ALPHA-BISABOLOL	0.007	0.42	0.042			1879, 2076, 585, 4044	0.9287g		3/23 15:23:38	
BETA-PINENE	0.007	0.39	0.039			Analysis Method : SOP.T.30.061A.FL, SOP.	Γ.40.061A.FL			
VALENCENE	0.007	0.21	0.021		Ï	Analytical Batch : DA066175TER				10/23 10:35:52
FENCHYL ALCOHOL	0.007	< 0.20	< 0.020			Instrument Used : DA-GCMS-008 Analyzed Date : 11/08/23 18:28:45		Batc	h Date: 11/0	8/23 10:33:37
GERANIOL	0.007	< 0.20	< 0.020			Dilution: 10				
TOTAL TERPINEOL	0.007	< 0.20	< 0.020			Reagent: 121622.26				
ALPHA-PHELLANDRENE	0.007	< 0.20	< 0.020		Ì	Consumables: 210414634; MKCN9995; CE	0123; R1KB14270			
3-CARENE	0.007	ND	ND		Ì	Pipette : N/A				
BORNEOL	0.013	ND	ND		Ì	Terpenoid testing is performed utilizing Gas Chr	omatography Mass Spectro	metry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
CAMPHENE	0.007	ND	ND							
CAMPHOR	0.007	ND	ND		Ì					
CARYOPHYLLENE OXIDE	0.007	ND	ND		Ì					
CEDROL	0.007	ND	ND		Ì					
EUCALYPTOL	0.007	ND	ND		Ì					
FARNESENE	0.001	ND	ND		Ì					
FENCHONE	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
Total (%)			1.144							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Gulf Coast Sunset Cartridge Concentrate 1g (90%)

**Gulf Coast Sunset** Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31108003-004 Harvest/Lot ID: 6035 6606 3843 9244

Batch#: 6035 6606 3843

9244 Sampled: 11/08/23 Ordered: 11/08/23

Sample Size Received: 16 gram Total Amount: 1986 units

Completed: 11/10/23 Expires: 11/10/24 Sample Method: SOP.T.20.010

Page 3 of 6



## **Pesticides**

PASSEL	P.	A	S		ь	
--------	----	---	---	--	---	--

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	mag	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN					PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1		
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND			0.010		0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN				0.15		
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBEN	ZENE (PCNB) *	0.010			PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
DFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted b	
IETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.2609g		12:53:40		3379.4056	y.
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30				SOP.T.40.101		).
DFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		,,		,,		,,
XAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA06616				On:11/09/23		
IHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCM:			Batch Dat	e:11/08/23 10	:09:26	
IOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date:11/08/23 1	L4:48:58					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 110823.R01: 040	0422 00. 110722 020	. 110022 002	. 110122 02	e. 101022 D01	. 110022 002	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW	0423.06; 110723.R20	5; 110823.RU2	; 110123.K2	(6; 101023.RU)	L; 110623.R03	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094;	DA-219					
JDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agent		ng Liquid Chrom	natography 1	Friple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64		-	,			
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by	y:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 4044	0.2609g	11/08/23			3379,4056	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30						
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA06616 Instrument Used : DA-GCM				:11/09/23 10: 11/08/23 10:10		
FALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 11/08/23 1		Ва	iten bate :	11/00/23 10:10	1.17	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	.5.520					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 110823.R01; 040	0423.08: 103123 R19	9: 103123.R20				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW;		.,				
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;	DA-218					
LED	0.010	nnm	0.25	PASS	ND	Testing for agricultural agent	ts is porformed utilizing	a Cac Chromat	ography Tri	nla-Ouadrunnla	Mass Sportrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### **Kaycha Labs**

Gulf Coast Sunset Cartridge Concentrate 1g (90%)

Gulf Coast Sunset Matrix : Derivative Type: Distillate



**PASSED** 

**Certificate of Analysis** 

Sample : DA31108003-004

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Harvest/Lot ID: 6035 6606 3843 9244 Batch#: 6035 6606 3843

9244

Sampled: 11/08/23 Ordered: 11/08/23 Sample Size Received: 16 gram Total Amount: 1986 units Completed: 11/10/23 Expires: 11/10/24 Sample Method: SOP.T.20.010

Page 4 of 6



# **Residual Solvents**

□.	л			_	п
_/	н	Э	_	_	ш
_	_	_	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8		ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:	-		Extracted by:

0.0257g 11/09/23 15:11:45

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066184SOL Instrument Used: DA-GCMS-002 Analyzed Date: 11/08/23 20:26:27

Dilution: 1 Reagent: 030420.09

Consumables: R2017.099; 172723 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 11/09/23 17:43:03

Batch Date: 11/08/23 16:36:01

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

**Vivian Celestino** Lab Director



## Kaycha Labs

Gulf Coast Sunset Cartridge Concentrate 1g (90%)

Gulf Coast Sunset Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31108003-004 Harvest/Lot ID: 6035 6606 3843 9244

Batch#: 6035 6606 3843

Sampled: 11/08/23 Ordered: 11/08/23 Sample Size Received: 16 gram Total Amount : 1986 units Completed: 11/10/23 Expires: 11/10/24 Sample Method: SOP.T.20.010

Page 5 of 6



## **Microbial**



# DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3336, 585, 4044 11/08/23 10:29:52 1.043g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA066154MIC

**Reviewed On:** 11/10/23

Batch Date: 11/08/23

Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 08:43:37

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Instrument Used: PathogenDx Scanner DA-111.Applied

**Analyzed Date :** 11/08/23 12:05:19

Reagent: 083123.134; 100423.R40; 081023.02; 083123.174; 081023.07

**Consumables :** 7566004002 Pipette: N/A

2	Mycotoxilis			١	PAS	JE
Analyte		LOD	Units	Result	Pass / Fail	Actio
AFLATOXIN B	62	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	Δ	0.002	nnm	ND	PASS	0.02

Allalyte		LOD	Offics	Result	Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	<b>Weight:</b> 0.2609g	<b>Extraction dat</b> 11/08/23 12:5			<b>stracted b</b> 379,4056	,

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066163MYC Reviewed On: 11/09/23 09:53:48 Instrument Used : N/A Batch Date: 11/08/23 10:11:13

**Analyzed Date:** 11/08/23 14:49:46

Dilution: 250 Reagent: 110823.R01; 040423.08; 110723.R28; 110823.R02; 110123.R26; 101023.R01;

110823.R03 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Metal

# **Heavy Metals**

Result Pass / Action

Analyzed by: 3390, 3336, 585, 4044	<b>Weight:</b> 1.043g	11/08/23 10:29:52	3390,3621
Analysis Method: SOP.T.40 Analytical Batch: DA066179 Instrument Used: Incubator Analyzed Date: 11/08/23 12	TYM (25-27C) DA-09	Reviewed On:	11/10/23 16:36:53 L/08/23 10:52:17
Dilution: N/A Reagent: 083123.134; 0831 Consumables: N/A Pipette: N/A	.23.174; 10172	3.R10	
Total yeast and mold testing is accordance with F.S. Rule 64ER.		g MPN and traditional culture	based techniques in

					Fail	Level
TOTAL CONTAMINANT	LOAD METAL	<b>S</b> 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction dat	e:	E	xtracted	by:
1022, 585, 4044	0.2672g	11/08/23 12:1	9:10	1	022,4306	5

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA066173HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 11/08/23 15:01:18

Reviewed On: 11/09/23 11:12:55 Batch Date: 11/08/23 10:28:44

Units

Dilution: 50

Reagent: 102723.R12; 101123.R29; 110323.R03; 110123.R33; 110323.R01; 110323.R02;

110123.R34: 110123.49: 101123.R27

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Gulf Coast Sunset Cartridge Concentrate 1g (90%)

Gulf Coast Sunset Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31108003-004 Harvest/Lot ID: 6035 6606 3843 9244

Batch#: 6035 6606 3843 9244

Sampled: 11/08/23 Ordered: 11/08/23

Sample Size Received: 16 gram Total Amount: 1986 units Completed: 11/10/23 Expires: 11/10/24 Sample Method: SOP.T.20.010

Page 6 of 6



## Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA066182FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 11/08/23 12:27:04 Batch Date: 11/08/23 11:09:36

Analyzed Date: 11/08/23 12:11:17

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.010	aw	0.437	PASS	0.85

Extraction date: 11/08/23 12:33:38 Analyzed by: 1879, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA066172WAT

Reviewed On: 11/08/23 18:31:11 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/08/23 10:26:26

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164