



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA31109003-003
 Harvest/Lot ID: HYB-YOG(G)-110623-CO117
 Batch#: 7491 0351 5660 0241
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Zolfo Springs Processing
 Source Facility: Zolfo Springs Cultivation
 Seed to Sale# 6228 9523 3490 5488
 Batch Date: 10/04/23
 Sample Size Received: 31.5 gram
 Total Amount: 1462 units
 Retail Product Size: 3.5 gram
 Ordered: 11/08/23
 Sampled: 11/09/23
 Completed: 11/11/23
 Sampling Method: SOP.T.20.010


Nov 11, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 21.68% Dry Weight		Total CBD 0.061% Dry Weight		Total Cannabinoids 25.168% Dry Weight
--	---	---	---	---	---

											Total THC 18.582% 650.37 mg /Container
											Total CBD 0.053% 1.855 mg /Container
											Total Cannabinoids 21.572% 755.02 mg /Container
											As Received
%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
mg/unit	0.409	20.722	ND	0.061	0.045	0.042	0.25	ND	ND	ND	0.043
LOD	14.315	725.27	ND	2.135	1.575	1.47	8.75	ND	ND	ND	1.505
%	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001

Analyzed by: 1665, 585, 1440	Weight: 0.1871g	Extraction date: 11/09/23 13:12:40	Extracted by: 1665
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA066193POT
 Instrument Used : DA-LC-002
 Analyzed Date : 11/09/23 13:15:51

Reviewed On : 11/10/23 08:54:14
 Batch Date : 11/09/23 08:21:44

Dilution : 400
 Reagent : 102423.R04; 032123.11; 110723.R05
 Consumables : 927.100; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 11/11/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Origins YOG (G) WF 3.5g(1/8oz)

YOG (G)

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31109003-003

Harvest/Lot ID: HYB-YOG(G)-110623-C0117

Batch# : 7491 0351 5660
0241

Sampled : 11/09/23

Ordered : 11/09/23

Sample Size Received : 31.5 gram

Total Amount : 1462 units

Completed : 11/11/23 Expires: 11/11/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	75.78	2.165		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	20.02	0.572		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.35	0.410		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	5.15	0.147		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.97	0.142		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.61	0.103		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	3.47	0.099		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	3.01	0.086		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.77	0.079						
ALPHA-BISABOLOL	0.007	2.70	0.077		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPINEOL	0.007	2.28	0.065		2076, 585, 1440	0.9447g	11/09/23 16:18:44	2076	
OCIMENE	0.007	1.68	0.048						
FARNESENE	0.001	0.98	0.028		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	<1.40	<0.040		Analytical Batch : DA066204TER			Reviewed On : 11/11/23 11:22:07	
CAMPENE	0.007	<0.70	<0.020		Instrument Used : DA-GCMS-008			Batch Date : 11/09/23 10:34:00	
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Analyzed Date : 11/10/23 12:00:39				
ALPHA-TERPINOLENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 121622.26				
CEDROL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
EUCALYPTOL	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.165						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/11/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Origins YOG (G) WF 3.5g(1/8oz)
YOG (G)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31109003-003
Harvest/Lot ID: HYB-YOG(G)-110623-C0117

Batch# : 7491 0351 5660 Sample Size Received : 31.5 gram
0241 Total Amount : 1462 units
Sampled : 11/09/23 Completed : 11/11/23 Expires: 11/11/24
Ordered : 11/09/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9187g	Extraction date: 11/09/23 15:54:43	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066212PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 11/10/23 10:55:54		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/09/23 15:58:02			Batch Date : 11/09/23 11:48:11		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110123.R26; 101023.R01; 110823.R03					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.9187g	Extraction date: 11/09/23 15:54:43	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA066213VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 11/10/23 10:52:25		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/09/23 17:04:24			Batch Date : 11/09/23 11:49:52		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 110823.R01; 040423.08; 103123.R19; 103123.R20					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/11/23






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31109003-003
 Harvest/Lot ID: HYB-YOG(G)-110623-C0117
 Batch# : 7491 0351 5660 Sample Size Received : 31.5 gram
 0241 Total Amount : 1462 units
 Sampled : 11/09/23 Completed : 11/11/23 Expires: 11/11/24
 Ordered : 11/09/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	3000	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.9187g	Extraction date: 11/09/23 15:54:43		Extracted by: 3379	
Analyzed by: 3390, 585, 1440 Weight: 1.187g Extraction date: 11/09/23 11:13:01 Extracted by: 3390,3336						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA066225MYC Instrument Used : N/A Analyzed Date : 11/09/23 15:59:42					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA066198MIC Reviewed On : 11/10/23 14:40:51 Batch Date : 11/09/23 09:22:10						Reviewed On : 11/10/23 10:54:34 Batch Date : 11/09/23 12:22:01					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 11/09/23 15:23:42						Dilution : 250 Reagent : 110823.R01; 040423.08; 110723.R28; 110823.R02; 110123.R26; 101023.R01; 110823.R03 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : 10 Reagent : 083123.113; 081023.02; 081023.07; 100423.R40 Consumables : 7566004034 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.187g Extraction date: 11/09/23 11:13:01 Extracted by: 3390,3336						<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA066200TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 11/09/23 14:56:17 Reviewed On : 11/11/23 16:52:59 Batch Date : 11/09/23 09:23:47						Metal					
Dilution : 10 Reagent : 083123.113; 101723.R10 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						ARSENIC					
						CADMIUM					
						MERCURY					
						LEAD					
						Analyzed by: 1022, 585, 1440 Weight: 0.2141g Extraction date: 11/09/23 11:49:23 Extracted by: 1022					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31109003-003
 Harvest/Lot ID: HYB-YOG(G)-110623-C0117
 Batch# : 7491 0351 5660
 Sample Size Received : 31.5 gram
 Total Amount : 1462 units
 Completed : 11/11/23 Expires: 11/11/24
 Sample Method : SOP.T.20.010
 0241
 Sampled : 11/09/23
 Ordered : 11/09/23

Page 5 of 5

	Filth/Foreign Material	PASSED		Moisture	PASSED
---	-------------------------------	---------------	---	-----------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.29	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date: 11/09/23 12:40:27 Analysis Method : SOP.T.40.090 Analytical Batch : DA066230FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 4056, 585, 1440 Weight: 0.504g Extraction date: 11/09/23 16:39:18 Analyzed Date: 11/09/23 16:36:31 Analysis Method : SOP.T.40.021 Analytical Batch : DA066222MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 11/09/23 12:59:10 Batch Date : 11/09/23 12:33:50						Reviewed On : 11/09/23 17:47:52 Batch Date : 11/09/23 12:20:16					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED	Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.								
---	-----------------------	---------------	---	--	--	--	--	--	--	--	--

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.581	PASS	0.65
Analyzed by: 4056, 585, 1440 Weight: 0.599g Extraction date: 11/09/23 16:59:50 Analyzed Date: 11/09/23 16:37:06 Analysis Method : SOP.T.40.019 Analytical Batch : DA066224WAT Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe) Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					
Reviewed On : 11/09/23 17:47:53 Batch Date : 11/09/23 12:21:05					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.